



# NATIONAL POLAR-ORBITING OPERATIONAL ENVIRONMENTAL SATELLITE SYSTEM (NPOESS)

**NPOESS Common Data Format Control Book -  
Volume IV – Part II – Imagery, Atmospheric, and Cloud EDRs  
D34862-04-02 Rev C  
CDRL No. A014**

**Northrop Grumman Space & Mission Systems Corporation  
One Space Park  
Redondo Beach, California 90278**

**Copyright © 2004-2009  
Northrop Grumman Corporation and Raytheon Company  
Unpublished Work  
ALL RIGHTS RESERVED**

Portions of this work are the copyrighted work of Northrop Grumman and Raytheon. However, other entities may own copyrights in this work.

This documentation/technical data was developed pursuant to Contract Number F04701-02-C-0502 with the US Government. The US Government's rights in and to this copyrighted data are as specified in DFAR 252.227-7013, which was made part of the above contract.

This document has been identified per the NPOESS Common Data Format Control Book – External Volume 5 Metadata, D34862-05, Appendix B as a document to be provided to the NOAA Comprehensive Large Array-data Stewardship System (CLASS) via the delivery of NPOESS Document Release Packages to CLASS.

The information provided herein does not contain technical data as defined in the International Traffic in Arms Regulations (ITAR) 22 CFR 120.10.

This document has been approved by the United States Government for public release in accordance with NOAA NPOESS Integrated Program Office.

**Distribution: Statement A:** Approved for public release; distribution is unlimited.



## NATIONAL POLAR-ORBITING OPERATIONAL ENVIRONMENTAL SATELLITE SYSTEM (NPOESS)

### NPOESS Common Data Format Control Book - Volume IV – Part II – Imagery, Atmospheric, and Cloud EDRs D34862-04-02 Rev C CDRL No. A014

**PREPARED BY:**

Terri Matthews, System Engineering IPT

**ELECTRONIC APPROVAL SIGNATURES:**

\_\_\_\_\_  
Clark Snodgrass, SEITO Director

\_\_\_\_\_  
Keith Reinke, Ground Segments IPT Lead

\_\_\_\_\_  
Fabrizio Pela, SE&I IPT Lead

\_\_\_\_\_  
Ben James, Operations and Support IPT Lead

\_\_\_\_\_  
Mary Ann Chory, Space Segment IPT Lead

\_\_\_\_\_  
David Vandervoet, NPOESS Program Manager



<b>Revision/Change Record</b>		<b>For Document No.D34862-04-02</b>	
<b>Revision</b>	<b>Document Date</b>	<b>Revision/Change Description</b>	<b>Pages Affected</b>
---	10/21/2005	<p>Incorporation of the following ECRs:</p> <p>ECR 446C provides the Revision --- (initial submission) of this document. The following ECRs are included in this revision:</p> <ul style="list-style-type: none"> <li>• D34659 CIS ICD ECR 216C – Initial “Draft” Release</li> <li>• D31400-10 SARSAT System OPSCON SYS-020-060 ECR 229B – Rev A</li> <li>• SY15-0007 System Specification ECR 274A - Active Fires classification to an ARP</li> <li>• D34659 CIS ICD ECR 290C – Rev A</li> <li>• D37005 NPP EDR-PR v1.8 ECR 431B – Requirements Updates</li> <li>• D34862-01 CDFCB-X Vol. I ECR 445B – Rev A</li> <li>• D34862-04-02 CDFCB-X Vol. IV Part 2 ECR 446C – Initial Release</li> </ul>	All



Revision/Change Record		For Document No.D34862-04-02	
Revision	Document Date	Revision/Change Description	Pages Affected
A	09/10/2007	<p>Incorporation of the following DCOs and ECRs:</p> <p>ECR 617A provides the Revision A of this document. The following ECRs/DCOs are included in this revision:</p> <ul style="list-style-type: none"> <li>• ECR 480A, DNB/NCC on GTM projection and HRI exclusion for NPP</li> <li>• ECR 515B, NPOESS Restructure Baseline – Demanifest and GFE Sensor Performance</li> <li>• DCO A1 D34862-04-02 CDFCB-X Vol.IV Part 2 ECR 525E – Aerosol EDR</li> <li>• ECR 530C, Two Sensor EDRs</li> <li>• ECR 531D, NPOESS Restructure – App D Updates, Part 1</li> <li>• ECR 534D, NPOESS Data Products</li> <li>• DCO A2 D34862-04-02 CDFCB-X Valid Part 2 ECR 547C – VIIRS Imagery EDR</li> <li>• DCO A3 D34862-04-02 CDFCB-X Vol. IV Part 2 ECR 576C – Cloud Data Products</li> <li>• DCO A4 D34862-04-02 CDFCB-X Vol. IV Part 2 ECR 603A – CrIMSS EDR</li> <li>• ECR 617A CIDP CDFCB-X Vol. III and Vol. IV</li> </ul> <p>This revision also incorporates updates to the following:</p> <ul style="list-style-type: none"> <li>• Product Profile consistency updates</li> </ul>	All



Revision/Change Record		For Document No.D34862-04-02	
Revision	Document Date	Revision/Change Description	Pages Affected
B	07/07/2008	<p>Incorporation of the following DCOs and ECRs:</p> <p>ECR 779A provides the Revision B of this document. The following ECRs/DCOs are included in this revision:</p> <p>ECR 779A Rev B Updates to D34862-04 CDFCB-X Vol IV, Parts 1-4</p> <ul style="list-style-type: none"> <li>• ECR 469C, Rev A Release of D34651 NPOESS to FT ICD and Requirements Updates</li> <li>• ECR 546E, NPOESS Restructure – App. D and G Column 3 Updates, Part 2</li> <li>• ECR 749, Distributor Metadata</li> <li>• DCO B1 D34862-04-02 CDFCB-X Vol.IV Part 2 ECR 648A – OMPS Ozone EDR Updates</li> <li>• DCO B2 D34862-04-02 CDFCB-X Vol.IV Part 2 ECR 665A – CrIMSS EDR Updates</li> <li>• DCO B3 D34862-04-02 CDFCB-X Vol.IV Part 2 ECR 668 – Padbyte Representation in the VIIRS GTM Imagery GEO</li> <li>• DCO B4 D34862-04-02 CDFCB-X Vol. IV. Part 2 ECR 675A – VIIRS Aerosol Updates</li> <li>• DCO B5 D34862-04-02 CDFCB-X Vol. IV Part 2 ECR 708B – Update of the VIIRS &amp; CrIMSS EDR Geo Prod. Profile XML for the CDFCB-X Vol. IV</li> <li>• DCO B6 D34862-04-02 CDFCB-X Vol. IV Part 2 ECR 725A – Update of the VIIRS &amp; CrIMSS EDR Prod. Profile XML for the CDFCB-X Vol. IV</li> <li>• DCO B7 D34862-04-02 CDFCB-X Vol. IV Part 2 ECR 765 - QST Gridded IP &amp; CrIMSS NPOESS EDR Format Updates</li> </ul>	All
C	01/23/2009	<p>ECR 898B is the NPOESS CDR version of this document. No DCOs have been submitted for this rev and therefore none need to be incorporated.</p>	All

## Table of Contents

5.1	Imagery .....	4
5.1.1	I-Band Imagery.....	5
5.1.2	M-Band Imagery.....	40
5.1.3	Near Constant Contrast Imagery .....	55
5.2	Atmospheric Environmental Data Records.....	74
5.2.1	Atmospheric Vertical Moisture, Temperature, and Pressure Profile .....	74
5.2.2	Aerosol Optical Thickness and Aerosol Particle Size Parameter .....	112
5.2.3	DELETED.....	143
5.2.4	Suspended Matter .....	144
5.2.5	DELETED.....	152
5.2.6	Ozone Total Column .....	153
5.2.7	DELETED.....	183
5.2.8	DELETED.....	183
5.2.9	DELETED.....	183
5.2.10	DELETED.....	183
5.2.11	DELETED.....	183
5.3	Cloud Environmental Data Records .....	184
5.3.1	Cloud Base Height .....	184
5.3.2	Cloud Cover/Layers.....	200
5.3.3	Cloud Effective Particle Size .....	214
5.3.4	DELETED.....	228
5.3.5	DELETED.....	228
5.3.6	Cloud Optical Thickness.....	229
5.3.7	Cloud Top Height .....	242
5.3.8	Cloud Top Pressure .....	256
5.3.9	Cloud Top Temperature .....	271

## List of Figures

Figure 5.1.1.3-1, VIIRS I1-Band Imagery UML Diagram.....	27
Figure 5.1.1.3-2, VIIRS I2-Band Imagery UML Diagram.....	27
Figure 5.1.1.3-3, VIIRS I3-Band Imagery UML Diagram.....	27
Figure 5.1.1.3-4, VIIRS I4-Band Imagery UML Diagram.....	28
Figure 5.1.1.3-5, VIIRS I5-Band Imagery UML Diagram.....	28
Figure 5.1.2.7-1, M-Band Imagery GTM Geolocation UML Diagram .....	54
Figure 5.1.3.3-1, NCC Imagery UML Diagram.....	61
Figure 5.1.3.7-1, NCC Imagery GTM Geolocation UML Diagram.....	72
Figure 5.2.1.1.3-1, CrIMSS EDR HDF5 UML Diagram .....	100
Figure 5.2.1.1.7-1, CrIMSS EDR Geolocation HDF5 UML Diagram .....	110
Figure 5.2.2.2.3-1, VIIRS Aerosol UML Diagram.....	129
Figure 5.2.2.2.7-1, VIIRS Aerosol Geolocation UML Diagram .....	141
Figure 5.2.4.3-1, VIIRS Suspended Matter HDF5 Diagram .....	150
Figure 5.2.6.1.3-1, OMPS Total Column UML Diagram.....	181
Figure 5.3.1.2.3-1, VIIRS Cloud Base Height UML Diagram .....	198
Figure 5.3.2.3-1, VIIRS Cloud Cover/Layers UML Diagram .....	212
Figure 5.3.3.3-1, Cloud Effective Particle Size UML Diagram .....	226
Figure 5.3.6.3-1, Cloud Optical Thickness UML Diagram.....	240
Figure 5.3.7.3-1, Cloud Top Height UML Diagram.....	254
Figure 5.3.8.3-1, Cloud Top Pressure UML Diagram.....	269
Figure 5.3.9.3-1, Cloud Top Temperature UML Diagram .....	283

## List of Tables

Table 5.0-1, NPP Environmental Data Records .....	2
Table 5.0-2, NPOESS Environmental Data Records .....	3
Table 5.1.1.1-1, VIIRS I-Band Data Content Summary – Bands I1-I3 .....	7
Table 5.1.1.1-2, VIIRS I-Band Data Content Summary, Bands I4-I5 .....	8
Table 5.1.1.2-1, VIIRS I1-Band Imagery Product Profile – Radiance and Reflectance..	10
Table 5.1.1.2-2, VIIRS I1-Band Imagery Product Profile – Quality Flags.....	11
Table 5.1.1.2-3, VIIRS I1-Band Imagery Product Profile – Scale Factors.....	13
Table 5.1.1.2-4, VIIRS I2-Band Imagery Product Profile – Radiance and Reflectance..	13
Table 5.1.1.2-5, VIIRS I2-Band Imagery Product Profile – Quality Flags.....	14
Table 5.1.1.2-6, VIIRS I2-Band Imagery Product Profile – Scale Factors.....	16
Table 5.1.1.2-7, VIIRS I3-Band Imagery Product Profile – Radiance and Reflectance..	16
Table 5.1.1.2-8, VIIRS I3-Band Imagery Product Profile – Quality Flags.....	18
Table 5.1.1.2-9, VIIRS I3-Band Imagery Product Profile – Scale Factors.....	19
Table 5.1.1.2-10, VIIRS I4-Band Imagery Product Profile – Radiance and Brightness Temperature .....	20
Table 5.1.1.2-11, VIIRS I4-Band Imagery Product Profile – Quality Flags.....	21
Table 5.1.1.2-12, VIIRS I4-Band Imagery Product Profile – Scale Factors.....	22
Table 5.1.1.2-13, VIIRS I5-Band Imagery Product Profile – Radiance and Brightness Temperature .....	23
Table 5.1.1.2-14, VIIRS I5-Band Imagery Product Profile – Quality Flags.....	24
Table 5.1.1.2-14, VIIRS I5-Band Imagery Product Profile – Factors.....	25
Table 5.1.1.4-1, VIIRS I-Band Imagery N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	29
Table 5.1.1.5-1, VIIRS I-Band Imagery GTM Geolocation Data Content Summary.....	31
Table 5.1.1.6-1, VIIRS I-Band Imagery GTM Geolocation Product Profile .....	33
Table 5.1.2.1-1, M-Band Imagery Data Content Summary .....	41
Table 5.1.2.2-1, M-Band Imagery Product Profile.....	44
Table 5.1.2.2-1, M-Band Imagery Product Profile - Factors.....	45
Table 5.1.2.5-1, M-Band Imagery GTM Geolocation Data Content Summary .....	47
Table 5.1.2.6-1, M-Band Imagery GTM Geolocation Product Profile.....	49
Table 5.1.3.1-1, NCC Imagery Data Content Summary.....	56
Table 5.1.3.2-1, NCC Imagery Product Profile .....	57
Table 5.1.3.2-2, VIIRS NCC Imagery Product Profile – Quality Flags .....	57
Table 5.1.3.2-3, VIIRS NCC Imagery Product Profile – Scale Factors .....	59
Table 5.1.3.5-1, NCC-Band Imagery GTM Geolocation Data Content Summary .....	63
Table 5.1.3.6-1, NCC Imagery GTM Geolocation Product Profile .....	65
Table 5.2.1.1.1-1, CrIMSS EDR Data Content Summary .....	77
Table 5.2.1.1.2-1, CrIMSS EDR Product Profile .....	82
Table 5.2.1.1.2-2, CrIMSS EDR Product Profile – Quality Flags .....	90
Table 5.2.1.1.4-1, CrIMSS EDR N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	101
Table 5.2.1.1.5-1, CrIMSS EDR Geolocation Data Content Summary .....	103

Table 5.2.1.1.6-1, CrIMSS EDR Geolocation Product Profile ..... 105  
Table 5.2.1.1.6-2, CrIMSS EDR Geolocation Product Profile – Quality Flags ..... 109  
Table 5.2.2.2.1-1, VIIRS Aerosol Data Content Summary ..... 116  
Table 5.2.2.2.2-1, VIIRS Aerosol Product Profile – Optical Depths ..... 118  
Table 5.2.2.2.2-2, VIIRS Aerosol Product Profile – Quality Flags ..... 124  
Table 5.2.2.2.2-3, VIIRS AOT Product Profile – Factors ..... 128  
Table 5.2.2.2.4-1, VIIRS Aerosol  
    N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
    Values ..... 130  
Table 5.2.2.2.5-1, VIIRS Aerosol Geolocation Data Content Summary ..... 132  
Table 5.2.2.2.6-1, VIIRS Aerosol Geolocation Product Profile ..... 134  
Table 4.9.4.2-2, VIIRS Aerosol Geolocation Product Profile – Quality Flags ..... 139  
Table 5.2.2.2.8-1, VIIRS Aerosol Geolocation  
    N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
    Values ..... 142  
Table 5.2.4.1-1, Suspended Matter Data Content Summary ..... 145  
Table 5.2.4.2-1, Suspended Matter Product Profile ..... 146  
Table 5.2.4.2-2, VIIRS Suspended Matter Product Profile – Quality Flags ..... 147  
Table 5.2.4.2-3, VIIRS Suspended Matter Product Profile – Factors ..... 149  
Table 5.2.4.4-1, VIIRS Suspended Matter  
    N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
    Values ..... 151  
Table 5.2.6.1.1-1, Ozone Total Column Data Content Summary ..... 155  
Table 5.2.6.1.2-1, Ozone Total Column Product Profile ..... 160  
Table 5.2.6.1.2-2, Ozone Total Column Product Profile – Quality Flags ..... 178  
Table 5.2.6.1.4-1, OMPS Total Column Ozone  
    N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
    Values ..... 182  
Table 5.3.1.2.1-1, VIIRS Cloud Base Height Data Content Summary ..... 187  
Table 5.3.1.2.2-1, VIIRS Cloud Base Height Product Profile ..... 189  
Table 5.3.1.2.2-2, VIIRS Cloud Base Height Product Profile – Quality Flags ..... 190  
Table 5.3.1.2.2-3, VIIRS Cloud Base Height Product Profile – Factors ..... 197  
Table 5.3.1.2.4-1, VIIRS Cloud Base Height  
    N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
    Values ..... 199  
Table 5.3.2.1-1, VIIRS Cloud Cover/Layers Height Data Content Summary ..... 201  
Table 5.3.2.2-1, VIIRS Cloud Cover/Layers Height Product Profile ..... 203  
Table 5.3.2.2-2, VIIRS Cloud Cover/Layers Product Profile – Quality Flags ..... 204  
Table 5.3.2.2-3, VIIRS Cloud Cover/Layers Product Profile – Factors ..... 211  
Table 5.3.2.4-1, VIIRS Cloud Cover/Layers  
    N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
    Values ..... 213  
Table 5.3.3.1-1, Cloud Effective Particle Size Data Content Summary ..... 215  
Table 5.3.3.2-1, Cloud Effective Particle Size Product Profile ..... 217  
Table 5.3.3.2-2, Cloud Effective Particle Size Product Profile – Quality Flags ..... 218  
Table 5.3.3.2-3, Cloud Effective Particle Size Product Profile – Factors ..... 225

Table 5.3.3.4-1, Cloud Effective Particle Size N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	227
Table 5.3.6.1-1, Cloud Optical Thickness Data Content Summary .....	230
Table 5.3.6.2-1, Cloud Optical Thickness Product Profile.....	232
Table 5.3.6.2-2, Cloud Optical Thickness Product Profile – Quality Flags.....	233
Table 5.3.6.2-3, Cloud Optical Thickness Product Profile – Factors.....	239
Table 5.3.6.4-1, Cloud Optical Thickness N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	241
Table 5.3.7.1-1, Cloud Top Height Data Content Summary .....	243
Table 5.3.7.2-1, Cloud Top Height Product Profile .....	245
Table 5.3.7.2-2, Cloud Top Height Product Profile – Quality Flags.....	246
Table 5.3.7.2-3, Cloud Top Height Product Profile – Factors .....	253
Table 5.3.7.4-1, Cloud Top Height N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	255
Table 5.3.8.1-1, Cloud Top Pressure Data Content Summary .....	257
Table 5.3.8.2-1, Cloud Top Pressure Product Profile .....	259
Table 5.3.8.2-2, Cloud Top Pressure Product Profile – Quality Flags.....	260
Table 5.3.8.2-3, Cloud Top Pressure Product Profile – Factors .....	268
Table 5.3.8.4-1, Cloud Top Pressure N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	270
Table 5.3.9.1-1, Cloud Top Temperature Data Content Summary .....	272
Table 5.3.9.2-1, Cloud Top Temperature Product Profile .....	274
Table 5.3.9.2-2, Cloud Top Temperature Product Profile – Quality Flags .....	274
Table 5.3.9.2-3, Cloud Top Temperature Product Profile – Factors .....	282
Table 5.3.9.4-1, Cloud Top Temperature N_Quality_Summary_Name/N_Quality_Summary_Value Granule Level Metadata Values .....	284

**This page left intentionally blank**

## 5.0 ENVIRONMENTAL DATA RECORDS

For an overview of the CDFCB-X and the list of reference documents, see the CDFCB-X Volume I - Overview, D34862-01. For an introduction to this volume, see the CDFCB-X, Volume IV, Part 1 - IPs, ARPs, and Geolocation Data, D34862-04-01.

Environmental Data Records (EDRs) are data records that contain the environmental parameters or imagery generated by the NPOESS system as products deliverable to the user. The NPOESS and NPP required set of EDRs are defined in the NPOESS System Specification.

An EDR is either an official EDR, which means that it is part of the set of official NPOESS Data Products (as defined by the NPOESS Glossary and the NPOESS System Specification), or it is a substitute EDR. A substitute EDR is produced by substitute ancillary data, data defined by a central in order to create a data product using different input (specifically, different ancillary data) than that which is prescribed by NPOESS.

EDRs provide stable measurements useful for long-term trends. An EDR contains the following:

- EDR specific data (as described in each section)
- Appropriate geolocation values
- Quality Flags
- Metadata represented as Attributes in the HDF5 file that are provided at the granule and aggregation level

The EDRs are separated by category and are presented alphabetically within each category. All NPP EDRs are also delivered during NPOESS, thus only those EDRs which are NPOESS-only are annotated as such within their respective Description/Purpose section of their interface definition.

The NPP satellite will satisfy the EDRs listed in Table 5.0-1, NPP Environmental Data Records.

**Table 5.0-1, NPP Environmental Data Records**

NPP EDR Name	CrIMSS	OMPS	VIIRS
CrIMSS Profile (AVMP, AVTP, AVPP)	X		
Imagery			X
Sea Surface Temperature			X
Aerosol Optical Thickness			X
Aerosol Particle Size Parameter			X
Suspended Matter			X
Ozone Total Column		X	
Cloud Base Height			X
Cloud Cover/Layers			X
Cloud Effective Particle Size			X
Cloud Optical Thickness			X
Cloud Top Height			X
Cloud Top Pressure			X
Cloud Top Temperature			X
Albedo (Surface)			X
Land Surface Temperature			X
Vegetation Index			X
Snow Cover and Depth			X
Surface Type			X
Ice Surface Temperature			X
Net Heat Flux			X
Ocean Color/Chlorophyll			X
Sea Ice Characterization			X

The NPOESS satellite will satisfy the EDRs listed in Table 5.0-2, NPOESS Environmental Data Records.

**Table 5.0-2, NPOESS Environmental Data Records**

NPOESS EDR Name	CrIMSS	OMPS	VIIRS
CrIMSS Profile (AVMP, AVTP, AVPP)	X		
Imagery			X
Sea Surface Temperature			X
Aerosol Optical Thickness			X
Aerosol Particle Size Parameter			X
Suspended Matter			X
Ozone Total Column		X	
Cloud Base Height			X
Cloud Cover/Layers			X
Cloud Effective Particle Size			X
Cloud Optical Thickness			X
Cloud Top Height			X
Cloud Top Pressure			X
Cloud Top Temperature			X
Albedo (Surface)			X
Land Surface Temperature			X
Vegetation Index			X
Snow Cover/Depth			X
Surface Type			X
Active Fires			X
Ice Surface Temperature			X
Net Heat Flux			X
Ocean Color/Chlorophyll			X
Sea Ice Characterization			X

## 5.1 Imagery

Imagery products contain two primary data fields:

- A two-dimensional array of locally averaged absolute in-band radiances at the Top of the Atmosphere (TOA) measured in the direction of the viewing sensor
- The corresponding array of Brightness Temperatures (also referred to as Equivalent Black Body Temperatures – EBBTs) if the band is primarily emissive or the corresponding array TOA reflectance if the band is primarily reflective during the daytime

Notes:

All Imagery EDRs are produced in a Ground Track Mercator (GTM) projection.

There are multiple EDRs produced for Imagery products, depending on sensor data availability:

- VIIRS Imagery EDRs
  - I-Band Imagery EDRs
    - I1-Band Imagery EDR
    - I2-Band Imagery EDR
    - I3-Band Imagery EDR
    - I4-Band Imagery EDR
    - I5-Band Imagery EDR
  - M-Band Imagery EDRs
    - First M-Band Imagery EDR (Default: M1-Band)
    - Second M-Band Imagery EDR (Default: M4-Band)
    - Third M-Band Imagery EDR (Default: M9-Band)
    - Fourth M-Band Imagery EDR (Default: M14-Band)
    - Fifth M-Band Imagery EDR (Default: M15-Band)
    - Sixth M-Band Imagery EDR (Default: M16-Band)
  - Near Constant Contrast Imagery EDR

Note: Only six M-Band Imagery EDRs are produced by NPOESS. The EDRs produced by a given Interface Data Processor (IDP) is determined by that IDP's configuration.

<b>Availability Conditions</b>	Day Night (Does not include VIIRS I1 – 13 Bands nor M1-M6, M9, M11 Bands) Clear Cloudy Land Ocean
<b>Sensors</b>	VIIRS
<b>Effectivity</b>	NPP and NPOESS
<b>EDR Contents</b>	<p>For each pixel, the I-Band Imagery EDRs (I1 – I5) contain:</p> <ul style="list-style-type: none"> <li>• Calibrated TOA radiances and reflectances (Reflective Bands: I1-I3)</li> <li>• Calibrated TOA radiances and EBBTs (Emissive Bands: I4-I5)</li> <li>• Quality flags</li> </ul> <p>For each pixel, the M-Band Imagery EDRs (M1 – M16) contain:</p> <ul style="list-style-type: none"> <li>• Calibrated TOA radiances and reflectances (Reflective Bands: M1-M11)</li> <li>• Calibrated TOA radiances and EBBTs (Emissive Bands: M12-M16)</li> </ul> <p>For each pixel, the NCC Imagery EDR contains:</p> <ul style="list-style-type: none"> <li>• NCC Imagery Data – Albedo (Normalized TOA Reflectance ... no atmospheric correction applied)</li> <li>• Quality flags</li> </ul>

### 5.1.1 I-Band Imagery

<b>Data Mnemonic</b>	EDRE-IMAG-C0030 (Official)
<b>Description/Purpose</b>	The VIIRS I-Band Imagery radiances, reflectances, and brightness temperatures are characterized by a 375m Horizontal Reporting Interval (HRI). These products are mapped from the 375m VIIRS SDR Imagery Resolution Geolocation to a GTM projection. The

	<p>spatial resolution of the I-Band Imagery on GTM is 375 meters <math>\pm</math> 1%.</p> <p>The “PixelRowSDR” and “PixelColSDR” geolocation fields provide the SDR row and column coordinate for each GTM pixel mapping. The scan level geolocation quality flag “QF1_VIIRSGTMGEO” provides a flag that indicates whether a pixel has crossed a granule boundary during the SDR to GTM mapping process. If a granule boundary was crossed, the original SDR pixel may be located using effectivity time or the N_Input_Prod standard metadata item may be used to obtain the N_Reference_ID for each SDR granule</p> <p>The calibrated radiances at TOA for bands I1 – I3 are under daytime conditions. The calibrated radiances at TOA for bands I4 – I5 are under daytime and nighttime conditions. This data is reported in <math>W/(m^2 \cdot \mu m \cdot sr)</math></p> <p>The calibrated reflectances at TOA for bands I1 – I3 are under daytime conditions and are unitless.</p> <p>The calibrated EBBT for bands I4 – I5 are under daytime and nighttime conditions. This data is reported in Kelvins.</p>
<p><b>File-Naming Construct</b></p>	<p>See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.</p>
<p><b>File Size</b></p>	<p>Data Granule Size: 60.6 MiB</p> <p>This granule size includes I-Band related fields only and is based on a VIIRS granule duration of approximately 86 seconds. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p> <p>Geolocation Granule Size: 423.9 MiB</p>
<p><b>File Format Type</b></p>	<p>HDF5</p>
<p><b>Data Content and Data Format</b></p>	<p>See Section 5.1.1.1, VIIRS I-Band Imagery Data Content Summary</p> <p>See Section 5.1.1.2, VIIRS I-Band Imagery Product Profile</p>

	<p>See Section 5.1.1.3, VIIRS I-Band Imagery HDF5 Details</p> <p>See Section 5.1.1.4, VIIRS I-Band HDF5 Metadata Details</p> <p>See Section 5.1.1.5, VIIRS I-Band Imagery GTM Geolocation Details</p> <p>See Section 5.1.1.6, VIIRS I-Band Imagery GTM Geolocation Product Profile</p> <p>See Section 5.1.1.7, VIIRS I-Band Imagery GTM Geolocation HDF5 Details</p> <p>See Section 5.1.1.8, VIIRS I-Band GTM Imagery Geolocation HDF5 Metadata Details</p>
--	---

### 5.1.1.1 VIIRS I-Band Imagery Data Content Summary

VIIRS I1 – I3 Bands (daytime only) are reflective bands and contain calibrated TOA radiances and reflectances. Bands I4 and I5 (daytime and nighttime) are emissive bands and contain calibrated TOA radiances and EBBTs. See each band’s product profile (Section 5.1.1.2) for full product details. Table 5.1.1.1-1, VIIRS I-Band Data Content Summary – Bands I1 – I3, and Table 5.1.1.1-2, VIIRS I-Band Data Content Summary – Bands I4 – I5, list the content of the I-Band granule. Note that only one of the five bands will appear in any single data product’s granule.

**Table 5.1.1.1-1, VIIRS I-Band Data Content Summary – Bands I1-I3**

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
Radiance	TOA radiances for the I1-Band / I2-Band / or I3-Band	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*1541, 8241]	[1541,8241]	W/(m2 sr um)
Reflectance	TOA reflectances (daytime only) for the I1 – I3	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*1541, 8241]	[1541,8241]	unitless

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
QF1_VIIRSIMGEDR	Pixel Level Quality Flags for the I1, I2, or I3 Band	unsigned 8-bit char	[N*1541, 8241]	[1541,8241]	unitless
PadByte1	Pad byte	unsigned 8-bit char	[N*3]	[3]	unitless
RadianceFactors	Scale = 1st array element; Offset = 2nd array element for the I1 – I3 Band radiances	32-bit floating point	[N*2]	[2]	scale (1st array element ) = unitless  offset (2nd array element) = $W/(m^2 sr \mu m)$
ReflectanceFactors	Scale = 1st array element; Offset = 2nd array element for the I1 – I3 Band reflectances	32-bit floating point	[N*2]	[2]	scale (1st array element ) = unitless  offset (2nd array element) = unitless

**Table 5.1.1.1-2, VIIRS I-Band Data Content Summary, Bands I4-I5**

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
Radiance	TOA radiances for the I4 or I5 Bands	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*1541, 8241]	[1541,8241]	$W/(m^2 sr \mu m)$

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
BrightnessTemperature	Top of Atmosphere Equivalent Blackbody Brightness Temperatures (daytime and nighttime) for the I4 or I5 Bands	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*1541, 8241]	[1541,8241]	kelvin
QF1_VIIRSIMGEDR	Pixel Level Quality Flags for the I4 or I5 Bands	unsigned 8-bit char	[N*1541, 8241]	[1541,8241]	unitless
PadByte1	Pad byte	unsigned 8-bit char	[N*3]	[3]	unitless
RadianceFactors	Scale = 1st array element; Offset = 2nd array element for the I4 – I5 Band radiances	32-bit floating point	[N*2]	[2]	scale (1st array element) = unitless offset (2nd array element) = W/(m <sup>2</sup> sr um)
BrightnessFactors	Scale = 1st array element; Offset = 2nd array element for the I4 – I5 Band brightness temperatures	32-bit floating point	[N*2]	[2]	scale (1st array element) = unitless offset (2nd array element) = kelvin

### 5.1.1.2 VIIRS I-Band Imagery Product Profile

The following tables represent the Product Profiles for the VIIRS I-Band Imagery EDRs and include radiances, reflectances/brightness temperatures, quality flags, and scale/offset factors.

**Table 5.1.1.2-1, VIIRS I1-Band Imagery Product Profile – Radiance and Reflectance**

Fields													
Name	Data Size	Dimensions											
Radiance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	1541	1541							
		CrossTrack	No	No	8241	8241							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Top of Atmosphere radiances for the I1-Band	0	-5.0	861.6	W/(m2 sr um)	Yes	RadianceFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_UINT16_FILL	65535		
										MISS_UINT16_FILL	65534		
										ONBOARD_PT_UINT16_FILL	65533		
										ONGROUND_PT_UINT16_FILL	65532		
								ERR_UINT16_FILL	65531				
								ELINT_UINT16_FILL	65530				
								VDNE_UINT16_FILL	65529				
								SOUB_UINT16_FILL	65528				

Reflectance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																									
		AlongTrack	Yes	No	1541	1541																									
		CrossTrack	No	No	8241	8241																									
	<b>Datum</b>																														
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																					
	Top of Atmosphere Reflectances (Daytime only) for the I1-Band	0	0	1.6	unitless	Yes	ReflectanceFactors	unsigned 16-bit integer	<table border="1"> <tr> <th>Name</th> <th>Value</th> </tr> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> </tr> </table>	Name	Value	NA_UINT16_FILL	65535	MISS_UINT16_FILL	65534	ONBOARD_PT_UINT16_FILL	65533	ONGROUND_PT_UINT16_FILL	65532	ERR_UINT16_FILL	65531	ELINT_UINT16_FILL	65530	VDNE_UINT16_FILL	65529	SOUB_UINT16_FILL	65528	<table border="1"> <tr> <th>Name</th> <th>Value</th> </tr> </table>		Name	Value
	Name	Value																													
	NA_UINT16_FILL	65535																													
	MISS_UINT16_FILL	65534																													
	ONBOARD_PT_UINT16_FILL	65533																													
ONGROUND_PT_UINT16_FILL	65532																														
ERR_UINT16_FILL	65531																														
ELINT_UINT16_FILL	65530																														
VDNE_UINT16_FILL	65529																														
SOUB_UINT16_FILL	65528																														
Name	Value																														

**Table 5.1.1.2-2, VIIRS I1-Band Imagery Product Profile – Quality Flags**

Fields																								
Name	Data Size	Dimensions																						
QF1_VIIRSIMGEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																		
		AlongTrack	Yes	No	1541	1541																		
		CrossTrack	No	No	8241	8241																		
	<b>Datum</b>																							
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>														
	Imagery Quality (Pixel Quality as determined by the SDR Calibration Quality. Dead Pixel Replacement: Individual bad pixels caused by a bad detector are filled as an average of the two adjacent detector pixels. Bad edge-of-scan pixels use the adjacent pixel value. If two adjacent pixels are dead, a fill value is used for each pixel.)	0			unitless	No		2 bit(s)	<table border="1"> <tr> <th>Name</th> <th>Value</th> </tr> <tr> <td>Good</td> <td>0</td> </tr> <tr> <td>Poor</td> <td>1</td> </tr> <tr> <td>No Calibration</td> <td>2</td> </tr> <tr> <td>Dead Pixel Replacement</td> <td>3</td> </tr> </table>	Name	Value	Good	0	Poor	1	No Calibration	2	Dead Pixel Replacement	3	<table border="1"> <tr> <th>Name</th> <th>Value</th> </tr> </table>			Name	Value
	Name	Value																						
	Good	0																						
	Poor	1																						
	No Calibration	2																						
Dead Pixel Replacement	3																							
Name	Value																							
Pixel is Saturated	2			unitless	No		1 bit(s)	<table border="1"> <tr> <th>Name</th> <th>Value</th> </tr> <tr> <td>False</td> <td>0</td> </tr> </table>	Name	Value	False	0	<table border="1"> <tr> <th>Name</th> <th>Value</th> </tr> </table>			Name	Value							
Name	Value																							
False	0																							
Name	Value																							

												True	1
		Missing Data (Data required for calibration processing is not available for processing)	3			unitless	No		2 bit(s)			<b>Name</b>	<b>Value</b>
												<b>Name</b>	<b>Value</b>
												All data present	0
												Earth View RDR data missing	1
												Cal data (Space View, Earth View, Cal View, Solar Diffuser) missing	2
												Thermistor Data Missing	3
		Out of Range	5			unitless	No		2 bit(s)			<b>Name</b>	<b>Value</b>
												<b>Name</b>	<b>Value</b>
												All data within range	0
												Radiance out of range	1
												Reflectance out of range	2
												Both Radiance and Reflectance out of range	3
		Spare	7			unitless	No		1 bit(s)			<b>Name</b>	<b>Value</b>
												<b>Name</b>	<b>Value</b>
PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	3	3							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Pad byte				unitless	No		unsigned 8-bit char	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>

**Table 5.1.1.2-3, VIIRS I1-Band Imagery Product Profile – Scale Factors**

Fields											
Name	Data Size	Dimensions									
RadianceFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule	Yes	No	2	2					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
	Scale = first array element; Offset = second array element	0			Scale = unitless; Offset = W/(m <sup>2</sup> sr um)	No		32-bit floating point	Name Value	Name Value	
ReflectanceFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule	Yes	No	2	2					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
	Scale = first array element; Offset = second array element	0			unitless	No		32-bit floating point	Name Value	Name Value	

**Table 5.1.1.2-4, VIIRS I2-Band Imagery Product Profile – Radiance and Reflectance**

Name	Data Size	Dimensions									
Radiance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	1541	1541					
		CrossTrack	No	No	8241	8241					
		<b>Datum</b>									
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	

		Top of Atmosphere radiances for the I2-Band	0	-10.3	418.8	W/(m2 sr um)	Yes	RadianceFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528		
Name	Value	Name	Value																																											
NA_UINT16_FILL	65535																																													
MISS_UINT16_FILL	65534																																													
ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																													
ERR_UINT16_FILL	65531																																													
ELINT_UINT16_FILL	65530																																													
VDNE_UINT16_FILL	65529																																													
SOUB_UINT16_FILL	65528																																													
Reflectance	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																							
		AlongTrack	Yes	No	1541	1541																																								
		CrossTrack	No	No	8241	8241																																								
		<b>Datum</b>																																												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																			
Top of Atmosphere Reflectances (Daytime only) for the I2-Band	0	0.0	1.6	unitless	Yes	ReflectanceFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
Name	Value	Name	Value																																											
NA_UINT16_FILL	65535																																													
MISS_UINT16_FILL	65534																																													
ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																													
ERR_UINT16_FILL	65531																																													
ELINT_UINT16_FILL	65530																																													
VDNE_UINT16_FILL	65529																																													
SOUB_UINT16_FILL	65528																																													

**Table 5.1.1.2-5, VIIRS I2-Band Imagery Product Profile – Quality Flags**

<b>Name</b>	<b>Data Size</b>	<b>Dimensions</b>										
QF1_VIIRSIMGEDR	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	

		Imagery Quality (Pixel Quality as determined by the SDR Calibration Quality. Dead Pixel Replacement: Individual bad pixels caused by a bad detector are filled as an average of the two adjacent detector pixels. Bad edge-of-scan pixels use the adjacent pixel value. If two adjacent pixels are dead, a fill value is used for each pixel.)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> Good Poor No Calibration Dead Pixel Replacement	<b>Value</b> 0 1 2 3																																																														
		Pixel is Saturated	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> False True	<b>Value</b> 0 1																																																														
		Missing Data (Data required for calibration processing is not available for processing)	3			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> All data present Earth View RDR data missing Cal data (Space View, Earth View, Cal View, Solar Diffuser) missing Thermistor Data Missing	<b>Value</b> 0 1 2 3																																																														
		Out of Range	5			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> All data within range Radiance out of range Reflectance out of range Both Radiance and Reflectance out of range	<b>Value</b> 0 1 2 3																																																														
		Spare	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																															
PadByte1	1byte(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Granule Boundary</b></td> <td><b>Dynamic</b></td> <td><b>Min Array Size</b></td> <td><b>Max Array Size</b></td> <td colspan="8"></td> </tr> <tr> <td>Granule</td> <td>Yes</td> <td>No</td> <td>3</td> <td>3</td> <td colspan="8"></td> </tr> <tr> <td colspan="12"><b>Datum</b></td> </tr> <tr> <td><b>Description</b></td> <td><b>Datum Offset</b></td> <td><b>Unscaled Valid Range Min</b></td> <td><b>Unscaled Valid Range Max</b></td> <td><b>Measurement Units</b></td> <td><b>Scaled</b></td> <td><b>Scale Factor Name</b></td> <td><b>Data Type</b></td> <td><b>Fill Values</b></td> <td><b>Legend Entries</b></td> <td colspan="2"></td> </tr> <tr> <td>Pad byte</td> <td></td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>unsigned 8-bit char</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> <td colspan="2"></td> </tr> </table>											<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>									Granule	Yes	No	3	3									<b>Datum</b>												<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>			Pad byte				unitless	No		unsigned 8-bit char	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		
<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																																																						
Granule	Yes	No	3	3																																																																						
<b>Datum</b>																																																																										
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																																																	
Pad byte				unitless	No		unsigned 8-bit char	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																	

**Table 5.1.1.2-6, VIIRS I2-Band Imagery Product Profile – Scale Factors**

Name	Data Size	Dimensions									
RadianceFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule	Yes	No	2	2					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Scale = first array element; Offset = second array element				Scale = unitless; Offset = W/(m2 sr um)	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		
ReflectanceFactors	4byte(s)	<b>Name</b>	<b>Attribute Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>				
		Granule		Yes	No	2	2				
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Scale = first array element; Offset = second array element				unitless	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		

**Table 5.1.1.2-7, VIIRS I3-Band Imagery Product Profile – Radiance and Reflectance**

Name	Data Size	Dimensions									
Radiance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	1541	1541					
		CrossTrack	No	No	8241	8241					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		Top of Atmosphere radiances for the I3-Band	0	-1.2	87.0	W/(m2-sr·um)	Yes	RadianceFactors	unsigned 16-bit integer	<b>Name</b> NA_UINT16_FILL MISS_UINT16_FILL ONBOARD_PT_UINT16_FILL	<b>Value</b> 65535 65534 65533

										ONGROUND_PT_UINT16_FILL	65532																																			
										ERR_UINT16_FILL	65531																																			
										ELINT_UINT16_FILL	65530																																			
										VDNE_UINT16_FILL	65529																																			
										SOUB_UINT16_FILL	65528																																			
Reflectance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																								
		AlongTrack	Yes	No	1541	1541																																								
		CrossTrack	No	No	8241	8241																																								
		<b>Datum</b>																																												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																			
Top of Atmosphere Reflectances (Daytime only) for the I3-Band	0	0.0	1.6	unitless	Yes	ReflectanceFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
Name	Value	Name	Value																																											
NA_UINT16_FILL	65535																																													
MISS_UINT16_FILL	65534																																													
ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																													
ERR_UINT16_FILL	65531																																													
ELINT_UINT16_FILL	65530																																													
VDNE_UINT16_FILL	65529																																													
SOUB_UINT16_FILL	65528																																													

**Table 5.1.1.2-8, VIIRS I3-Band Imagery Product Profile – Quality Flags**

Name	Data Size	Dimensions										
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
QF1_VIIRSIMGEDR	1byte(s)	AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Imagery Quality (Pixel Quality as determined by the SDR Calibration Quality. Dead Pixel Replacement: Individual bad pixels caused by a bad detector are filled as an average of the two adjacent detector pixels. Bad edge-of-scan pixels use the adjacent pixel value. If two adjacent pixels are dead, a fill value is used for each pixel.	0			unitless	No		2 bit(s)	Name Value	Name	Value
											Good	0
											Poor	1
											No Calibration	2
											Dead Pixel Replacement	3
		Pixel is Saturated	2			unitless	No		1 bit(s)	Name Value	Name	Value
									False	0		
									True	1		
Missing Data (Data required for calibration processing is not available for processing)	3			unitless	No		2 bit(s)	Name Value	Name	Value		
									All data present	0		
									Earth View RDR data missing	1		
									Cal data (Space View, Earth View, Cal View, Solar Diffuser) missing	2		
									Thermistor Data Missing	3		
Out of Range	5			unitless	No		2 bit(s)	Name Value	Name	Value		
									All data within range	0		
									Radiance out of range	1		
									Reflectance or EBBT	2		

												out of range	
												Both Radiance and Reflectance/EBBT out of range	3
		Spare	7			unitless	No		1 bit	Name Value	Name Value		
PadByte1	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	3	3							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
Pad byte				unitless	No		unsigned 8-bit char	Name Value	Name Value				

**Table 5.1.1.2-9, VIIRS I3-Band Imagery Product Profile – Scale Factors**

Name	Data Size	Dimensions											
RadianceFactors	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
Scale = first array element; Offset = second array element				Scale = unitless; Offset = W/(m2 sr um)	No		32-bit floating point	Name Value	Name Value				
ReflectanceFactors	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
Scale = first array element; Offset = second array element				unitless	No		32-bit floating point	Name Value	Name Value				

**Table 5.1.1.2-10, VIIRS I4-Band Imagery Product Profile – Radiance and Brightness Temperature**

Name	Data Size	Dimensions												
Radiance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>								
		AlongTrack	Yes	No	1541	1541								
		CrossTrack	No	No	8241	8241								
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
		Top of Atmosphere radiances for the I4-Band	0	-.0018	3.6128	W/(m2 sr μm)	Yes	RadianceFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
										NA_UINT16_FILL	65535			
										MISS_UINT16_FILL	65534			
										ONBOARD_PT_UINT16_FILL	65533			
										ONGROUND_PT_UINT16_FILL	65532			
ERR_UINT16_FILL	65531													
ELINT_UINT16_FILL	65530													
VDNE_UINT16_FILL	65529													
SOUB_UINT16_FILL	65528													
BrightnessTemperature	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>								
		AlongTrack	Yes	No	1541	1541								
		CrossTrack	No	No	8241	8241								
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
		Top of Atmosphere Equivalent Blackbody Brightness Temperatures for the I4-Band	0	208	367	kelvin	Yes	BrightnessFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
										NA_UINT16_FILL	65535			
										MISS_UINT16_FILL	65534			
										ONBOARD_PT_UINT16_FILL	65533			
										ONGROUND_PT_UINT16_FILL	65532			
ERR_UINT16_FILL	65531													
ELINT_UINT16_FILL	65530													
VDNE_UINT16_FILL	65529													
SOUB_UINT16_FILL	65528													

**Table 5.1.1.2-11, VIIRS I4-Band Imagery Product Profile – Quality Flags**

Name	Data Size	Dimensions										
QF1_VIIRSIMGEDR	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Imagery Quality (Pixel Quality as determined by the SDR Calibration Quality. Dead Pixel Replacement: Individual bad pixels caused by a bad detector are filled as an average of the two adjacent detector pixels. Bad edge-of-scan pixels use the adjacent pixel value. If two adjacent pixels are dead, a fill value is used for each pixel.)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											Good	0
											Poor	1
											No Calibration	2
											Dead Pixel Replacement	3
Pixel is Saturated	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Missing Data (Data required for calibration processing is not available for processing)	3			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>		
									All data present	0		
									Earth View RDR data missing	1		
									Cal data (Space View, Earth View, Cal View, Solar Diffuser) missing	2		
									Thermistor Data	3		

												Missing	
		Out of Range	5			unitless	No		2 bit(s)	Name	Value	Name	Value
												All data within range	0
												Radiance out of range	1
												EBBT out of range	2
												Both Radiance and EBBT out of range	3
		Spare	7			unitless	No		1 bit(s)	Name	Value	Name	Value
PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	3	3							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Pad byte				unitless	No		unsigned 8-bit char	Name	Value	Name	Value

**Table 5.1.1.2-12, VIIRS I4-Band Imagery Product Profile – Scale Factors**

Name	Data Size	Dimensions											
RadianceFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	2	2							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Scale = first array element; Offset = second array element				Scale = unitless; Offset = W/(m2 sr um)	No		32-bit floating point	Name	Value	Name	Value
BrightnessFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	2	2							
		<b>Datum</b>											

Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
Scale = first array element; Offset = second array element				Scale = unitless; Offset = kelvin	No		32-bit floating point	Name Value	Name Value

**Table 5.1.1.2-13, VIIRS I5-Band Imagery Product Profile – Radiance and Brightness Temperature**

Name	Data Size	Dimensions																																													
Radiance	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																									
		AlongTrack	Yes	No	1541	1541																																									
		CrossTrack	No	No	8241	8241																																									
		<b>Datum</b>																																													
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																				
		Top of Atmosphere radiances for the I5-Band	0	-0.8133	18.4902	W/(m2 sr um)	Yes	RadianceFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528			
		Name	Value	Name	Value																																										
		NA_UINT16_FILL	65535																																												
		MISS_UINT16_FILL	65534																																												
		ONBOARD_PT_UINT16_FILL	65533																																												
ONGROUND_PT_UINT16_FILL	65532																																														
ERR_UINT16_FILL	65531																																														
ELINT_UINT16_FILL	65530																																														
VDNE_UINT16_FILL	65529																																														
SOUB_UINT16_FILL	65528																																														
<b>Datum</b>																																															
<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																											
AlongTrack	Yes	No	1541	1541																																											
CrossTrack	No	No	8241	8241																																											
<b>Datum</b>																																															
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																						
<b>Datum</b>																																															
<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																											
AlongTrack	Yes	No	1541	1541																																											
CrossTrack	No	No	8241	8241																																											
<b>Datum</b>																																															
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																						

Top of Atmosphere Equivalent Blackbody Brightness Temperatures for the I5-Band	0	150	380	kelvin	Yes	BrightnessFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
								NA_UINT16_FILL	65535		
								MISS_UINT16_FILL	65534		
								ONBOARD_PT_UINT16_FILL	65533		
								ONGROUND_PT_UINT16_FILL	65532		
								ERR_UINT16_FILL	65531		
								ELINT_UINT16_FILL	65530		
								VDNE_UINT16_FILL	65529		
								SOUB_UINT16_FILL	65528		

**Table 5.1.1.2-14, VIIRS I5-Band Imagery Product Profile – Quality Flags**

Name	Data Size	Dimensions									
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
QF1_VIIRSIMGEDR	1byte(s)	AlongTrack	Yes	No	1541	1541					
		CrossTrack	No	No	8241	8241					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		Imagery Quality (Pixel Quality as determined by the SDR Calibration Quality. Dead Pixel Replacement: Individual bad pixels caused by a bad detector are filled as an average of the two adjacent detector pixels. Bad edge-of-scan pixels use the adjacent pixel value. If two adjacent pixels are dead, a fill value is used for each pixel.)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> Good Poor No Calibration Dead Pixel Replacement <b>Value</b> 0 1 2 3
		Pixel is Saturated	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> False True <b>Value</b> 0 1
		Missing Data (Data required for calibration processing is not available for processing)	3			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> All data present Earth View RDR data missing Cal data (Space View, Earth View, Cal View, <b>Value</b> 0 1 2

												Solar Diffuser) missing	
												Thermistor Data Missing	3
		Out of Range	5			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>	
											All data within range	0	
											Radiance out of range	1	
											EBBT out of range	2	
											Both Radiance and EBBT out of range	3	
		Spare	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>	
PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	3	3							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Pad byte				unitless	No		unsigned 8-bit char	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		

Table 5.1.1.2-14, VIIRS I5-Band Imagery Product Profile – Factors

Name	Data Size	Dimensions											
RadianceFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	2	2							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Scale = first array element; Offset = second array element				Scale = unitless; Offset = W/(m2 sr um)	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		

BrightnessFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule	Yes	No	2	2					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	
Scale = first array element; Offset = second array element				Scale = unitless; Offset = kelvin	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>

### 5.1.1.3 VIIRS I-Band Imagery HDF5 Details

Figures 5.1.1.3-1 through 5.1.1.3-5 provide the details on the content and datatypes of the I-Band Imagery products. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01 Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

The I-Band Imagery products within the HDF5 files can be found within the Data\_Products group with the group names of VIIRS-I1-EDR, VIIRS-I2-EDR, VIIRS-I3-EDR, VIIRS-I4-EDR, and VIIRS-I5-EDR, depending on the specific data product contained in the file. The aggregation and granule(s) contain the data fields listed in the UML diagrams. The corresponding HDF5 data type for each field is also provided.

VIIRS-I1-IMG-EDR
+Radiance : H5T_NATIVE_USHORT
+Reflectance : H5T_NATIVE_USHORT
+QF1_VIIRSIMGEDR : H5T_NATIVE_UCHAR
+PadByte1 : H5T_NATIVE_UCHAR
+RadianceFactors : H5T_NATIVE_FLOAT
+ReflectanceFactors : H5T_NATIVE_FLOAT

**Figure 5.1.1.3-1, VIIRS I1-Band Imagery UML Diagram**

VIIRS-I2-IMG-EDR
+Radiance : H5T_NATIVE_USHORT
+Reflectance : H5T_NATIVE_USHORT
+QF1_VIIRSIMGEDR : H5T_NATIVE_UCHAR
+PadByte1 : H5T_NATIVE_UCHAR
+RadianceFactors : H5T_NATIVE_FLOAT
+ReflectanceFactors : H5T_NATIVE_FLOAT

**Figure 5.1.1.3-2, VIIRS I2-Band Imagery UML Diagram**

VIIRS-I3-IMG-EDR
+Radiance : H5T_NATIVE_USHORT
+Reflectance : H5T_NATIVE_USHORT
+QF1_VIIRSIMGEDR : H5T_NATIVE_UCHAR
+PadByte1 : H5T_NATIVE_UCHAR
+RadianceFactors : H5T_NATIVE_FLOAT
+ReflectanceFactors : H5T_NATIVE_FLOAT

**Figure 5.1.1.3-3, VIIRS I3-Band Imagery UML Diagram**

VIIRS-I4-IMG-EDR
+Radiance : H5T_NATIVE_USHORT
+BrightnessTemperature : H5T_NATIVE_USHORT
+QF1_VIIRSIMGEDR : H5T_NATIVE_UCHAR
+PadByte1 : H5T_NATIVE_UCHAR
+RadianceFactors : H5T_NATIVE_FLOAT
+BrightnessFactors : H5T_NATIVE_FLOAT

**Figure 5.1.1.3-4, VIIRS I4-Band Imagery UML Diagram**

VIIRS-I5-IMG-EDR
+Radiance : H5T_NATIVE_USHORT
+BrightnessTemperature : H5T_NATIVE_USHORT
+QF1_VIIRSIMGEDR : H5T_NATIVE_UCHAR
+PadByte1 : H5T_NATIVE_UCHAR
+RadianceFactors : H5T_NATIVE_FLOAT
+BrightnessFactors : H5T_NATIVE_FLOAT

**Figure 5.1.1.3-5, VIIRS I5-Band Imagery UML Diagram**

#### 5.1.1.4 VIIRS I-Band Imagery HDF5 Metadata Details

The HDF5 metadata elements associated with the I-Band Imagery EDR are listed in the CDFCB-X Volume V - Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The I-Band Imagery metadata includes all common metadata at the root, product, aggregation, and granule level.

In addition to the common metadata items for this product, Table 5.1.1.4-1, VIIRS I-Band Imagery N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provide the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS I-Band Imagery EDRs.

Note that there is a standard granule level metadata item that identifies the Imagery Band. This metadata item is the “Band\_ID” and is set to “I1”, “I2”, “I3”, “I4” or “I5”.

**Table 5.1.1.4-1, VIIRS I-Band Imagery  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

<b>N_Quality_Summary</b>			
<b>Name</b>	<b>Value</b>	<b>Description</b>	<b>Comments</b>
Summary – Image Quality	0 – 100	Percent of good quality pixels in granule	
Summary – Range Check	0 – 100	Percent of measured radiances in granule outside of required range	
Summary – Saturated Pixel	0 – 100	Percent of saturated pixels in granule	

### 5.1.1.5 VIIRS I-Band Imagery GTM Geolocation Details

<b>Data Mnemonic</b>	None
<b>Description/ Purpose</b>	The VIIRS I-Band Imagery GTM Geolocation is mapped to a GTM grid from the Imagery Resolution SDR Geolocation. The original SDR pixel row and column (i,j)th value is provided in the fields “PixelRowSDR” and “PixelColSDR”. Details for each field of the geolocation are provided in Table 5.1.1.5-1, VIIRS I-Band Imagery GTM Geolocation Data Content Summary.
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	Estimated granule size: 423.9 MiB not including metadata or HDF5 overhead.
<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>The VIIRS I-Band Imagery GTM Geolocation contains:</p> <ul style="list-style-type: none"> <li>Time Field</li> <li>Geolocation Angular Fields</li> <li>Height and Satellite Range</li> <li>Geolocation Quality Flags</li> <li>SDR pixel mapping field (for SDR row and column)</li> <li>Pad bytes</li> </ul> <p>See Section 5.1.1.5, VIIRS I-Band Imagery GTM Geolocation Details</p> <p>See Section 5.1.1.6, VIIRS I-Band Imagery GTM Geolocation Product Profiles</p> <p>See Section 5.1.1.7, VIIRS I-Band Imagery GTM Geolocation HDF5 Details</p> <p>See Section 5.1.1.8, VIIRS I-Band Imagery GTM Geolocation HDF5 Metadata Details</p>

**Table 5.1.1.5-1, VIIRS I-Band Imagery GTM Geolocation Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
Time	Time of the nadir point of the GTM row in IET (1/1/1958). Represents the time of the nadir point of the GTM row	64-bit integer	[N*1541]	[1541]	microsecond
Latitude	Latitude of each pixel (positive North)	32-bit floating point	[N*1541, 8241]	[1541, 8241]	degree
Longitude	Longitude of each pixel (positive East)	32-bit floating point	[N*1541, 8241]	[1541, 8241]	degree
SolarZenithAngle	Zenith angle of sun at each pixel position	32-bit floating point	[N*1541, 8241]	[1541, 8241]	degree
SolarAzimuthAngle	Azimuth angle of sun (measured clockwise positive from North) at each pixel position	32-bit floating point	[N*1541, 8241]	[1541, 8241]	degree
SatelliteZenithAngle	Zenith angle to Satellite at each pixel position	32-bit floating point	[N*1541, 8241]	[1541, 8241]	degree
SatelliteAzimuthAngle	Azimuth angle (measured clockwise positive from North) to Satellite at each pixel position	32-bit floating point	[N*1541, 8241]	[1541, 8241]	degree
Height	Ellipsoid-Geoid separation	16-bit integer	[N*1541, 8241]	[1541, 8241]	meter
PadByte1	Pad byte	8-bit unsigned char	[N*2]	[2]	unitless
SatelliteRange	Line of sight distance from the ellipsoid intersection to the satellite	32-bit floating point	[N*1541, 8241]	[1541, 8241]	meter
QF1_VIIRSGTMGEO	Pixel Level Geolocation Quality Flags	unsigned 8-bit char	[N*1541, 8241]	[1541, 8241]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF2_VIIRSGTMGEO	Scan Level Geolocation Quality Flags	unsigned 8-bit char	[N]	[48]	unitless
PadByte2	Pad byte	8-bit unsigned char	[N*1]	[1]	unitless
PixelRowSDR	Imagery SDR pixel row index number that was remapped to this GTM pixel (row numbering begins with zero)	unsigned 16-bit integer	[N*1541, 8241]	[1541, 8241]	unitless
PixelColSDR	Imagery SDR pixel column index number that was remapped to this GTM pixel (column numbering begins with zero)	unsigned 16-bit integer	[N*1541, 8241]	[1541, 8241]	unitless
PadByte3	Pad byte	8-bit unsigned char	[N*6]	[6]	unitless

5.1.1.6 VIIRS I-Band Imagery GTM Geolocation Product Profile

Table 5.1.1.6-1, VIIRS I-Band Imagery GTM Geolocation Product Profile

Fields												
Name	Data Size	Dimensions										
Time	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Time of the nadir point of the GTM row in IET (1/1/1958). Represents the time of the nadir point of the GTM row	0	1483228832000000	2272147232000000	microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>
								NA_INT64_FILL	-999			
								MISS_INT64_FILL	-998			
								ERR_INT64_FILL	-995			
								ELINT_INT64_FILL	-994			
								VDNE_INT64_FILL	-993			
Latitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Latitude of each pixel (positive North)	0	-90	90	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								NA_FLOAT32_FILL	-			
								MISS_FLOAT32_FILL	-			
								ERR_FLOAT32_FILL	-			
								ELINT_FLOAT32_FILL	-			
								VDNE_FLOAT32_FILL	-			
									999.9			
									999.8			
									999.5			
									999.4			
									999.3			

Longitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Longitude of each pixel (positive East)	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

SolarZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Zenith angle of sun at each pixel position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

SolarAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Azimuth angle of sun (measured clockwise positive from North) at each pixel position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											
SatelliteZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Zenith angle to Satellite at each pixel position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

SatelliteAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Azimuth angle (measured clockwise positive from North) to Satellite at each pixel position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
Height	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Ellipsoid-Geoid separation	0			meter	No		16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_INT16_FILL	-999	
										MISS_INT16_FILL	-998	
										ERR_INT16_FILL	-995	
										ELINT_INT16_FILL	-994	
								VDNE_INT16_FILL	-993			
PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
Pad byte	0			unitless	No		unsigned 8-bit char	<b>Name</b>	<b>Value</b>	<b>Name Value</b>		

SatelliteRange	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																		
		AlongTrack	Yes	No	1541	1541																		
		CrossTrack	No	No	8241	8241																		
		<b>Datum</b>																						
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>													
Line of sight distance from the ellipsoid intersection to the satellite	0			meter	No		32-bit floating point	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> </tr> </table>	<b>Name</b>	<b>Value</b>	NA_FLOAT32_FILL	-999.9	MISS_FLOAT32_FILL	-999.8	ERR_FLOAT32_FILL	-999.5	ELINT_FLOAT32_FILL	-999.4	VDNE_FLOAT32_FILL	-999.3	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>		<b>Name</b>	<b>Value</b>
<b>Name</b>	<b>Value</b>																							
NA_FLOAT32_FILL	-999.9																							
MISS_FLOAT32_FILL	-999.8																							
ERR_FLOAT32_FILL	-999.5																							
ELINT_FLOAT32_FILL	-999.4																							
VDNE_FLOAT32_FILL	-999.3																							
<b>Name</b>	<b>Value</b>																							
QF1_VIIRSGTMGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																		
		AlongTrack	Yes	No	1541	1541																		
		CrossTrack	No	No	8241	8241																		
		<b>Datum</b>																						
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>													
SDR Pixel Mapping Coordinate (GTM to SDR). Indicates whether this pixel originated from the previous, current, or next granule in the SDR Imagery Resolution Geolocation.	0			unitless	No		2 bit(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>	<b>Name</b>	<b>Value</b>	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>Error</td> <td>0</td> </tr> <tr> <td>Previous Granule</td> <td>1</td> </tr> <tr> <td>Current Granule</td> <td>2</td> </tr> <tr> <td>Next Granule</td> <td>3</td> </tr> </table>		<b>Name</b>	<b>Value</b>	Error	0	Previous Granule	1	Current Granule	2	Next Granule	3		
<b>Name</b>	<b>Value</b>																							
<b>Name</b>	<b>Value</b>																							
Error	0																							
Previous Granule	1																							
Current Granule	2																							
Next Granule	3																							
Spare		2		unitless	No		6 bit(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>	<b>Name</b>	<b>Value</b>	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>		<b>Name</b>	<b>Value</b>										
<b>Name</b>	<b>Value</b>																							
<b>Name</b>	<b>Value</b>																							
QF2_VIIRSGTMGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																		
		Scan	Yes	No	48	48																		
		<b>Datum</b>																						
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>													
		Solar Eclipse	0			unitless	No		1 bit(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>	<b>Name</b>	<b>Value</b>	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </table>		<b>Name</b>	<b>Value</b>	False	0	True	1				
<b>Name</b>	<b>Value</b>																							
<b>Name</b>	<b>Value</b>																							
False	0																							
True	1																							
Spare	1			unitless	No		7 bit(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>	<b>Name</b>	<b>Value</b>	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>		<b>Name</b>	<b>Value</b>										
<b>Name</b>	<b>Value</b>																							
<b>Name</b>	<b>Value</b>																							

PadByte2	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	1	1						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
Pad byte	0			unitless	No		unsigned 8-bit char	<b>Name</b> Value	<b>Name</b> Value			
PixelRowSDR	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Imagery SDR pixel row index number that was remapped to this GTM pixel (row numbering begins with zero)	0	0	1535	unitless	No		unsigned 16-bit integer	<b>Name</b> Value	<b>Name</b> Value	
										NA_UINT16_FILL 65535 MISS_UINT16_FILL 65534 ERR_UINT16_FILL 65531 ELINT_UINT16_FILL 65530 VDNE_UINT16_FILL 65529		
PixelColSDR	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1541	1541						
		CrossTrack	No	No	8241	8241						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Imagery SDR pixel column index number that was remapped to this GTM pixel (column numbering begins with zero)	0	0	6399	unitless	No		unsigned 16-bit integer	<b>Name</b> Value	<b>Name</b> Value	
										NA_UINT16_FILL 65535 MISS_UINT16_FILL 65534 ERR_UINT16_FILL 65531 ELINT_UINT16_FILL 65530 VDNE_UINT16_FILL 65529		
PadByte3	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	6	6						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
Pad byte	0			unitless	No		unsigned 8-bit char	<b>Name</b> Value	<b>Name</b> Value			

### 5.1.1.7 VIIRS I-Band Imagery GTM Geolocation HDF5 Details

The VIIRS I-Band Imagery GTM Geolocation is mapped to a GTM grid from the Imagery Resolution SDR Geolocation. The original SDR pixel row and column (i,j) value is provided in the fields “PixelRowSDR” and “PixelColSDR”. Figure 5.1.1.7-1, VIIRS I-Band Imagery GTM Geolocation UML Diagram, provides details on the contents and datatypes of the I-Band Imagery geolocation.

<b>VIIRS-IMG-GTM-EDR-GEO</b>
+Time : H5T_NATIVE_LLONG
+Latitude : H5T_NATIVE_FLOAT
+Longitude : H5T_NATIVE_FLOAT
+SolarZenithAngle : H5T_NATIVE_FLOAT
+SolarAzimuthAngle : H5T_NATIVE_FLOAT
+SatelliteZenithAngle : H5T_NATIVE_FLOAT
+SatelliteAzimuthAngle : H5T_NATIVE_FLOAT
+Height : H5T_NATIVE_SHORT
+PadByte1 : H5T_NATIVE_UCHAR
+SatelliteRange : H5T_NATIVE_FLOAT
+QF1_VIIRSGTMGEO : H5T_NATIVE_UCHAR
+QF2_VIIRSGTMGEO : H5T_NATIVE_UCHAR
+PadByte2 : H5T_NATIVE_UCHAR
+PixelRowSDR : H5T_NATIVE_USHORT
+PixelColSDR : H5T_NATIVE_USHORT
+PadByte3 : H5T_NATIVE_UCHAR

**Figure 5.1.1.7-1, VIIRS I-Band Imagery GTM Geolocation UML Diagram**

### 5.1.2 M-Band Imagery

<b>Data Mnemonic</b>	EDRE-VMOD-C0030 (Official)
<b>Description/ Purpose</b>	<p>The VIIRS Moderate Band Imagery EDRs are characterized by a 750m Horizontal Reporting Interval (HRI). All M-Band imagery products are re-sampled from the VIIRS moderate resolution SDR geolocation to a GTM projection.</p> <p>The “PixelRowSDR” and “PixelColSDR” geolocation fields provide the SDR row and column coordinate for each GTM pixel mapping. The scan level geolocation quality flag “QF1_VIIRSGTMGEO” provides a flag that indicates whether a pixel has crossed a granule boundary during the SDR to GTM mapping process. If a granule boundary was crossed, the original SDR pixel may be located using effectivity time or the N_Input_Prod standard metadata item may be used to obtain the N_Reference_ID for each SDR granule.</p> <p>Unlike the VIIRS I-Band products, not all VIIRS M-Band EDRs are created and made available for delivery. Instead, only a subset (six) of the 16 M-Bands may be configured at the IDP for output at any one time.</p> <p>The default bands are M1, M4, M9, M14, M15, and M16.</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Data Granule Size: 12.1 MiB</p> <p>This granule size includes M-Band related fields only and is based on a VIIRS granule duration of approximately 28.5 seconds. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p> <p>Geolocation Granule Size: 106.1 MiB</p>
<b>File Format Type</b>	HDF5

<b>Data Content and Data Format</b>	<p>See Section 5.1.2.1, VIIRS M-Band Imagery Data Content Summary</p> <p>See Section 5.1.2.2, VIIRS M-Band Imagery Product Profile</p> <p>See Section 5.1.2.3, VIIRS M-Band Imagery HDF5 Details</p> <p>See Section 5.1.2.4, VIIRS M-Band Imagery HDF5 Metadata Details</p> <p>See Section 5.1.2.5, VIIRS M-Band Imagery GTM Geolocation Details</p> <p>See Section 5.1.2.6, VIIRS M-Band Imagery GTM Geolocation Product Profile</p> <p>See Section 5.1.2.7, VIIRS M-Band Imagery GTM Geolocation HDF5 Details</p> <p>See Section 5.1.2.8, VIIRS M-Band Imagery GTM Geolocation HDF5 Metadata Details</p>
-------------------------------------	--

### 5.1.2.1 M-Band Imagery Data Content Summary

**Table 5.1.2.1-1, M-Band Imagery Data Content Summary**

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
Radiance	TOA radiances for the M-Band selected	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*771, 4121]	[771,4121]	W/(m <sup>2</sup> sr um)
BrightnessTemperatureOrReflectance	EBBT (for an emissive M-Band) or TOA Reflectances (for a reflective M-Band)	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*771, 4121]	[771,4121]	unitless
RadianceFactors	Scale = 1 <sup>st</sup> array element; Offset = 2 <sup>nd</sup> array element for the selected M-Band radiance	32-bit floating point	[N*2]	[2]	scale (1 <sup>st</sup> array element) = unitless offset (2 <sup>nd</sup> array element) = W/(m <sup>2</sup> sr um)

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
BrightnessTemperatureOrReflectanceFactors	Scale = 1 <sup>st</sup> array element; Offset = 2 <sup>nd</sup> array element for the selected M-Band Reflectance or Brightness Temperature	32-bit floating point	[NX2]	[2]	scale (1 <sup>st</sup> array element) = unitless offset (2 <sup>nd</sup> array element) = kelvin for brightness temperature, unitless for reflectance

### 5.1.2.2 M-Band Imagery Product Profile

The following tables represent the Product Profiles representative of any one of the available M-Band EDRs. Note that the default bands may be reflective (M1, M4, M9) or emissive (M14, M15 and M16). Therefore the “BrightnessTemperatureReflectance” field may apply to either reflectance or brightness temperature as appropriate. The products are named with the generic names “VIIRS-M1ST-IMG-EDR”, “VIIRS-M2ND-IMG-EDR”, “VIIRS-3RD-IMG-EDR”, “VIIRS-4TH-IMG-EDR”, “VIIRS-5TH-IMG-EDR”, and “VIIRS-6TH-IMG-EDR” since any of the 16 M-bands may be requested. The metadata item “Band\_ID” must be inspected in order to determine which M-Band was selected for each product.

**Table 5.1.2.2-1, M-Band Imagery Product Profile**

**(VIIRS-M1ST-IMG-EDR, VIIRS-M2ND-IMG-EDR, VIIRS-M3RD-IMG-EDR, VIIRS-M4TH-IMG-EDR, VIIRS-M5TH-IMG-EDR, VIIRS-M6TH-IMG-EDR)**

Name	Data Size	Dimensions											
Radiance	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771							
		CrossTrack	No	No	4121	4121							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Top of Atmosphere radiances for the M-Band selected	0	-30.0	842.4	W/(m <sup>2</sup> sr um)	Yes	RadianceFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_UINT16_FILL	65535		
										MISS_UINT16_FILL	65534		
										ONBOARD_PT_UINT16_FILL	65533		
										ONGROUND_PT_UINT16_FILL	65532		
ERR_UINT16_FILL	65531												
ELINT_UINT16_FILL	65530												
VDNE_UINT16_FILL	65529												
SOUB_UINT16_FILL	65528												
Brightness Temperature Or Reflectance	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771							
		CrossTrack	No	No	4121	4121							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Brightness Temperatures (for an emissive M-Band) or Top of Atmosphere Reflectances (for a reflective M-Band) for the selected M-Band	0	192.0 (for Brightness Temp) or 0.0 (for Reflectance)	683.0 (for Brightness Temp) or 1.6 (for Reflectance)	kelvin (for BrightnessTemp) or unitless (for Reflectance)	Yes	BrightnessTemperatureReflectanceFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_UINT16_FILL	65535		
										MISS_UINT16_FILL	65534		
										ONBOARD_PT_UINT16_FILL	65533		
										ONGROUND_PT_UINT16_FILL	65532		
ERR_UINT16_FILL	65531												
ELINT_UINT16_FILL	65530												
VDNE_UINT16_FILL	65529												
SOUB_UINT16_FILL	65528												

**Table 5.1.2.2-1, M-Band Imagery Product Profile - Factors**

		Fields									
RadianceFactors	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>				
		Granule		Yes	No	2	2				
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Scale = first array element; Offset = second array element	0			Scale = unitless; Offset = W/(m <sup>2</sup> sr um)	No		32-bit floating point	Name Value	Name Value		
BrightnessTemperatureOrReflectanceFactors	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>				
		Granule		Yes	No	2	2				
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Scale = first array element; Offset = second array element	0			Scale = unitless; Offset = kelvin (for BrightnessTemp) or unitless (for Reflectance)	No		32-bit floating point	Name Value	Name Value		

### 5.1.2.3 M-Band Imagery HDF5 Details

Figure 5.1.2.3-1, M-Band Imagery UML Diagram, provides details on the content and datatypes of the M-Band Imagery product. This UML provides details at the product level only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

The M-Band Imagery product within the HDF5 file can be found within the Data\_Products group with the group name of VIIRS-M1ST-IMG-EDR, VIIRS-M2ND-IMG-EDR, VIIRS-M3RD-IMG-EDR, VIIRS-M4TH-IMG-EDR, VIIRS-M5TH-IMG-EDR, or VIIRS-M6TH-IMG-EDR. The name of VIIRS-M<1st..6th>-EDR is used in Figure 5.1.2.3-1, M-Band Imagery UML Diagram, in order to represent the six possibilities with the single model – all six products produced at a given IDP will be represented in the same manner. The aggregation and granule(s) contain the data fields listed in the UML .The corresponding HDF5 data type for each field is also provided.

VIIRS-M<1st..6th>-EDR
+Radiance : H5T_NATIVE_USHORT
+BrightnessTemperatureOrReflectance : H5T_NATIVE_USHORT
+RadianceFactors : H5T_NATIVE_FLOAT
+BrightnessTemperatureOrReflectanceFactors : H5T_NATIVE_FLOAT

**Figure 5.1.2.3-1, M-Band Imagery UML Diagram**

### 5.1.2.4 M-Band Imagery HDF5 Metadata Details

The HDF5 metadata elements associated with the M-Band Imagery EDR are listed in the CDFCB-X Volume V - Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The M-Band Imagery metadata includes all common metadata at the root, product, aggregation, and granule level.

Note that one standard Imagery Metadata item at the granule level, Band\_ID, is used to indicate the M-Band name (M1, M2, etc.) for the M-Band EDR.

There are no additional granule level metadata elements for the M-Band Imagery.

### 5.1.2.5 M-Band Imagery GTM Geolocation Details

<b>Data Mnemonic</b>	None
<b>Description/ Purpose</b>	The M-Band GTM Geolocation is mapped to a GTM grid from the M-Band Resolution SDR Geolocation. Table 5.1.2.5-1, M-Band Imagery GTM Geolocation Data Content Summary provides geolocation details.
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	Estimated granule size: 106.06 MiB not including metadata or HDF5 overhead.
<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>The VIIRS M-Band Imagery GTM Geolocation contains:</p> <ul style="list-style-type: none"> <li>Time Field</li> <li>Geolocation Angular Fields</li> <li>Height and Satellite Range</li> <li>Geolocation Quality Flags</li> <li>SDR pixel mapping field (for SDR row and column)</li> <li>Pad bytes</li> </ul> <p>See Section 5.1.2.5, M-Band Imagery GTM Geolocation Content Summary</p> <p>See Section 5.1.2.6, M-Band Imagery GTM Geolocation Product Profiles</p> <p>See Section 5.1.2.7, M-Band Imagery GTM Geolocation HDF5 Details</p> <p>See Section 5.1.2.8, M-Band Imagery GTM Geolocation HDF5 Metadata Details</p>

**Table 5.1.2.5-1, M-Band Imagery GTM Geolocation Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
Time	Time of the nadir point of the GTM row in IET (1/1/1958). Represents the time of the nadir point of the GTM row	64-bit integer	[N*771]	[771]	microsecond
Latitude	Latitude of each pixel (positive North)	32-bit floating point	[N*771, 4121]	[771, 4121]	degree

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
Longitude	Longitude of each pixel (positive East)	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SolarZenithAngle	Zenith angle of sun at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SolarAzimuthAngle	Azimuth angle of sun (measured clockwise positive from North) at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SatelliteZenithAngle	Zenith angle to Satellite at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SatelliteAzimuthAngle	Azimuth angle (measured clockwise positive from North) to Satellite at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
Height	Ellipsoid-Geoid separation	16-bit integer	[N*771, 4121]	[771, 4121]	meter
PadByte1	Pad byte	unsigned 8-bit char	[N*2]	[2]	unitless
SatelliteRange	Line of sight distance from the ellipsoid intersection to the satellite	32-bit floating point	[N*771, 4121]	[771, 4121]	meter
QF1_VIIRSGTMGEO	Pixel Level Geolocation Quality Flags	unsigned 8-bit char	[N*771, 4121]	[771, 4121]	unitless
QF2_VIIRSGTMGEO	Granule Level Geolocation Quality Flags	unsigned 8-bit char	[N]	[1]	unitless
PixelRowSDR	Moderate SDR pixel row index number that was remapped to this GTM pixel (row numbering begins with zero)	unsigned 16-bit integer	[N*771, 4121]	[771, 4121]	unitless
PixelColSDR	Moderate SDR pixel column index number that was remapped to this GTM pixel (column numbering begins with zero)	unsigned 16-bit integer	[N*771, 4121]	[771, 4121]	unitless
PadByte2	Pad byte	unsigned 8-bit char	[N*4]	[4]	unitless

5.1.2.6 M-Band Imagery GTM Geolocation Product Profile

Table 5.1.2.6-1, M-Band Imagery GTM Geolocation Product Profile

Fields												
Name	Data Size	Dimensions										
Time	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Time of the nadir point of the GTM row in IET (1/1/1958). Represents the time of the nadir point of the GTM row	0	1483228832000000	2272147232000000	microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>
								NA_INT64_FILL	-999			
								MISS_INT64_FILL	-998			
								ERR_INT64_FILL	-995			
								VDNE_INT64_FILL	-993			
Latitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Latitude of each pixel (positive North)	0	-90	90	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

Longitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Longitude of each pixel (positive East)	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SolarZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Zenith angle of sun at each pixel position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SolarAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Azimuth angle of sun (measured clockwise positive from North) at each pixel position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			

SatelliteZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																	
		AlongTrack	Yes	No	771	771																	
		CrossTrack	No	No	4121	4121																	
		<b>Datum</b>																					
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>												
		Zenith angle to Satellite at each pixel position	0	0	180	degree	No		32-bit floating point	<table border="1"> <tr><th>Name</th><th>Value</th></tr> <tr><td>NA_FLOAT32_FILL</td><td>-999.9</td></tr> <tr><td>MISS_FLOAT32_FILL</td><td>-999.8</td></tr> <tr><td>ERR_FLOAT32_FILL</td><td>-999.5</td></tr> <tr><td>ELINT_FLOAT32_FILL</td><td>-999.4</td></tr> <tr><td>VDNE_FLOAT32_FILL</td><td>-999.3</td></tr> </table>	Name	Value	NA_FLOAT32_FILL	-999.9	MISS_FLOAT32_FILL	-999.8	ERR_FLOAT32_FILL	-999.5	ELINT_FLOAT32_FILL	-999.4	VDNE_FLOAT32_FILL	-999.3	<b>Name Value</b>
Name	Value																						
NA_FLOAT32_FILL	-999.9																						
MISS_FLOAT32_FILL	-999.8																						
ERR_FLOAT32_FILL	-999.5																						
ELINT_FLOAT32_FILL	-999.4																						
VDNE_FLOAT32_FILL	-999.3																						
SatelliteAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																	
		AlongTrack	Yes	No	771	771																	
		CrossTrack	No	No	4121	4121																	
		<b>Datum</b>																					
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>												
		Azimuth angle (measured clockwise positive from North) to Satellite at each pixel position	0	-180	180	degree	No		32-bit floating point	<table border="1"> <tr><th>Name</th><th>Value</th></tr> <tr><td>NA_FLOAT32_FILL</td><td>-999.9</td></tr> <tr><td>MISS_FLOAT32_FILL</td><td>-999.8</td></tr> <tr><td>ERR_FLOAT32_FILL</td><td>-999.5</td></tr> <tr><td>ELINT_FLOAT32_FILL</td><td>-999.4</td></tr> <tr><td>VDNE_FLOAT32_FILL</td><td>-999.3</td></tr> </table>	Name	Value	NA_FLOAT32_FILL	-999.9	MISS_FLOAT32_FILL	-999.8	ERR_FLOAT32_FILL	-999.5	ELINT_FLOAT32_FILL	-999.4	VDNE_FLOAT32_FILL	-999.3	<b>Name Value</b>
Name	Value																						
NA_FLOAT32_FILL	-999.9																						
MISS_FLOAT32_FILL	-999.8																						
ERR_FLOAT32_FILL	-999.5																						
ELINT_FLOAT32_FILL	-999.4																						
VDNE_FLOAT32_FILL	-999.3																						
Height	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																	
		AlongTrack	Yes	No	771	771																	
		CrossTrack	No	No	4121	4121																	
		<b>Datum</b>																					
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>												
		Ellipsoid-Geoid separation	0			meter	No		16-bit integer	<table border="1"> <tr><th>Name</th><th>Value</th></tr> <tr><td>NA_INT16_FILL</td><td>-999</td></tr> <tr><td>MISS_INT16_FILL</td><td>-998</td></tr> <tr><td>ERR_INT16_FILL</td><td>-995</td></tr> <tr><td>ELINT_INT16_FILL</td><td>-994</td></tr> <tr><td>VDNE_INT16_FILL</td><td>-993</td></tr> </table>	Name	Value	NA_INT16_FILL	-999	MISS_INT16_FILL	-998	ERR_INT16_FILL	-995	ELINT_INT16_FILL	-994	VDNE_INT16_FILL	-993	<b>Name Value</b>
Name	Value																						
NA_INT16_FILL	-999																						
MISS_INT16_FILL	-998																						
ERR_INT16_FILL	-995																						
ELINT_INT16_FILL	-994																						
VDNE_INT16_FILL	-993																						

PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
Pad byte	0			unitless	No		unsigned 8-bit char	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
SatelliteRange	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Line of sight distance from the ellipsoid intersection to the satellite	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
QF1_VIIRSGTMGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		SDR Pixel Mapping Coordinate (GTM to SDR). Indicates whether this pixel originated from the previous, current, or next granule in the SDR Moderate Resolution Geolocation.	0			unitless	No		2 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>
									Error	0		
									Previous Granule	1		
									Current Granule	2		
									Next Granule	3		
Spare		2			unitless	No	6 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			

QF2_VIIRSGTMGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	1	1						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Solar Eclipse	0			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
										False	0	
										True	1	
Spare	1			unitless	No		7 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
PixelRowSDR	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Moderate SDR pixel row index number that was remapped to this GTM pixel (row numbering begins with zero)	0	0	255	unitless	No		unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								MISS_UINT16_FILL	65534			
								ERR_UINT16_FILL	65531			
								VDNE_UINT16_FILL	65529			
PixelColSDR	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Moderate SDR pixel column index number that was remapped to this GTM pixel (column numbering begins with zero)	0	0	4063	unitless	No		unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								MISS_UINT16_FILL	65534			
								ERR_UINT16_FILL	65531			
								VDNE_UINT16_FILL	65529			
PadByte2	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Pad byte	0			unitless	No		unsigned 8-bit char	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	

### 5.1.2.7 M-Band Imagery GTM Geolocation HDF5 Details

The M-Band Imagery GTM Geolocation is mapped to a GTM grid from the VIIRS M-Band Resolution SDR Geolocation. Figure 5.1.2.7-1, M-Band Imagery GTM Geolocation UML Diagram, provides details on the contents and datatypes of the M-Band Imagery geolocation.

<b>VIIRS-MOD-GTM-EDR-GEO</b>
+Time : H5T_NATIVE_LLONG
+Latitude : H5T_NATIVE_FLOAT
+Longitude : H5T_NATIVE_FLOAT
+SolarZenithAngle : H5T_NATIVE_FLOAT
+SolarAzimuthAngle : H5T_NATIVE_FLOAT
+SatelliteZenithAngle : H5T_NATIVE_FLOAT
+SatelliteAzimuthAngle : H5T_NATIVE_FLOAT
+Height : H5T_NATIVE_SHORT
+PadByte1 : H5T_NATIVE_UCHAR
+SatelliteRange : H5T_NATIVE_FLOAT
+QF1_VIIRSGTMGEO : H5T_NATIVE_UCHAR
+QF2_VIIRSGTMGEO : H5T_NATIVE_UCHAR
+PixelRowSDR : H5T_NATIVE_USHORT
+PixelColSDR : H5T_NATIVE_USHORT
+PadByte2 : H5T_NATIVE_UCHAR

**Figure 5.1.2.7-1, M-Band Imagery GTM Geolocation UML Diagram**

### 5.1.2.8 M-Band Imagery GTM Geolocation HDF5 Metadata Details

The HDF5 metadata elements associated with the M-Band Imagery GTM Geolocation EDR are listed in the CDFCB-X Volume V – Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The M-Band Imagery GTM Geolocation metadata includes all common metadata at the root, product, aggregation, and granule level.

Note that M-Band Imagery is delivered with no quality flags. Therefore, there are no granule level summary quality flags in the M-Band’s N\_Quality\_Summary\_Name/Value metadata attributes.

### 5.1.3 Near Constant Contrast Imagery

<b>Data Mnemonic</b>	EDRE-IMAG-C1030 (Official)
<b>Description/ Purpose</b>	<p>The VIIRS Near Constant Contrast (NCC) imagery EDR includes a daytime/nighttime visible imagery product that maintains apparent contrast under daytime, nighttime, and terminator region illumination conditions. This product is derived from the daytime/nighttime visible band (DNB) and mapped onto the same GTM Grid as the VIIRS M-Band Resolution Imagery.</p> <p>The “PixelRowSDR” and “PixelColSDR” geolocation fields provide the SDR row and column coordinate for each GTM pixel mapping. The scan level geolocation quality flag “QF1_VIIRSGTMGEO” provides a flag that indicates whether a pixel has crossed a granule boundary during the SDR to GTM mapping process. If a granule boundary was crossed, the original SDR pixel may be located using effectivity time or the N_Input_Prod standard metadata item may be used to obtain the N_Reference_ID for each SDR granule.</p> <p>The NCC visible imagery minimizes the apparent transition across the terminator when it is viewed on a graphical display system so that apparent image contrast is maintained across the imagery. NCC Visible Imagery is derived from the broad DNB measured in regions with solar illumination in daytime, with lunar illumination at night, and near the terminator (twilight) region.</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Data Granule Size: 9.1 MiB</p> <p>This granule size includes NCC-Band related fields only and is based on a VIIRS granule duration of approximately 28.5 seconds. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>See Section 5.1.3.1, NCC Imagery Data Content Summary</p> <p>See Section 5.1.3.2, NCC Imagery Product Profile</p> <p>See Section 5.1.3.3, NCC Imagery HDF5 Details</p> <p>See Section 5.1.3.4, NCC Imagery HDF5 Metadata Details</p>

	<p>See Section 5.1.3.5, NCC Imagery GTM Geolocation Details</p> <p>See Section 5.1.3.6, NCC Imagery GTM Geolocation Product Profile</p> <p>See Section 5.1.3.7, NCC Imagery GTM Geolocation HDF5 Details</p> <p>See Section 5.1.3.8, NCC Imagery GTM Geolocation HDF5 Metadata Details</p>
--	--

### 5.1.3.1 NCC Imagery Data Content Summary

Table 5.1.3.1-1, NCC Imagery Data Content Summary

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
Albedo	Normalized Top of Atmosphere Reflectance (no atmospheric correction applied)	unsigned 16-bit integer (scaled from 32-bit floating point)	[N*771, 4121]	[771, 4121]	unitless
QF1_VIIRSNCCEDR	Pixel Level Quality Flags	8-bit unsigned char	[N*771, 4121]	[771, 4121]	unitless
Padbyte1	Pad byte	Unsigned 8-bit char	[N*3]	[3]	unitless
AlbedoFactors	Scale = 1 <sup>st</sup> array element; Offset = 2 <sup>nd</sup> array element for the NCC Albedo	32-bit floating point	[N*2]	[2]	scale (1 <sup>st</sup> array element) = unitless offset (2 <sup>nd</sup> array element) = unitless

5.1.3.2 NCC Imagery Product Profile

Table 5.1.3.2-1, NCC Imagery Product Profile

Name	Data Size	Dimensions																																													
Albedo	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																									
		AlongTrack	Yes	No	771	771																																									
		CrossTrack	No	No	4121	4121																																									
		<b>Datum</b>																																													
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																				
		Normalized Top of Atmosphere Reflectance (no atmospheric correction applied)	0	0	1	unitless	Yes	AlbedoFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>Soub_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			Soub_UINT16_FILL	65528			
Name	Value	Name	Value																																												
NA_UINT16_FILL	65535																																														
MISS_UINT16_FILL	65534																																														
ONBOARD_PT_UINT16_FILL	65533																																														
ONGROUND_PT_UINT16_FILL	65532																																														
ERR_UINT16_FILL	65531																																														
ELINT_UINT16_FILL	65530																																														
VDNE_UINT16_FILL	65529																																														
Soub_UINT16_FILL	65528																																														

Table 5.1.3.2-2, VIIRS NCC Imagery Product Profile – Quality Flags

Name	Data Size	Dimensions				
QF1_VIIRSNCCEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>

AlongTrack	Yes	No	771	771							
CrossTrack	No	No	4121	4121							
<b>Datum</b>											
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
Imagery Quality (Pixel Quality as determined by the SDR Calibration Quality.)	0			unitless	No		2 bit(s)	Name Value		<b>Name</b>	<b>Value</b>
									Good	0	
									Poor	1	
									No Calibration	2	
									Dead Pixel Replacement	3	
Pixel is Saturated	2			unitless	No		1 bit(s)	Name Value		<b>Name</b>	<b>Value</b>
									False	0	
									True	1	
Missing Data (Data required for calibration processing is not available for processing)	3			unitless	No		2 bit(s)	Name Value		<b>Name</b>	<b>Value</b>
									All data present	0	
									Earth View RDR data missing	1	
									Cal data (Space View, Earth View, Cal View, Solar Diffuser) missing	2	
									Thermistor Data Missing	3	

		Out of Range - Calibrated pixel value outside of LUT threshold limits	5			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> All Data Within Range Radiance Out of Range Reflectance or EBBT out of Range Both Radiance and Reflectance or EBBT out of range	<b>Value</b> 0 1 2 3
		NCC Error (Processing error occurred while trying to produce NCC pixel)	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> False True	<b>Value</b> 0 1
PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	3	3						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Pad byte	0			unitless	No		Unsigned 8-bit char	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

**Table 5.1.3.2-3, VIIRS NCC Imagery Product Profile – Scale Factors**

<b>Name</b>	<b>Data Size</b>	<b>Dimensions</b>										
AlbedoFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2						
		<b>Datum</b>										

	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries								
	Scale = first array element; Offset = second array element				unitless	No		32-bit floating point	<table border="1"> <tr> <th data-bbox="1556 237 1619 277">Name</th> <th data-bbox="1619 237 1686 277">Value</th> </tr> <tr> <td data-bbox="1556 277 1619 321"></td> <td data-bbox="1619 277 1686 321"></td> </tr> </table>	Name	Value			<table border="1"> <tr> <th data-bbox="1686 237 1749 277">Name</th> <th data-bbox="1749 237 1816 277">Value</th> </tr> <tr> <td data-bbox="1686 277 1749 321">e</td> <td data-bbox="1749 277 1816 321">e</td> </tr> </table>	Name	Value	e	e
Name	Value																	
Name	Value																	
e	e																	

### 5.1.3.3 NCC Imagery HDF5 Details

Figure 5.1.3.3-1, NCC Imagery UML Diagram, provides details on the content and datatypes of the NCC Imagery product. This UML provides details at the product level only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

The NCC Imagery product within the HDF5 file can be found within the Data\_Products group with the group name of VIIRS-NCC-EDR. The aggregation and granule(s) contain the data fields listed in the UML .The corresponding HDF5 data type for each field is also provided.

VIIRS-NCC-EDR
+Albedo : H5T_NATIVE_USHORT
+QF1_VIIRSNCCEDR : H5T_NATIVE_UCHAR
+Padbyte1 : H5T_NATIVE_UCHAR
+AlbedoFactors : H5T_NATIVE_FLOAT

**Figure 5.1.3.3-1, NCC Imagery UML Diagram**

#### 5.1.1.4 VIIRS NCC Imagery HDF5 Metadata

The HDF5 metadata elements associated with the NCC Imagery EDR are listed in the CDFCB-X Volume V – Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The NCC Imagery metadata includes all common metadata at the root, product, aggregation, and granule level.

In addition, NCC Imagery HDF5 Metadata includes granule level Quality Flags stored as metadata in the N\_Quality\_Summary\_Name and N\_Quality\_Summary Value metadata attributes. The NCC content and format is identical to the I-Band. See Section 5.1.1.4, I-Band Imagery HDF5 Metadata Details for content and format.

Also note that there is a standard granule level metadata item that identifies the NCC Band. This metadata item is the “Band\_ID” and is set to “DNB” since the NCC Imagery is created from the Day-Night Band SDR product.

### 5.1.3.5 NCC Imagery GTM Geolocation Details

<b>Data Mnemonic</b>	None
<b>Description/ Purpose</b>	The NCC Geolocation is mapped to a GTM grid from the Day-Night Band (DNB) SDR Geolocation. Table 5.1.3.5-1, NCC-Band Imagery GTM Geolocation Data Content Summary provides geolocation details.
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	Estimated granule size: 136.4 MiB not including metadata or HDF5 overhead.
<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>The VIIRS NCC-Band Imagery GTM Geolocation contains:</p> <ul style="list-style-type: none"> <li>Time Field</li> <li>Geolocation Angular Fields</li> <li>Height and Satellite Range</li> <li>Geolocation Quality Flags</li> <li>SDR pixel mapping field (for SDR row and column)</li> <li>Pad bytes</li> </ul> <p>See Section 5.1.3.5, NCC-Band Imagery GTM Geolocation Content Summary</p> <p>See Section 5.1.3.6, NCC-Band Imagery GTM Geolocation Product Profiles</p> <p>See Section 5.1.3.7, NCC-Band Imagery GTM Geolocation HDF5 Details</p> <p>See Section 5.1.3.8, NCC-Band Imagery GTM Geolocation HDF5 Metadata Details</p>

**Table 5.1.3.5-1, NCC-Band Imagery GTM Geolocation Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
Time	Time of the nadir point of the GTM row in IET (1/1/1958). Represents the time of the nadir point of the GTM row	64-bit integer	[N*771]	[771]	microsecond
Latitude	Latitude of each pixel (positive North)	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
Longitude	Longitude of each pixel (positive East)	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SolarZenithAngle	Zenith angle of sun at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SolarAzimuthAngle	Azimuth angle of sun (measured clockwise positive from North) at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SatelliteZenithAngle	Zenith angle to Satellite at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
SatelliteAzimuthAngle	Azimuth angle (measured clockwise positive from North) to Satellite at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
Height	Ellipsoid-Geoid separation	32-bit floating point	[N*771, 4121]	[771, 4121]	meter
SatelliteRange	Line of sight distance from the ellipsoid intersection to the satellite	32-bit floating point	[N*771, 4121]	[771, 4121]	meter
QF1_VIIRSGTMGEO	Pixel Level Geolocation Quality Flags	unsigned 8-bit char	[N*771, 4121]	[771, 4121]	unitless
QF2_VIIRSGTMGEO	Granule Level Quality Flag	unsigned 8-bit char	[N]	[1]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
PixelRowSDR	Day-Night Band SDR pixel row index number that was remapped to this GTM pixel (row numbering begins with zero)	unsigned 16-bit integer	[N*771, 4121]	[771, 4121]	unitless
PixelColSDR	Day-Night Band SDR pixel column index number that was remapped to this GTM pixel (column numbering begins with zero)	unsigned 16-bit integer	[N*771, 4121]	[771, 4121]	unitless
MoonIllumFraction	Fraction of the moon illuminated	32-bit floating point	[N]	[1]	unitless
LunarZenithAngle	Zenith angle of moon at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	degree
LunarAzimuthAngle	Azimuth angle of moon (measured clockwise positive from North) at each pixel position	32-bit floating point	[N*771, 4121]	[771, 4121]	unitless
PadByte1	Pad byte	unsigned 8-bit char	[N*4]	[4]	unitless

5.1.3.6 NCC Imagery GTM Geolocation Product Profile

Table 5.1.3.6-1, NCC Imagery GTM Geolocation Product Profile

Fields												
Name	Data Size	Dimensions										
Time	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Time of the nadir point of the GTM row in IET (1/1/1958). Represents the time of the nadir point of the GTM row	0	1483228832000000	2272147232000000	microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>
								NA_INT64_FILL	-999			
								MISS_INT64_FILL	-998			
								ERR_INT64_FILL	-995			
								VDNE_INT64_FILL	-993			
Latitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Latitude of each pixel (positive North)	0	-90	90	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

Longitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Longitude of each pixel (positive East)	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SolarZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Zenith angle of sun at each pixel position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SolarAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Azimuth angle of sun (measured clockwise positive from North) at each pixel position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			

SatelliteZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Zenith angle to Satellite at each pixel position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SatelliteAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Azimuth angle (measured clockwise positive from North) to Satellite at each pixel position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
Height	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Ellipsoid-Geoid separation	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_INT16_FILL	-999.9	
										MISS_INT16_FILL	-999.8	
										ERR_INT16_FILL	-999.5	
										ELINT_INT16_FILL	-999.4	
								VDNE_INT16_FILL	-999.3			

SatelliteRange	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	771	771							
		CrossTrack	No	No	4121	4121							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Line of sight distance from the ellipsoid intersection to the satellite	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_FLOAT32_FILL	-999.9		
										MISS_FLOAT32_FILL	-999.8		
										ERR_FLOAT32_FILL	-999.5		
										ELINT_FLOAT32_FILL	-999.4		
								VDNE_FLOAT32_FILL	-999.3				
QF1_VIIRSGTMGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	771	771							
		CrossTrack	No	No	4121	4121							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		DNB Pixel Mapping (GTM to SDR DNB). Indicates whether this pixel originated from the previous, current, or next granule in the SDR DNB geolocation.	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												Error	0
												Previous Granule	1
												Current Granule	2
												Next Granule	3
Spare		2		unitless	No		6 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
QF2_VIIRSGTMGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	1	1							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Solar Eclipse	0			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												False	0
												True	1
		Lunar Eclipse	1			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												False	0
												True	1
Spare	2			unitless	No		6 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		

PixelRowSDR	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Day-Night Band SDR pixel row index number that was remapped to this GTM pixel (row numbering begins with zero)	0	0	255	unitless	No		unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
			NA_UINT16_FILL	65535								
			MISS_UINT16_FILL	65534								
			ONBOARD_PT_UINT16_FILL	65533								
			ONGROUND_PT_UINT16_FILL	65532								
ERR_UINT16_FILL	65531											
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											

PixelColSDR	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Day-Night Band SDR pixel column index number that was remapped to this GTM pixel (column numbering begins with zero)	0	0	4063	unitless	No		unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
			NA_UINT16_FILL	65535								
			MISS_UINT16_FILL	65534								
			ONBOARD_PT_UINT16_FILL	65533								
			ONGROUND_PT_UINT16_FILL	65532								
ERR_UINT16_FILL	65531											
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											

MoonIllumFraction	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	1	1						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Fraction of the moon illuminated	0	0.0	1.0	unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								VDNE_FLOAT32_FILL	-999.3			
LunarZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Zenith angle of moon at each pixel position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
LunarAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	771	771						
		CrossTrack	No	No	4121	4121						
		<b>Datum</b>										
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Azimuth angle of moon (measured clockwise positive from North) at each pixel position	0	-180	180	unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

PadByte1	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Pad byte	0			unitless	No		unsigned 8-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>		

### 5.1.3.7 NCC Imagery GTM Geolocation HDF5 Details

The NCC Imagery Geolocation is mapped to a GTM grid from the Day-Night Band SDR Geolocation. Figure 5.1.3.7-1, NCC-Band Imagery GTM Geolocation UML Diagram, provides details on the contents and datatypes of the NCC Imagery geolocation.

VIIRS-NCC-GTM-GEO
+Time : H5T_NATIVE_LLONG
+Latitude : H5T_NATIVE_FLOAT
+Longitude : H5T_NATIVE_FLOAT
+SolarZenithAngle : H5T_NATIVE_FLOAT
+SolarAzimuthAngle : H5T_NATIVE_FLOAT
+SatelliteZenithAngle : H5T_NATIVE_FLOAT
+SatelliteAzimuthAngle : H5T_NATIVE_FLOAT
+Height : H5T_NATIVE_FLOAT
+SatelliteRange : H5T_NATIVE_FLOAT
+QF1_VIIRSGTMGEO : H5T_NATIVE_UCHAR
+QF2_VIIRSGTMGEO : H5T_NATIVE_UCHAR
+PixelRowSDR : H5T_NATIVE_USHORT
+PixelColSDR : H5T_NATIVE_USHORT
+MoonIllumFraction : H5T_NATIVE_FLOAT
+LunarZenithAngle : H5T_NATIVE_FLOAT
+LunarAzimuthAngle : H5T_NATIVE_FLOAT
+PadByte1 : H5T_NATIVE_UCHAR

**Figure 5.1.3.7-1, NCC Imagery GTM Geolocation UML Diagram**

### 5.1.3.8 NCC Imagery GTM Geolocation HDF5 Metadata Details

The HDF5 metadata elements associated with the NCC Imagery GTM Geolocation EDR are listed in the CDFCB-X Volume V – Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The NCC Imagery GTM Geolocation metadata includes all common metadata at the root, product, aggregation, and granule level.

There are no additional metadata elements or granule level quality flags for this geolocation.

## 5.1.4 DELETED

## 5.2 Atmospheric Environmental Data Records

### 5.2.1 Atmospheric Vertical Moisture, Temperature, and Pressure Profile

An Atmospheric Vertical Moisture Profile (AVMP) is a set of estimates of average mixing ratio in three-dimensional cells centered on specified points along a local vertical. The mixing ratio of a sample of air is the ratio of the mass of water vapor in the sample to the mass of dry air in the sample. The AVMP EDR is reported on the slant path.

An Atmospheric Vertical Temperature Profile (AVTP) is a set of estimates of the average atmospheric temperature in three-dimensional cells centered on specified points along a local vertical.

The Atmospheric Vertical Pressure Profile (AVPP) is a set of estimates of atmospheric pressure at specified altitudes above the Earth's surface. Pressure is a derived quantity. Its profile is derived from the retrieved temperature and moisture profiles and an external estimate of pressure at some level in the atmosphere.

Whether a cell is clear or cloudy is determined by comparing the radiance from the CrIS spectral bands.

<b>Availability Conditions</b>	Day Night Clear Cloudy Land Ocean
<b>Sensors</b>	CrIMSS
<b>Effectivity</b>	NPP/NPOESS

<b>EDR Contents</b>	For each pixel, the AVMP, AVTP, and VPP CrIMSS EDR contains:  Moisture profile data Temperature profile data Pressure profile data Latitude Longitude Quality flags
---------------------	--

### 5.2.1.1 CrIMSS EDR

<b>Data Mnemonic</b>	EDRE-AVMP-C1030 (Official) EDRE-AVMP-C1031 (Substitute)
<b>Description/ Purpose</b>	<p>For this format, the CrIMSS algorithm retrieves 1, 4, or 9 times per field of regard (FOR) to yield a minimum of 120 retrievals and a maximum of 1080 retrievals per granule (4 scans x 30 retrievals per scan up to 4 scans x 270 retrievals per scan).</p> <p>For State 1 (NPP only). CrIMSS retrieves once per field of regard (FOR) to yield a total of 120 retrievals per granule (4 scans x 30 retrievals per scan).</p> <p>This EDR combines the CrIMSS AVMP, AVTP and Pressure Profile Fields. It uses a combination of CrIS and ATMS retrieval data, the best combined retrieval for each Field of Regard.</p> <p>The CrIMSS AVMP EDR is reported in the range of 970 mb to 100 mb, where 970 mb is the reference surface. The product is reported on 22 layers as an average moisture (g/kg) within a given vertical cell.</p> <p>The CrIMSS AVTP EDR is reported in the range of 1020 mb to 0.5 mb, where 1020 mb is the reference surface. This product is reported on 42 layers as an average temperature (Kelvin) within a given vertical cell.</p> <p>The pressure profile is reported at 31 geopotential heights.</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Data Granule Sizes:</p> <p>Granule size is variable, dependent on the number of retrievals in the granule:</p> <p>Min: 50.54 KiB Max: 451.79 KiB</p> <p>This granule size includes CrIMSS EDR related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5
<b>Production Frequency</b>	As per request

<b>Data Content and Data Format</b>	<p>See Section 5.2.1.1.1, CrIMSS EDR Data Content Summary</p> <p>See Section 5.2.1.1.2, CrIMSS EDR Product Profile</p> <p>See Section 5.2.1.1.3, CrIMSS EDR HDF5 Details</p> <p>See Section 5.2.1.1.4, CrIMSS EDR Metadata Details</p> <p>See Section 5.2.1.1.5, CrIMSS EDR Geolocation Data Content Summary</p> <p>See Section 5.2.1.1.6, CrIMSS EDR Geolocation Product Profile</p> <p>See Section 5.2.1.1.7, CrIMSS EDR Geolocation HDF5 Details</p> <p>See Section 5.2.1.1.8, CrIMSS EDR Geolocation HDF5 Metadata Details</p>
-------------------------------------	--

### 5.2.1.1.1 CrIMSS EDR Data Content Summary

**Table 5.2.1.1.1-1, CrIMSS EDR Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
NumRetrievals	Number of retrievals for this granule	32-bit integer	Statically Sized Granule: [N] Dynamically Sized Granule: See Note 1	[1]	unitless
FORnum	Field of Regard Number (1-120)	32-bit integer	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
H2O	Retrieved Water Vapor Mass Mixing Ratio Profile (Moisture Profile)	32-bit floating point	Statically Sized Granule: [N* NumRetrievals, 22] Dynamically Sized Granule: See Note 1	[NumRetrievals, 22]	g/kg
Temperature	Retrieved Temperature Profile	32-bit floating point	Statically Sized Granule: [N* NumRetrievals, 42] Dynamically Sized Granule: See Note 1	[NumRetrievals, 42]	kelvin

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
Pressure	Retrieved Pressure Profile	32-bit floating point	Statically Sized Granule: [N* NumRetrievals, 31]  Dynamically Sized Granule: See Note 1	[NumRetrievals, 31]	hPa
PressureLevels_H2O	Pressure levels for H2O retrieval	32-bit floating point	Statically Sized Granule: [N*22]  Dynamically Sized Granule: See Note 1	[22]	hPa
PressureLevels_Temperature	Pressure levels for Temperature retrieval	32-bit floating point	Statically Sized Granule: [N*42]  Dynamically Sized Granule: See Note 1	[42]	hPa
AltitudeLevels_Pressure	Altitudes corresponding to Pressure Retrieval (0km - 30km)	32-bit floating point	Statically Sized Granule: [N*31]  Dynamically Sized Granule: See Note 1	[31]	km
SurfacePressure	Surface Pressure (Secondary Output)	32-bit floating point	Statically Sized Granule: [N* NumRetrievals]  Dynamically Sized Granule: See Note 1	[NumRetrievals]	hPa
SkinTemperature	Temperature at the terrain surface	32-bit floating point	Statically Sized Granule: [N* NumRetrievals]  Dynamically Sized Granule: See Note 1	[NumRetrievals]	kelvin
LandFraction	Land Fraction	32-bit floating point	Statically Sized Granule: [N* NumRetrievals]  Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
Iterations	Number of iterations before convergence	32-bit integer	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	iteration
ChiSquareIR+MW	Chi Square value from joint IR-microwave radiance matching retrieval	32-bit floating point	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
ChiSquareMW1	Chi Square value from microwave radiance matching retrieval - stage1	32-bit floating point	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
ChiSquareMW2	Chi Square value from microwave radiance matching retrieval - stage2	32-bit floating point	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
IR_NoiseAmplification	IR Noise Amplification Factors	32-bit floating point	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
ProfileDiff	The RMS difference between the seven lowest levels of the first (MW) and second (IR) stage retrievals.	32-bit floating point	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF1_CrIMSSDR	Granule Level Quality Flag	unsigned 8-bit char	Statically Sized Granule: [N] Dynamically Sized Granule: See Note 1	[1]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF2_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N] Dynamically Sized Granule: See Note 1	[1]	unitless
QF3_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N] Dynamically Sized Granule: See Note 1	[1]	unitless
QF4_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N] Dynamically Sized Granule: See Note 1	[1]	unitless
QF5_CrIMSSEDR	Retrieval Level Quality Flags	unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF6_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF7_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF8_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF9_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF10_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF11_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless
QF12_CrIMSSEDR		unsigned 8-bit char	Statically Sized Granule: [N* NumRetrievals] Dynamically Sized Granule: See Note 1	[NumRetrievals]	unitless

<sup>1</sup> States 2 and 3 contain dynamically sized granules that are dependent on the number of retrievals. For this dynamically sized product, the aggregation is a set of object IDs that dereference to the corresponding group of the same name (rather than the corresponding dataset) under All\_Data in the HDF5 file. The aggregation for a particular field is the set of all datasets under All\_Data for that field (rather than a single dataset array as is the case for statically sized products). The Aggregation dimension is dependent on how users assemble the granules for each field into a data structure when reading from the HDF5 file. See CDFCB-X, Vol IV, Part 1, Section 1.2.2, Intermediate Products, Application Related Products and Environmental Records HDF5 Details – Dynamically Sized, for details regarding the HDF5 structure of dynamically sized products.

5.2.1.1.2 CrIMSS EDR Product Profile

Table 5.2.1.1.2-1, CrIMSS EDR Product Profile

Name	Data Size	Dimensions										
NumRetrievals	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule		Yes	No	1	1					
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Number of retrievals for this granule	0			unitless	No		32-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
								NA_INT32_FILL	-999			
								MISS_INT 32_FILL	-998			
								ERR_INT 32_FILL	-995			
								VDNE_INT32_FILL	-993			
FORnum	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Retrieval		Yes	Yes	120	1080					
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Field of Regard Number (1-120) Note that FOR 1-30 = scan 1, FOR 31-60 = scan 2, FOR 61-90 = scan 3, FOR 91-120 = scan 4	0			unitless	No		32-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
								NA_INT32_FILL	-999			
								MISS_INT 32_FILL	-998			
								ERR_INT 32_FILL	-995			
								VDNE_INT32_FILL	-993			

H2O	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval Level	Yes	No	Yes	No	120	22	1080	22		
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Retrieved Water Vapor Mass Mixing Ratio Profile (Moisture Profile)	0	0	30	g/kg	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										VDNE_FLOAT32_FILL	-999.3	
Temperature	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval Level	Yes	No	Yes	No	120	42	1080	42		
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Retrieved Temperature Profile	0	180	335	kelvin	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										VDNE_FLOAT32_FILL	-999.3	
Pressure	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval Level	Yes	No	Yes	No	120	31	1080	31		
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Retrieved Pressure Profile	0	10	1050	hPa	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ONBOARD_PT_FLOAT32_FILL	-999.7	
										ONGROUND_PT_FLOAT32_FILL	-999.6	
										ERR_FLOAT32_FILL	-999.5	
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

PressureLevels_H2O	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Level	Yes	No	22	22					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Pressure levels for H2O retrieval	0			hPa	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>	
								NA_FLOAT32_FILL	-999.9		
								MISS_FLOAT32_FILL	-999.8		
								ONBOARD_PT_FLOAT32_FILL	-999.7		
								ONGROUND_PT_FLOAT32_FILL	-999.6		
								ERR_FLOAT32_FILL	-999.5		
								ELINT_FLOAT32_FILL	-999.4		
VDNE_FLOAT32_FILL	-999.3										
PressureLevels_Temperature	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Level	Yes	No	42	42					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Pressure levels for Temperature retrieval	0			hPa	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>	
								NA_FLOAT32_FILL	-999.9		
								MISS_FLOAT32_FILL	-999.8		
								ONBOARD_PT_FLOAT32_FILL	-999.7		
								ONGROUND_PT_FLOAT32_FILL	-999.6		
								ERR_FLOAT32_FILL	-999.5		
								ELINT_FLOAT32_FILL	-999.4		
VDNE_FLOAT32_FILL	-999.3										

AltitudeLevels_Pressure	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Level	Yes	No	31	31						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Altitudes corresponding to Pressure Retrieval (0km - 30km)	0			km	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ONBOARD_PT_FLOAT32_FILL	-999.7			
								ONGROUND_PT_FLOAT32_FILL	-999.6			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SurfacePressure	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Surface Pressure (Secondary Output)	0			hPa	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ONBOARD_PT_FLOAT32_FILL	-999.7			
								ONGROUND_PT_FLOAT32_FILL	-999.6			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

SkinTemperature	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																							
		Retrieval	Yes	Yes	120	1080																							
		<b>Datum</b>																											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																		
Temperature at the terrain surface	0			kelvin	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> </tr> </tbody> </table>	Name	Value	NA_FLOAT32_FILL	-999.9	MISS_FLOAT32_FILL	-999.8	ONBOARD_PT_FLOAT32_FILL	-999.7	ONGROUND_PT_FLOAT32_FILL	-999.6	ERR_FLOAT32_FILL	-999.5	ELINT_FLOAT32_FILL	-999.4	VDNE_FLOAT32_FILL	-999.3	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Name	Value		
Name	Value																												
NA_FLOAT32_FILL	-999.9																												
MISS_FLOAT32_FILL	-999.8																												
ONBOARD_PT_FLOAT32_FILL	-999.7																												
ONGROUND_PT_FLOAT32_FILL	-999.6																												
ERR_FLOAT32_FILL	-999.5																												
ELINT_FLOAT32_FILL	-999.4																												
VDNE_FLOAT32_FILL	-999.3																												
Name	Value																												
LandFraction	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																							
		Retrieval	Yes	Yes	120	1080																							
		<b>Datum</b>																											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																		
Land Fraction	0			unitless	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> </tr> </tbody> </table>	Name	Value	NA_FLOAT32_FILL	-999.9	MISS_FLOAT32_FILL	-999.8	ONBOARD_PT_FLOAT32_FILL	-999.7	ONGROUND_PT_FLOAT32_FILL	-999.6	ERR_FLOAT32_FILL	-999.5	ELINT_FLOAT32_FILL	-999.4	VDNE_FLOAT32_FILL	-999.3	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Name	Value		
Name	Value																												
NA_FLOAT32_FILL	-999.9																												
MISS_FLOAT32_FILL	-999.8																												
ONBOARD_PT_FLOAT32_FILL	-999.7																												
ONGROUND_PT_FLOAT32_FILL	-999.6																												
ERR_FLOAT32_FILL	-999.5																												
ELINT_FLOAT32_FILL	-999.4																												
VDNE_FLOAT32_FILL	-999.3																												
Name	Value																												

Iterations	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																							
		Retrieval	Yes	Yes	120	1080																							
		<b>Datum</b>																											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																		
Number of iterations before convergence	0			iteration	No		32-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999</td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-998</td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-997</td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-996</td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-995</td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-994</td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-993</td> </tr> </tbody> </table>	Name	Value	NA_FLOAT32_FILL	-999	MISS_FLOAT32_FILL	-998	ONBOARD_PT_FLOAT32_FILL	-997	ONGROUND_PT_FLOAT32_FILL	-996	ERR_FLOAT32_FILL	-995	ELINT_FLOAT32_FILL	-994	VDNE_FLOAT32_FILL	-993	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Name	Value		
Name	Value																												
NA_FLOAT32_FILL	-999																												
MISS_FLOAT32_FILL	-998																												
ONBOARD_PT_FLOAT32_FILL	-997																												
ONGROUND_PT_FLOAT32_FILL	-996																												
ERR_FLOAT32_FILL	-995																												
ELINT_FLOAT32_FILL	-994																												
VDNE_FLOAT32_FILL	-993																												
Name	Value																												
ChiSquareIR+MW	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																							
		Retrieval	Yes	Yes	120	1080																							
		<b>Datum</b>																											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																		
Chi Square value from joint IR-microwave radiance matching retrieval	0			unitless	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> </tr> </tbody> </table>	Name	Value	NA_FLOAT32_FILL	-999.9	MISS_FLOAT32_FILL	-999.8	ONBOARD_PT_FLOAT32_FILL	-999.7	ONGROUND_PT_FLOAT32_FILL	-999.6	ERR_FLOAT32_FILL	-999.5	ELINT_FLOAT32_FILL	-999.4	VDNE_FLOAT32_FILL	-999.3	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Name	Value		
Name	Value																												
NA_FLOAT32_FILL	-999.9																												
MISS_FLOAT32_FILL	-999.8																												
ONBOARD_PT_FLOAT32_FILL	-999.7																												
ONGROUND_PT_FLOAT32_FILL	-999.6																												
ERR_FLOAT32_FILL	-999.5																												
ELINT_FLOAT32_FILL	-999.4																												
VDNE_FLOAT32_FILL	-999.3																												
Name	Value																												

ChiSquareMW1	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																			
		Retrieval	Yes	Yes	120	1080																																			
		<b>Datum</b>																																							
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																														
Chi Square value from microwave radiance matching retrieval - stage1	0			unitless	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9			MISS_FLOAT32_FILL	-999.8			ONBOARD_PT_FLOAT32_FILL	-999.7			ONGROUND_PT_FLOAT32_FILL	-999.6			ERR_FLOAT32_FILL	-999.5			ELINT_FLOAT32_FILL	-999.4			VDNE_FLOAT32_FILL	-999.3			
Name	Value	Name	Value																																						
NA_FLOAT32_FILL	-999.9																																								
MISS_FLOAT32_FILL	-999.8																																								
ONBOARD_PT_FLOAT32_FILL	-999.7																																								
ONGROUND_PT_FLOAT32_FILL	-999.6																																								
ERR_FLOAT32_FILL	-999.5																																								
ELINT_FLOAT32_FILL	-999.4																																								
VDNE_FLOAT32_FILL	-999.3																																								
ChiSquareMW2	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																			
		Retrieval	Yes	Yes	120	1080																																			
		<b>Datum</b>																																							
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																														
Chi Square value from microwave radiance matching retrieval - stage2	0			unitless	No		32-bit floating point	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_FLOAT32_FILL</td> <td>-999.7</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_FLOAT32_FILL</td> <td>-999.6</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_FLOAT32_FILL	-999.9			MISS_FLOAT32_FILL	-999.8			ONBOARD_PT_FLOAT32_FILL	-999.7			ONGROUND_PT_FLOAT32_FILL	-999.6			ERR_FLOAT32_FILL	-999.5			ELINT_FLOAT32_FILL	-999.4			VDNE_FLOAT32_FILL	-999.3			
Name	Value	Name	Value																																						
NA_FLOAT32_FILL	-999.9																																								
MISS_FLOAT32_FILL	-999.8																																								
ONBOARD_PT_FLOAT32_FILL	-999.7																																								
ONGROUND_PT_FLOAT32_FILL	-999.6																																								
ERR_FLOAT32_FILL	-999.5																																								
ELINT_FLOAT32_FILL	-999.4																																								
VDNE_FLOAT32_FILL	-999.3																																								

IR_NoiseAmplification	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Retrieval	Yes	Yes	120	1080					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
IR Noise Amplification Factors	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>	
								NA_FLOAT32_FILL	-999.9		
								MISS_FLOAT32_FILL	-999.8		
								ONBOARD_PT_FLOAT32_FILL	-999.7		
								ONGROUND_PT_FLOAT32_FILL	-999.6		
								ERR_FLOAT32_FILL	-999.5		
								ELINT_FLOAT32_FILL	-999.4		
								VDNE_FLOAT32_FILL	-999.3		

ProfileDiff	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Retrieval	Yes	Yes	120	1080					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
Profile differences between MW & IR	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>	
								NA_FLOAT32_FILL	-999.9		
								MISS_FLOAT32_FILL	-999.8		
								ONBOARD_PT_FLOAT32_FILL	-999.7		
								ONGROUND_PT_FLOAT32_FILL	-999.6		
								ERR_FLOAT32_FILL	-999.5		
								ELINT_FLOAT32_FILL	-999.4		
								VDNE_FLOAT32_FILL	-999.3		

Table 5.2.1.1.2-2, CrIMSS EDR Product Profile – Quality Flags

Fields												
Name	Data Size	Dimensions										
QF1_CrIMSSEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	1	1						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		CrIS Detector 1 Failed - LWIR	0			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1
		CrIS Detector 2 Failed - LWIR	1			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1
		CrIS Detector 3 Failed - LWIR	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1
		CrIS Detector 4 Failed - LWIR	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1
		CrIS Detector 5 Failed - LWIR	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1
		CrIS Detector 6 Failed - LWIR	5			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1
CrIS Detector 7 Failed - LWIR	6			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1		
CrIS Detector 8 Failed - LWIR	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False 0 True 1		

QF2_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule	Yes	No	1	1					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		CrIS Detector 9 Failed - LWIR	0			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1
		CrIS Detector 1 Failed - MWIR	1			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1
		CrIS Detector 2 Failed - MWIR	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1
		CrIS Detector 3 Failed - MWIR	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1
		CrIS Detector 4 Failed - MWIR	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1
		CrIS Detector 5 Failed - MWIR	5			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1
CrIS Detector 6 Failed - MWIR	6			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1		
CrIS Detector 7 Failed - MWIR	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b> False 0 True 1		

QF3_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	1	1						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		CrIS Detector 8 Failed - MWIR	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		CrIS Detector 9 Failed - MWIR	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		CrIS Detector 1 Failed - SWIR	2			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		CrIS Detector 2 Failed - SWIR	3			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		CrIS Detector 3 Failed - SWIR	4			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		CrIS Detector 4 Failed - SWIR	5			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
CrIS Detector 5 Failed - SWIR	6			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		
CrIS Detector 6 Failed - SWIR	7			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		

QF4_CrIMSSDR	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Granule	Yes	No	1	1						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		CrIS Detector 7 Failed - SWIR	0			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name Value</b>	
											False	0
											True	1
		CrIS Detector 8 Failed - SWIR	1			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name Value</b>	
											False	0
											True	1
CrIS Detector 9 Failed - SWIR	2			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name Value</b>			
									False	0		
									True	1		
Apodization Flag	3			unitless	No		2 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									No Apodization Applied	0		
									Hamming	1		
									Blackmann	2		
Spare	5			unitless	No		3 bit(s)	<b>Name Value</b>	<b>Name Value</b>			

QF5_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Combined IR+MW retrieval converged	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	
											False	0
											True	1
		Microwave only retrieval converged	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	
											False	0
											True	1
Overall Retrieval Quality	2			unitless	No		2 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
									No retrieval	0		
									Poor (non-converged)	1		
									Low (IR or MW)	2		
									High (IR + MW)	3		
Difference between MW+IR temperature profile minus MW only temperature profile exceeds threshold	4			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		
Spare	5			unitless	No		3 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			

QF6_CrIMSSEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Clear/Cloudy	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>
											Clear	0
											Cloudy	1
		Rain Flag: Precipitation detected within the FOR exceeding 2 mm/hr	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>
											False	0
											True	1
Retrieval Cell Size (Number of FOVs used for this retrieval)	2			unitless	No		2 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
									9 FOVs used	0		
									4 FOVs used	1		
									1 FOV used	2		
Retrieval Type	4			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
									MW only	0		
									(IR + MW) or IR only	1		
Temperature out of range: Atmospheric temperature at one or more of the pressure levels, or the surface skin temperature, is out of the expected range.	5			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Coast Flag	6			unitless	No		2 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
									Ocean	0		
									Land	1		
									Coast	2		

QF7_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Sun Glint present in retrieval	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	
											False	0
											True	1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 1	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	
											False	0
											True	1
ATMS SDR Quality – Channel not used due to poor quality - Channel - 2	2			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		
ATMS SDR Quality – Channel not used due to poor quality - Channel - 3	3			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		
ATMS SDR Quality – Channel not used due to poor quality - Channel - 4	4			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		
ATMS SDR Quality – Channel not used due to poor quality - Channel - 5	5			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		
ATMS SDR Quality – Channel not used due to poor quality - Channel - 6	6			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		
ATMS SDR Quality – Channel not used due to poor quality - Channel - 7	7			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			
									False	0		
									True	1		

QF8_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 8	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 9	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 10	2			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 11	3			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 12	4			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 13	5			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
ATMS SDR Quality – Channel not used due to poor quality - Channel - 14	6			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		
ATMS SDR Quality – Channel not used due to poor quality - Channel - 15	7			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		

QF9_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 16	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 17	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 18	2			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 19	3			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 20	4			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		ATMS SDR Quality – Channel not used due to poor quality - Channel - 21	5			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
ATMS SDR Quality – Channel not used due to poor quality - Channel - 22	6			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		
ATMS data is not available	7			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		
QF10_CrIMSSDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Spare	0			unitless	No		8 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	

QF11_CrIMSSEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Retrieval	Yes	Yes	120	1080					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		Non-LTE condition present	0			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b> False 0 True 1
Day/Night Flag	1			unitless	No		1 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b> Day 0 Night 1		
Spare	2			unitless	No		6 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>		
QF12_CrIMSSEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Retrieval	Yes	Yes	120	1080					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		CrIS Input SDR Quality (Percent of CrIS channels not used due to poor quality)	0			percent	No		8 bit(s)	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>

### 5.2.1.1.3 CrIMSS EDR HDF5 Details

Figure 5.2.1.1.3-1, CrIMSS EDR UML Diagram, provides details on the contents and data types of the CrIMSS EDR product. This UML provides details at the product level detail only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

CrIMSS-EDR
+NumRetrievals : H5T_NATIVE_INT
+FORnum : H5T_NATIVE_FLOAT
+H2O : H5T_NATIVE_FLOAT
+Temperature : H5T_NATIVE_FLOAT
+Pressure : H5T_NATIVE_FLOAT
+PressureLevels_H2O : H5T_NATIVE_FLOAT
+PressureLevels_Temperature : H5T_NATIVE_FLOAT
+AltitudeLevels_Pressure : H5T_NATIVE_FLOAT
+SurfacePressure : H5T_NATIVE_FLOAT
+SkinTemperature : H5T_NATIVE_FLOAT
+LandFraction : H5T_NATIVE_FLOAT
+Iterations : H5T_NATIVE_INT
+ChiSquareIR+MW : H5T_NATIVE_FLOAT
+ChiSquareMW1 : H5T_NATIVE_FLOAT
+ChiSquareMW2 : H5T_NATIVE_FLOAT
+IR_NoiseAmplification : H5T_NATIVE_FLOAT
+ProfileDiff : H5T_NATIVE_FLOAT
+QF1_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF2_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF3_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF4_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF5_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF6_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF7_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF8_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF9_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF10_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF11_CrIMSS EDR : H5T_NATIVE_UCHAR
+QF12_CrIMSS EDR : H5T_NATIVE_UCHAR

**Figure 5.2.1.1.3-1, CrIMSS EDR HDF5 UML Diagram**

### 5.2.1.1.4 CrIMSS EDR HDF5 Metadata Details

The HDF5 metadata elements associated with the CrIMSS EDR are listed in the CDFCB-X Volume V. The CrIMSS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.2.1.1.4-1, CrIMSS EDR N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata

Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the CrIMSS EDR.

**Table 5.2.1.1.4-1, CrIMSS EDR  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
CrIMSS Retrieval Quality	0 – 100	Percent of retrievals within granule with high quality of retrieval	
CrIS Input Data Quality	0 – 100	Percent of CrIS SDR input retrievals with high quality	
ATMS Input Data Quality	0 – 100	Percent of ATMS SDR input retrievals with high quality	

**5.2.1.1.5 CrIMSS EDR Geolocation Data Content Summary**

<b>Data Mnemonic</b>	None
<b>Description/ Purpose</b>	<p>For this format, the CrIMSS algorithm retrieves 1, 4, or 9 times per field of regard (FOR) to yield a minimum of 120 retrievals and a maximum of 1080 retrievals per granule (4 scans x 30 retrievals per scan up to 4 scans x 270 retrievals per scan).</p> <p>This EDR Format is for State 1 (NPP only). For this format, CrIMSS retrieves once per field of regard (FOR) to yield a total of 120 retrievals per granule (4 scans x 30 retrievals per scan).</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Data Granule Sizes:</p> <p>Granule size is variable, dependent on the number of retrievals in the granule:</p> <p>Min: 3.96 KiB</p> <p>Max: 33.96 KiB</p> <p>This granule size includes CrIMSS EDR related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>

<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>The CrIMSS EDR Geolocation contains:</p> <ul style="list-style-type: none"><li>Time Fields</li><li>Geolocation Angular Fields</li><li>Spacecraft Position, Velocity, and Attitude</li><li>Geolocation Quality Flags</li></ul> <p>See Section 5.2.1.1.5, CrIMSS EDR Geolocation Content Summary</p> <p>See Section 5.2.1.1.6, CrIMSS EDR Geolocation Product Profiles</p> <p>See Section 5.2.1.1.7, CrIMSS EDR Geolocation Data Content Summary</p> <p>See Section 5.2.1.1.8, CrIMSS EDR Geolocation HDF5 Details</p> <p>See Section 5.2.1.1.9, CrIMSS EDR Geolocation HDF5 Metadata Details</p>

**Table 5.2.1.1.5-1, CrIMSS EDR Geolocation Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
StartTime	Starting Time of each scan in IET (1/1/1958)	64-bit integer	[N*4]	[4]	microsecond
MidTime	Starting Time of each scan in IET (1/1/1958)	64-bit integer	[N*4]	[4]	microsecond
Latitude	Latitude of each retrieval (positive North)	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	degree
Longitude	Longitude of each retrieval (positive East)	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	degree
SolarZenithAngle	Zenith angle of sun at each retrieval position	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	degree
SolarAzimuthAngle	Azimuth angle of sun (measured clockwise positive from North) at each retrieval position	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	degree
SatelliteZenithAngle	Zenith angle to Satellite at each retrieval position	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	degree
SatelliteAzimuthAngle	Azimuth angle (measured clockwise positive from North) to Satellite at each retrieval position	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	degree
Height	Ellipsoid-Geoid separation	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	meter

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
SatelliteRange	Line of sight distance from the ellipsoid intersection to the satellite	32-bit floating point	[N* NumRetrievals]	[NumRetrievals]	meter
SCPosition	Spacecraft position in ECR Coordinates (X, Y, Z) at the mid-time of scan	32-bit floating point	[N*4, 3]	[4, 3]	meter
SCVelocity	Spacecraft velocity in ECR Coordinates (dx/dt, dy/dt, dz/dt) at the mid-time of scan	32-bit floating point	[N*4, 3]	[4, 3]	m/s
SCAttitude	Spacecraft attitude with respect to Geodetic Reference Frame Coordinates (roll, pitch, yaw) at the midtime of scan	32-bit floating point	[N*4, 3]	[4, 3]	arcsecond <b>EDFCB4-TBR-10496</b>
QF1_CrIMSSGEO	Scan Level Geolocation Quality Flags	unsigned 8-bit char	[N*4]	[4]	unitless

5.2.1.1.6 CrIMSS EDR Geolocation Product Profile

Table 5.2.1.1.6-1, CrIMSS EDR Geolocation Product Profile

Fields														
Name	Data Size	Dimensions												
StartTime	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>								
		Scan	Yes	No	4	4								
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Starting Time of each scan in IET (1/1/1958)	0			microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>			
								NA_INT64_FILL	-999					
								MISS_INT64_FILL	-998					
								ERR_INT64_FILL	-995					
								ELINT_INT64_FILL	-994					
								VDNE_INT64_FILL	-993					
MidTime	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>								
		Scan	Yes	No	4	4								
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Starting Time of each scan in IET (1/1/1958)	0			microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>			
								NA_INT64_FILL	-999					
								MISS_INT64_FILL	-998					
								ERR_INT64_FILL	-995					
								ELINT_INT64_FILL	-994					
								VDNE_INT64_FILL	-993					

Latitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Latitude of each retrieval (positive North)	0	-90	90	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_INT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
Longitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Longitude of each retrieval (positive East)	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_INT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SolarZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Zenith angle of sun at each retrieval position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_INT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

SolarAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Azimuth angle of sun (measured clockwise positive from North) at each retrieval position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_INT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SatelliteZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Zenith angle to Satellite at each retrieval position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SatelliteAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Azimuth angle (measured clockwise positive from North) to Satellite at each retrieval position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

Height	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Ellipsoid-Geoid separation	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SatelliteRange	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Retrieval	Yes	Yes	120	1080						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Line of sight distance from the ellipsoid intersection to the satellite	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SCVelocity	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Scan	Yes	No	4	4						
		ECRCoordinate	No	No	3	3						
		<b>Datum</b>										
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
Spacecraft velocity in ECR Coordinates (dx/dt, dy/dt, dz/dt) at the mid-time of scan	0			m/s	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

SCAttitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																													
		Scan	Yes	No	4	4																													
		ECRCordinate	No	No	3	3																													
		<b>Datum</b>																																	
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																								
		Spacecraft attitude with respect to Geodetic Reference Frame Coordinates (roll, pitch, yaw) at the midtime of scan	0			arcsecond <b>EDFCB4-TBR-10496</b>	No		32-bit floating point	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>NA_FLOAT32_FILL</td> <td>-999.9</td> <td></td> <td></td> </tr> <tr> <td>MISS_FLOAT32_FILL</td> <td>-999.8</td> <td></td> <td></td> </tr> <tr> <td>ELINT_FLOAT32_FILL</td> <td>-999.4</td> <td></td> <td></td> </tr> <tr> <td>ERR_FLOAT32_FILL</td> <td>-999.5</td> <td></td> <td></td> </tr> <tr> <td>VDNE_FLOAT32_FILL</td> <td>-999.3</td> <td></td> <td></td> </tr> </table>	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	NA_FLOAT32_FILL	-999.9			MISS_FLOAT32_FILL	-999.8			ELINT_FLOAT32_FILL	-999.4			ERR_FLOAT32_FILL	-999.5			VDNE_FLOAT32_FILL	-999.3			
<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>																																
NA_FLOAT32_FILL	-999.9																																		
MISS_FLOAT32_FILL	-999.8																																		
ELINT_FLOAT32_FILL	-999.4																																		
ERR_FLOAT32_FILL	-999.5																																		
VDNE_FLOAT32_FILL	-999.3																																		

**Table 5.2.1.1.6-2, CrIMSS EDR Geolocation Product Profile – Quality Flags**

Fields																															
Name	Data Size	Dimensions																													
QF1_CrIMSSGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																									
		Scan	Yes	No	4	4																									
		<b>Datum</b>																													
				<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																		
		Missing Ephemeris or Attitude Data	0			unitless	No		2 bit(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td></td> <td></td> <td>Nominal - E&amp;A data available</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>Missing Data &lt;= Small Gap</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>Small Gap &lt; Missing Data &lt; Granule Boundary</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>Missing Data &gt;= Granule Boundary</td> <td>3</td> </tr> </table>	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>			Nominal - E&A data available	0			Missing Data <= Small Gap	1			Small Gap < Missing Data < Granule Boundary	2			Missing Data >= Granule Boundary	3	
<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>																												
		Nominal - E&A data available	0																												
		Missing Data <= Small Gap	1																												
		Small Gap < Missing Data < Granule Boundary	2																												
		Missing Data >= Granule Boundary	3																												
		Spare	2			unitless	No		6 bit(s)	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> <td><b>Name</b></td> <td><b>Value</b></td> </tr> </table>	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>																	
<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>																												

### 5.2.1.1.7 CrIMSS EDR Geolocation HDF5 Details

Figure 5.2.1.1.7-1, CrIMSS EDR Geolocation UML Diagram, provides details on the contents and data types of the CrIMSS EDR Geolocation product. This UML provides details at the product level detail only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

CrIMSS-EDR-GEO-TC
+StartTime : H5T_NATIVE_LLONG
+MidTime : H5T_NATIVE_LLONG
+Latitude : H5T_NATIVE_FLOAT
+Longitude : H5T_NATIVE_FLOAT
+SolarZenithAngle : H5T_NATIVE_FLOAT
+SolarAzimuthAngle : H5T_NATIVE_FLOAT
+SatelliteZenithAngle : H5T_NATIVE_FLOAT
+SatelliteAzimuthAngle : H5T_NATIVE_FLOAT
+Height : H5T_NATIVE_FLOAT
+SatelliteRange : H5T_NATIVE_FLOAT
+SCPosition : H5T_NATIVE_FLOAT
+SCVelocity : H5T_NATIVE_FLOAT
+SCAttitude : H5T_NATIVE_FLOAT
+QF1_CrIMSSGEO : H5T_NATIVE_UCHAR

**Figure 5.2.1.1.7-1, CrIMSS EDR Geolocation HDF5 UML Diagram**

### 5.2.1.1.8 CrIMSS EDR Geolocation HDF5 Metadata Details

The HDF5 metadata elements associated with the CrIMSS EDR Geolocation are listed in the CDFCB-X Volume V. The CrIMSS EDR Geolocation metadata includes all of the common metadata at the root, product, aggregation, and granule levels. No other granule level metadata (N\_Quality\_Summary\_Name/Value metadata) is defined for this product

**5.2.1.2 DELETED**

**5.2.1.3 DELETED**

**5.2.1.4 DELETED**

**5.2.1.5 DELETED**

**5.2.1.6 DELETED**

### 5.2.2 Aerosol Optical Thickness and Aerosol Particle Size Parameter

Aerosol Optical Thickness (AOT) for this particular data product is defined as the extinction (scattering + absorption) vertical optical thickness of aerosols at multiple wavelengths within the 0.4 – 2.4 μm spectral range based on narrow band (bandwidth < 0.05 μm) measurements. Optical thickness, τ, is related to transmission, t, by  $t = \exp(-\tau)$ . The AOT EDR is reported as the unitless quantity, τ.

Aerosol particle size may be characterized by two different parameters, the Ångström wavelength exponent and the effective radius. The Ångström wavelength exponent α is defined by:

$$\alpha = -\frac{\Delta \ln \tau}{\Delta \ln \lambda}$$

where: τ is the extinction (scattering + absorption) vertical optical thickness of the aerosols within specified layers of the atmosphere, λ is the wavelength, and Δ refers to the difference between measurements in two narrow bands. The units for the Ångström wavelength exponent are dimensionless.

<b>Availability Conditions</b>	Day Clear Land Ocean
<b>Sensors</b>	VIIRS
<b>Effectivity</b>	NPP
<b>EDR Contents</b>	For each horizontal cell, the Aerosol product contains: AOT at 11 wavelengths Ångström exponent Quality Flags Scale/Offset Values

**5.2.2.1 DELETED**

### 5.2.2.2 VIIRS AEROSOL

<p><b>Data Mnemonic</b></p>	<p>VIIRS Aerosol: EDRE-AOTH-C1030 (Official) EDRE-AOTH-C1031 (Substitute)</p>
<p><b>Description/ Purpose</b></p>	<p>The VIIRS Aerosol product consists of the VIIRS Aerosol Optical Thickness (AOT) EDR and the VIIRS Aerosol Particle Size Parameter (APSP) EDR. These two EDRs have been combined into a single product.</p> <p>The VIIRS AOT EDR provides aerosol optical thicknesses for a vertical column over both land and ocean globally on a daily basis. AOT is retrieved only during the daytime under clear conditions when the cell is not in cloud shadow.</p> <p>The AOT retrievals over ocean are executed on a VIIRS pixel-by-pixel basis. The AOT is produced globally at 12.8 km or less resolution ( 8 x 8 moderate resolution pixel aggregation at nadir)</p> <p>This product is produced from all nominal NPOESS orbits, but the measurement accuracy for a terminator orbit will be degraded due to a high incidence of challenging forward scattering geometries.</p> <p>For both ocean and land, the Aerosol Optical Depths values are obtained based on a chosen aerosol model at the 550nm wavelength. A Look-up table correlates AOTs at 550nm to AOTs at other wavelengths. With the exception of the 550nm output, linear interpolation is performed on the LUT values to obtain AOTs for the output wavelengths:</p> <ul style="list-style-type: none"> <li>• 0.412 microns</li> <li>• 0.445 microns</li> <li>• 0.488 microns</li> <li>• 0.555 microns</li> <li>• 0.672 microns</li> <li>• 0.746 microns</li> <li>• 0.865 microns</li> <li>• 1.240 microns</li> <li>• 1.610 microns</li> <li>• 2.250 microns</li> <li>• 0.550 microns</li> </ul>

	<p>Note that although the first ten wavelengths listed above correspond to center wavelengths for bands M1 – M8 and M10 – M11, these AOTs are not retrieved directly from the radiances of those bands.</p> <p>The AOT EDR is generated where the local Solar Zenith Angle <math>\leq 80^\circ</math>.</p> <p>Note: The term ‘water’ is for the most part synonymous with ‘ocean water’. The description will be specific in quality flag descriptions when referring to inland water or lakes where aerosols are not retrieved by VIIRS.</p> <p>The VIIRS Aerosol Particle Size Parameter (APSP) EDR is produced at the same resolution (8 x 8 moderate resolution pixel aggregation at nadir) as the AOT EDR. The APSP reports the angstrom wavelength exponent over both land and ocean. The angstrom exponent is calculated using two different narrow band wavelengths and is an indicator of aerosol particle size. Larger values indicate small particles and smaller values indicate large particles such as sea salt and dust.</p>
<p><b>File-Naming Construct</b></p>	<p>See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.</p>
<p><b>File Size</b></p>	<p>Estimated Data Granule Sizes:</p> <p>Aerosol Product: 1.062 MiB</p> <p>This granule size includes VIIRS Aerosol Product related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<p><b>File Format Type</b></p>	<p>HDF5</p>
<p><b>Data Content and Data Format</b></p>	<p>See Section 5.2.2.2.1, VIIRS Aerosol Data Content Summary</p> <p>See Section 5.2.2.2.2, VIIRS Aerosol Product Profile</p> <p>See Section 5.2.2.2.3, VIIRS Aerosol HDF5 Details</p> <p>See Section 5.2.2.2.4, VIIRS Aerosol Metadata Details</p> <p>See Section 5.2.2.2.5, VIIRS Aerosol Geolocation Details</p> <p>See Section 5.2.2.2.6, VIIRS Aerosol Geolocation Product Profile</p> <p>See Section 5.2.2.2.7, VIIRS Aerosol Geolocation HDF5 Details</p> <p>See Section 5.2.2.2.8, VIIRS Aerosol Geolocation HDF5 Metadata Details</p>

### 5.2.2.2.1 VIIRS Aerosol Data Content Summary

Table 5.2.2.2.1-1, VIIRS Aerosol Data Content Summary

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
AerosolOpticalDepth_at_412nm	Aerosol Optical Depth at 412nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_445nm	Aerosol Optical Depth at 445nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_488nm	Aerosol Optical Depth at 488nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_555nm	Aerosol Optical Depth at 555nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_672nm	Aerosol Optical Depth at 672nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_746nm	Aerosol Optical Depth at 746nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_865nm	Aerosol Optical Depth at 865nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_1240nm	Aerosol Optical Depth at 1240nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_1610nm	Aerosol Optical Depth at 1610nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_2250nm	Aerosol Optical Depth at 2250nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepth_at_550nm	Aerosol Optical Depth Interpolated to 550nm	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
AngstromExponent	Aerosol Angstrom Wavelength Exponent	unsigned 16-bit integer	[N*96, 400]	[96, 400]	unitless
QF1_VIIRSAEROEDR	Aerosol Quality Flags	8-bit unsigned char	[N*96, 400]	[96, 400]	unitless
QF2_VIIRSAEROEDR		8-bit unsigned char	[N*96, 400]	[96, 400]	unitless
QF3_VIIRSAEROEDR		8-bit unsigned char	[N*96, 400]	[96, 400]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF4_VIIRSAEROEDR		8-bit unsigned char	[N*96, 400]	[96, 400]	unitless
QF5_VIIRSAEROEDR		8-bit unsigned char	[N*96, 400]	[96, 400]	unitless
AerosolOpticalDepthFactors	A 32-bit floating point array consisting of two elements: the first is the scale value, the second is the offset value	32-bit floating point	[N*2]	[2]	unitless
AngstromExponentFactors		32-bit floating point	[N*2]	[2]	unitless

5.2.2.2.2 VIIRS Aerosol Product Profile

Table 5.2.2.2-1, VIIRS Aerosol Product Profile – Optical Depths

Name	Data Size	Dimensions																																														
AerosolOpticalDepth_at_412nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 412nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															
AerosolOpticalDepth_at_445nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 445nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															

AerosolOpticalDepth_at_488nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 488nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															
AerosolOpticalDepth_at_555nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 555nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															

AerosolOpticalDepth_at_672nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 672nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															
AerosolOpticalDepth_at_746nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 746nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															

AerosolOpticalDepth_at_865nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 865nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															
AerosolOpticalDepth_at_1240nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 1240nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															

AerosolOpticalDepth_at_1610nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 1610nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															
AerosolOpticalDepth_at_2250nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																										
		AlongTrack	Yes	No	96	96																																										
		CrossTrack	No	No	400	400																																										
		<b>Datum</b>																																														
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
		Aerosol Optical Depth Interpolated to 2250nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
		Name	Value	Name	Value																																											
		NA_UINT16_FILL	65535																																													
		MISS_UINT16_FILL	65534																																													
		ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																															
ERR_UINT16_FILL	65531																																															
ELINT_UINT16_FILL	65530																																															
VDNE_UINT16_FILL	65529																																															
SOUB_UINT16_FILL	65528																																															

AerosolOpticalDepth_at_550nm	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>																																									
		AlongTrack	Yes	No	96	96																																									
		CrossTrack	No	No	400	400																																									
	<b>Datum</b>																																														
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																					
	Aerosol Optical Depth at 550nm	0	0	2	unitless	Yes	AerosolOpticalDepthFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528				
	Name	Value	Name	Value																																											
	NA_UINT16_FILL	65535																																													
	MISS_UINT16_FILL	65534																																													
	ONBOARD_PT_UINT16_FILL	65533																																													
ONGROUND_PT_UINT16_FILL	65532																																														
ERR_UINT16_FILL	65531																																														
ELINT_UINT16_FILL	65530																																														
VDNE_UINT16_FILL	65529																																														
SOUB_UINT16_FILL	65528																																														
<b>Datum</b>																																															
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																																						
Aerosol Angstrom Wavelength Exponent	0	-1	3	unitless	Yes	AngstromExponentFactors	unsigned 16-bit integer	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>NA_UINT16_FILL</td> <td>65535</td> <td></td> <td></td> </tr> <tr> <td>MISS_UINT16_FILL</td> <td>65534</td> <td></td> <td></td> </tr> <tr> <td>ONBOARD_PT_UINT16_FILL</td> <td>65533</td> <td></td> <td></td> </tr> <tr> <td>ONGROUND_PT_UINT16_FILL</td> <td>65532</td> <td></td> <td></td> </tr> <tr> <td>ERR_UINT16_FILL</td> <td>65531</td> <td></td> <td></td> </tr> <tr> <td>ELINT_UINT16_FILL</td> <td>65530</td> <td></td> <td></td> </tr> <tr> <td>VDNE_UINT16_FILL</td> <td>65529</td> <td></td> <td></td> </tr> <tr> <td>SOUB_UINT16_FILL</td> <td>65528</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	NA_UINT16_FILL	65535			MISS_UINT16_FILL	65534			ONBOARD_PT_UINT16_FILL	65533			ONGROUND_PT_UINT16_FILL	65532			ERR_UINT16_FILL	65531			ELINT_UINT16_FILL	65530			VDNE_UINT16_FILL	65529			SOUB_UINT16_FILL	65528					
Name	Value	Name	Value																																												
NA_UINT16_FILL	65535																																														
MISS_UINT16_FILL	65534																																														
ONBOARD_PT_UINT16_FILL	65533																																														
ONGROUND_PT_UINT16_FILL	65532																																														
ERR_UINT16_FILL	65531																																														
ELINT_UINT16_FILL	65530																																														
VDNE_UINT16_FILL	65529																																														
SOUB_UINT16_FILL	65528																																														

**Table 5.2.2.2-2, VIIRS Aerosol Product Profile – Quality Flags**

Name	Data Size	Dimensions												
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size								
QF1_VIIRSAEROEDR	1byte(s)	AlongTrack	Yes	No	96	96								
		CrossTrack	No	No	400	400								
		<b>Datum</b>												
		<b>Description</b>				<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		AOT and APSP Product Quality (Aerosol Optical Thickness Product Quality = Overall quality of the AOT/APSP retrieval) - Valid over land and ocean				0			unitless	No		2 bit(s)	Name Value	Name   Value
													Not Retrieved	0
													Low	1
													Medium	2
													High	3
		Land/Ocean flag (AOT/APSP retrieval determined as land or water. For Horizontal Cells over coastal regions, coastal pixels are not used. Also, the Land or Ocean fraction must exceed 50% of the pixels to set this flag. ) – Valid over land and ocean				2			unitless	No		2 bit(s)	Name Value	Name   Value
											Land	0		
											Ocean	1		
											Not Produced	2		
AOT/APSP is outside of the System Specification Range (Quality of AOT or APSP degraded due to AOT or APSP value being outside of Spec (and LUT) range – Valid over land and ocean				4			unitless	No		1 bit(s)	Name Value	Name   Value		
											False	0		
											True	1		
Cloud Contamination - Quality of AOT degraded or AOT not retrieved due to clouds (not including thin cirrus) in horizontal cell) – Valid over land and ocean				5			unitless	No		1 bit(s)	Name Value	Name   Value		
											False	0		
											True	1		
Cloud present in Adjacent Horizontal Cell (Quality of AOT/APSP possibly degraded due to adjacent clouds) – Valid over land and ocean				6			unitless	No		1 bit(s)	Name Value	Name   Value		
											False	0		
											True	1		
Thin Cirrus Present in Horizontal Cell – Cirrus Contamination –(Quality of AOT/APSP degraded or AOT/APSP not retrieved due to thin cirrus in horizontal cell) – Valid over land and ocean				7			unitless	No		1 bit(s)	Name Value	Name   Value		
											False	0		
											True	1		

Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
					Datum						
					Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name
AlongTrack	Yes	No	96	96							
CrossTrack	No	No	400	400							
<b>Datum</b>											
<b>Description</b>											
Bad SDR Data Present in Horizontal Cell (Quality of AOT/APSP degraded or AOT/APSP not retrieved due to bad SDR data in horizontal cell) – Valid over land and ocean											
0					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
Sun Glint Present in Horizontal Cell (Quality of AOT/APSP degraded or AOT/APSP not retrieved due to sun glint in horizontal cell) – Valid over land and ocean											
1					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
Cloud Shadow Present in Horizontal Cell (Quality of AOT/APSP degraded or AOT/APSP not retrieved due to cloud shadows in horizontal cell) – Valid over land and ocean											
2					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
Snow/Ice Present in Horizontal Cell (Quality of AOT/APSP degraded or AOT/APSP not retrieved due to snow/ice in horizontal cell) – Valid over land and ocean											
3					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
Fire Present in Horizontal Cell (Quality of AOT/APSP degraded or AOT/APSP not retrieved due to fire in horizontal cell) – Valid over land and ocean											
4					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
AOT in Degraded Range: 65<Solar Zenith Angle<=80 deg (Quality of AOT/APSP degraded due to pixels in horizontal cell with solar zenith angles greater than 65 but less than or equal to 80 degrees) – Valid over land and ocean											
5					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
Solar Zenith Angle > 80 degrees = Exclusion (Quality of AOT/APSP degraded or AOT/APSP not retrieved due to pixels in horizontal cell with solar zenith angles greater than 80 degrees) – Valid over land and ocean											
6					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	
Bright Surface in horizontal cell (Over Land only); Shallow or Turbid Water in horizontal cell (Over Ocean only) – Valid over land only											
7					unitless	No		1 bit(s)	Name Value	Name Value	
										False 0	
										True 1	

QF3_VIIRSAEROEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	400	400							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Land Model Aerosol Index (Land only) – Valid over land only	0			unitless	No		3 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												Dust	0
												Smoke – High Absorption	1
												Smoke – Low Absorption	2
												Urban - Clean	3
												Urban - Polluted	4
		spare	3			unitless	No		5 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>

QF4_VIIRSAEROEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Small Mode Aerosol Model (Ocean only)	0			unitless	No		2 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											Fine Mode 1	0
											Fine Mode 2	1
											Fine Mode 3	2
		Large Mode Aerosol Model (Ocean only)	2			unitless	No		3 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
Course Mode 1	0											
Course Mode 2	1											
Course Mode 3	2											
spare	5			unitless	No		3 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									Course Mode 4	3		
									Course Mode 5	4		

QF5_VIIRSAEROEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Small Mode Fraction (Ocean only)	0	0	100	percent	No		8 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>

**Table 5.2.2.2-3, VIIRS AOT Product Profile – Factors**

Name	Data Size	Dimensions									
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
AerosolOpticalDepthFactors	4byte(s)	Granule	Yes	No	2	2					
		<b>Datum</b>									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
		Scale = first array element; Offset = 2nd array element				unitless	No		32-bit floating point	Name Value	Name Value
AngstromExponentFactors	4byte(s)	Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
		Granule	Yes	No	2	2					
		<b>Datum</b>									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
Scale = first array element  Offset = second array element				unitless	No		32-bit floating point	Name Value	Name Value		

### 5.2.2.2.3 VIIRS Aerosol HDF5 Details

Figure 5.2.2.2.3-1, VIIRS Aerosol UML Diagram, provides details on the contents and data types of the Aerosol product. This UML provides details at the product level detail only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-Aeros-EDR
+AerosolOpticalDepth_at_412nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_445nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_488nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_555nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_672nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_746nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_865nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_1240nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_1610nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_2250nm : H5T_NATIVE_UINT
+AerosolOpticalDepth_at_550nm : H5T_NATIVE_UINT
+AngstromExponent : H5T_NATIVE_USHORT
+QF1_VIIRSAEROEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSAEROEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSAEROEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSAEROEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSAEROEDR : H5T_NATIVE_UCHAR
+AerosolOpticalDepthFactors : H5T_NATIVE_FLOAT
+AngstromExponentFactors : H5T_NATIVE_FLOAT

**Figure 5.2.2.2.3-1, VIIRS Aerosol UML Diagram**

### 5.2.2.2.4 VIIRS Aerosol HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS AOT EDR are listed in the CDFCB-X Volume V. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.2.2.2.4-1, VIIRS Aerosol N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Aerosol.

**Table 5.2.2.2.4-1, VIIRS Aerosol  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

<b>N_Quality_Summary</b>			
<b>Name</b>	<b>Value</b>	<b>Description</b>	<b>Notes</b>
Aerosol Summary Quality	0 – 100	Percent of cells with high quality	This is a granule level quality flag.
Exclusion Summary	0 – 100	Percent of exclusion or degradation criteria flags set to 'TRUE' (=1) from a retrieval for a cell.	This is a granule level quality flag.
No Land in Granule	0	Land Present in Granule	Indicates whether the product granule contains any land coverage or not. This is a granule level quality flag.
	1	No Land Present in Granule	
No Ocean in Granule	0	Ocean Present in Granule	Indicates whether the product granule contains any ocean coverage or not. This is a granule level quality flag.
	1	No Ocean Present in Granule	

### 5.2.2.2.5 VIIRS Aerosol Geolocation Details

<b>Data Mnemonic</b>	None
<b>Description/ Purpose</b>	The VIIRS Aerosol Geolocation is produced at the same resolution (8 x 8 moderate resolution pixel aggregation at nadir) as the VIIRS Aerosol Product and is based on the VIIRS moderate resolution geolocation with terrain correction applied.
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	Estimated granule size: 1.21 MiB not including metadata or HDF5 overhead.
<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>The VIIRS Aerosol Geolocation contains:</p> <ul style="list-style-type: none"> <li>Time Fields</li> <li>Geolocation Angular Fields</li> <li>Height and Satellite Range</li> <li>Spacecraft Position, Velocity, and Attitude</li> <li>Spacecraft Solar Zenith and Azimuth Angles</li> <li>Geolocation Quality Flags</li> </ul> <p>See Section 5.2.2.2.5, VIIRS Aerosol Geolocation Content Summary</p> <p>See Section 5.2.2.2.6, VIIRS Aerosol Geolocation Product Profiles</p> <p>See Section 5.2.2.2.7, VIIRS Aerosol Geolocation Data Content Summary</p> <p>See Section 5.2.2.2.8, VIIRS Aerosol Geolocation HDF5 Details</p> <p>See Section 5.2.2.2.9, VIIRS Aerosol Geolocation HDF5 Metadata Details</p>

**Table 5.2.2.2.5-1, VIIRS Aerosol Geolocation Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
StartTime	Starting Time of each scan in IET (1/1/1958)	64-bit integer	[N*48]	[48]	microsecond
MidTime	Mid-Time of each scan in IET (1/1/1958)	64-bit integer	[N*48]	[48]	microsecond
Latitude	Latitude of each cell (positive North)	32-bit floating point	[N*96, 400]	[96, 400]	degree
Longitude	Longitude of each cell (positive East)	32-bit floating point	[N*96, 400]	[96, 400]	degree
SolarZenithAngle	Zenith angle of sun at each cell position	32-bit floating point	[N*96, 400]	[96, 400]	degree
SolarAzimuthAngle	Azimuth angle of sun (measured clockwise positive from North) at each cell position	32-bit floating point	[N*96, 400]	[96, 400]	degree
SatelliteZenithAngle	Zenith angle to Satellite at each cell position	32-bit floating point	[N*96, 400]	[96, 400]	degree
SatelliteAzimuthAngle	Azimuth angle (measured clockwise positive from North) to Satellite at each cell position	32-bit floating point	[N*96, 400]	[96, 400]	degree
Height	Ellipsoid-Geoid separation	32-bit floating point	[N*96, 400]	[96, 400]	meter
SatelliteRange	Line of sight distance from the ellipsoid intersection to the satellite	32-bit floating point	[N*96, 400]	[96, 400]	meter
SCPosition	Spacecraft position in ECR Coordinates (X, Y, Z) at the mid-time of scan	32-bit floating point	[N*48, 3]	[48, 3]	meter

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
SCVelocity	Spacecraft velocity in ECR Coordinates (dx/dt, dy/dt, dz/dt) at the mid-time of scan	32-bit floating point	[N*48, 3]	[48, 3]	m/s
SCAttitude	Spacecraft attitude with respect to Geodetic Reference Frame Coordinates (roll, pitch, yaw) at the midtime of scan	32-bit floating point	[N*48, 3]	[48, 3]	arcsecond <b>EDFCB4-TBR-10496</b>
QF1_SCAN_VIIRSA EROGEO	Scan Level Geolocation Quality Flags	unsigned 8-bit char	[N*48]	[48]	unitless
QF2_VIIRSAEROGE O	Cell Level Geolocation Quality Flags	unsigned 8-bit char	[N*96, 400]	[96, 400]	unitless

5.2.2.2.6 VIIRS Aerosol Geolocation Product Profile

Table 5.2.2.2.6-1, VIIRS Aerosol Geolocation Product Profile

Fields													
Name	Data Size	Dimensions											
StartTime	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	48	48							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Starting Time of each scan in IET (1/1/1958)	0			microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
								NA_INT64_FILL	-999				
								MISS_INT64_FILL	-998				
								ERR_INT64_FILL	-995				
								VDNE_INT64_FILL	-993				
MidTime	8byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	48	48							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Mid-Time of each scan in IET (1/1/1958)	0			microsecond	No		64-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
								NA_INT64_FILL	-999				
								MISS_INT64_FILL	-998				
								ERR_INT64_FILL	-995				
								VDNE_INT64_FILL	-993				

Latitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Latitude of each cell (positive North)	0	-90	90	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
Longitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Longitude of each cell (positive East)	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SolarZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Zenith angle of sun at each cell position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			

SolarAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Azimuth angle of sun (measured clockwise positive from North) at each cell position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SatelliteZenithAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Zenith angle to Satellite at each cell position	0	0	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			
SatelliteAzimuthAngle	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
Azimuth angle (measured clockwise positive from North) to Satellite at each cell position	0	-180	180	degree	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>		
								NA_FLOAT32_FILL	-999.9			
								MISS_FLOAT32_FILL	-999.8			
								ERR_FLOAT32_FILL	-999.5			
								ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3			

Height	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Ellipsoid-Geoid separation	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SatelliteRange	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Line of sight distance from the ellipsoid intersection to the satellite	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SCPosition	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Scan	Yes	No	48	48						
		ECRCoordinate	No	No	3	3						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Spacecraft position in ECR Coordinates (X, Y, Z) at the mid-time of scan	0			meter	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										VDNE_FLOAT32_FILL	-999.3	

SCVelocity	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Scan	Yes	No	48	48						
		ECRCoordinate	No	No	3	3						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Spacecraft velocity in ECR Coordinates (dx/dt, dy/dt, dz/dt) at the mid-time of scan	0			m/s	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										VDNE_FLOAT32_FILL	-999.3	
SCAttitude	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Scan	Yes	No	48	48						
		GRFCoordinate	No	No	3	3						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Spacecraft attitude with respect to Geodetic Reference Frame Coordinates (roll, pitch, yaw) at the midtime of scan	0			arcsecond <b>EDFCB4-TBR-10496</b>	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										VDNE_FLOAT32_FILL	-999.3	

**Table 4.9.4.2-2, VIIRS Aerosol Geolocation Product Profile – Quality Flags**

Fields																						
Name	Data Size	Dimensions																				
QF1_SCAN_VIIRSAEROGEO	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>															
		Scan	Yes	No	48	48																
		<b>Datum</b>																				
		<b>Description</b>		<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>										
		Attitude and Ephemeris Availability Status		0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Nominal - E&amp;A data available</td> <td>0</td> </tr> <tr> <td>Missing Data &lt;= Small Gap</td> <td>1</td> </tr> <tr> <td>Small Gap &lt; Missing Data &lt; Granule Boundary</td> <td>2</td> </tr> <tr> <td>Missing Data &gt;= Granule Boundary</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Nominal - E&A data available	0	Missing Data <= Small Gap	1	Small Gap < Missing Data < Granule Boundary	2	Missing Data >= Granule Boundary	3
		Name	Value																			
		Nominal - E&A data available	0																			
		Missing Data <= Small Gap	1																			
		Small Gap < Missing Data < Granule Boundary	2																			
		Missing Data >= Granule Boundary	3																			
HAM Impulse Flag (Indicates whether the number of encoder pulse values per delta time is as expected (Good Data) or not (Bad Data))		2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Good Data</td> <td>0</td> </tr> <tr> <td>Bad Data</td> <td>1</td> </tr> </tbody> </table>	Name	Value	Good Data	0	Bad Data	1						
Name	Value																					
Good Data	0																					
Bad Data	1																					
Within South Atlantic Anomaly		3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1						
Name	Value																					
False	0																					
True	1																					
Solar Eclipse during Earth view scan		4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1						
Name	Value																					
False	0																					
True	1																					
Spare		5			unitless	No		3 bit(s)	<b>Name</b> <b>Value</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Name	Value										
Name	Value																					

QF2_VIIRSAEROGEO	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	400	400						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Invalid Input Data (Indicates that any of the Spacecraft Ephemeris or Attitude Data is Invalid)	0			unitless	No		1 bit(s)	Name Value	Name Value	
										False	0	
										True	1	
		Bad Pointing (Indicates that the sensor LOS does not intersect the geoid, is near the limb, has invalid sensor angles or other similar condition.)	1			unitless	No		1 bit(s)	Name Value	Name Value	
										False	0	
								True	1			
Bad Terrain (Indicates that the algorithm could not obtain a valid terrain value.)	2			unitless	No		1 bit(s)	Name Value	Name Value			
								False	0			
								True	1			
Invalid Solar Angles	3			unitless	No		1 bit(s)	Name Value	Name Value			
								False	0			
								True	1			
Spare	4			unitless	No		4 bit(s)	Name Value	Name Value			

### 5.2.2.2.7 VIIRS Aerosol Geolocation HDF5 Details

Figure 5.2.2.2.7-1, VIIRS Aerosol Geolocation UML Diagram, provides details on the contents and data types for this geolocation product.

VIIRS-Aeros-EDR-GEO
+StartTime : H5T_NATIVE_LLONG
+MidTime : H5T_NATIVE_LLONG
+Latitude : H5T_NATIVE_FLOAT
+Longitude : H5T_NATIVE_FLOAT
+SolarZenithAngle : H5T_NATIVE_FLOAT
+SolarAzimuthAngle : H5T_NATIVE_FLOAT
+SatelliteZenithAngle : H5T_NATIVE_FLOAT
+SatelliteAzimuthAngle : H5T_NATIVE_FLOAT
+Height : H5T_NATIVE_FLOAT
+SatelliteRange : H5T_NATIVE_FLOAT
+SCPosition : H5T_NATIVE_FLOAT
+SCVelocity : H5T_NATIVE_FLOAT
+SCAttitude : H5T_NATIVE_FLOAT
+QF1_SCAN_VIIRSAEROGEO : H5T_NATIVE_UCHAR
+QF2_VIIRSAEROGEO : H5T_NATIVE_UCHAR

**Figure 5.2.2.2.7-1, VIIRS Aerosol Geolocation UML Diagram**

### 5.2.2.2.8 VIIRS Aerosol Geolocation HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Aerosol Geolocation product are listed in the CDFCB-X Volume V – Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The VIIRS Aerosol Geolocation metadata includes all of the common metadata attributes located at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.2.2.2.8-1, VIIRS Aerosol Geolocation N\_Quality\_Summary Granule\_Name/N\_Quality\_Summary\_Value Level Metadata Values, provides the following items as name/value pairs under the granule level metadata attribute “N\_Quality\_Summary.”

**Table 5.2.2.8-1, VIIRS Aerosol Geolocation  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

<b>N_Quality_Summary</b>			
<b>Name</b>	<b>Value</b>	<b>Description</b>	<b>Notes</b>
Automatic Quality Flag	0	Retrieval Successful	String containing "Retrieval Successful" or "Retrieval not Successful" depending on granule level quality assurance metadata retrieval success. This is a granule level quality flag.
	1	Retrieval not Successful (one or more geolocation subroutines failed)	
QA Percent Missing Data	0 – 100	Contains the percentage of missing data equal to the quotient of the number of cells with no Aerosol Value set due to missing data over the total number of cells in the granule.	This is a granule level quality flag.
QA Percent Out of Bounds Data	0 – 100	Contains the percentage of out of bounds data equal to the quotient of the number of cells with out of bounds data over the total number of cells in the granule.	This is a granule level quality flag.

### 5.2.3 DELETED

### 5.2.4 Suspended Matter

<b>Data Mnemonic</b>	EDRE-VRSM-C0030 (Official) EDRE-VRSM-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>Suspended matter is defined as dust, sand, volcanic ash, sea salt, smoke, and radioactive smoke in the atmosphere.</p> <p>The retrieval algorithm combines the unique spectral properties of each type of suspended matter with aerosol optical thickness, particle size parameter, and geolocation to classify the suspended matter globally.</p> <p>This EDR will be produced from all nominal NPOESS orbits, but the measurement accuracy for a terminator orbit will be degraded due to VIIRS calibration limitations</p> <p>The Suspended Matter EDR is produced at a 1.6 km resolution.</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Clear</li> <li>Land</li> <li>Ocean</li> </ul> <p>Sensors:</p> <ul style="list-style-type: none"> <li>VIIRS</li> </ul> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Data Granule Size: 14.06 MiB</p> <p>This granule size includes VIIRS Suspended Matter related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>See Section 5.2.4.1, Suspended Matter Data Content Summary</p> <p>See Section 5.2.4.2, Suspended Matter Product Profile</p> <p>See Section 5.2.4.3, Suspended Matter HDF5 Details</p> <p>See Section 5.2.4.4, Suspended Matter Metadata Details</p> <p>See Section 5.2.4.5, Suspended Matter Geolocation Details</p>

### 5.2.4.1 Suspended Matter Data Content Summary

**Table 5.2.4.1-1, Suspended Matter Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
SuspendedMatterType	Suspended Matter Type Index	8-bit unsigned char	[N*768, 3200]	[768, 3200]	unitless
SmokeConcentration	SmokeConcentration	unsigned 16-bit integer	[N*768, 3200]	[768, 3200]	micrograms / m3
QF1_VIIRSSusMatEDR	Suspended Matter Quality Flags	8-bit unsigned char	[N*768, 3200]	[768, 3200]	unitless
QF2_VIIRSSusMatEDR		8-bit unsigned char	[N*768, 3200]	[768, 3200]	unitless
QF3_VIIRSSusMatEDR		8-bit unsigned char	[N*768, 3200]	[768, 3200]	unitless
SmokeConcentrationFactors	A 32-bit floating point array consisting of two elements: the first is the scale value, the second is the offset value	32-bit floating point	[N*2]	[2]	Scale = unitless; Offset = micrograms / m3

5.2.4.2 Suspended Matter Product Profile

Table 5.2.4.2-1, Suspended Matter Product Profile

Name	Data Size	Dimensions													
SuspendedMatterType	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		<b>Datum</b>													
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>			<b>Legend Entries</b>		
		Suspended Matter Type Index	0			unitless	No		unsigned 8-bit char	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										NA_UINT8_FILL	255	Ash	1		
										MISS_UINT8_FILL	254	Dust	2		
										ONBOARD_PT_UINT8_FILL	253	Smoke	3		
										ONGROUND_PT_UINT8_FILL	252	Sea Salt	4		
								ERR_UINT8_FILL	251	Multiple Types	5				
								ELINT_UINT8_FILL	250						
								VDNE_UINT8_FILL	249						
SmokeConcentration	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>									
		AlongTrack	Yes	No	768	768									
		CrossTrack	No	No	3200	3200									
		<b>Datum</b>													
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>			<b>Legend Entries</b>		
		SmokeConcentration	0	0	1000	micrograms / m3	Yes	SmokeConcentrationFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										NA_UINT16_FILL	65535				
										MISS_UINT16_FILL	65534				
										ONBOARD_PT_UINT16_FILL	65533				
										ONGROUND_PT_UINT16_FILL	65532				
								ERR_UINT16_FILL	65531						
								ELINT_UINT16_FILL	65530						
								VDNE_UINT16_FILL	65529						
								SOUB_UINT16_FILL	65528						

**Table 5.2.4.2-2, VIIRS Suspended Matter Product Profile – Quality Flags**

Name	Data Size	Dimensions									
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
QF1_VIIRSSusMatEDR	1byte(s)	AlongTrack	Yes	No	768	768					
		CrossTrack	No	No	3200	3200					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Suspended Matter Quality (Overall quality of the suspended matter land retrieval)	0			unitless	No	2 bit(s)	Name Value	Name	Value
										Not Retrieved	0
										Low	1
										Medium	2
										High	3
		Land/Ocean flag	2			unitless	No	2 bit(s)	Name Value	Name	Value
								Land	0		
								Ocean	1		
								Not Produced	2		
Smoke Concentration is out of System Spec Range	4			unitless	No	1 bit(s)	Name Value	Name	Value		
								False	0		
								True	1		
Not Confidently Clear in Horizontal Cell (Cloud Contamination – Quality of Suspended Matter degraded or Suspended Matter not retrieved due to clouds (not including thin cirrus) in horizontal cell)	5			unitless	No	1 bit(s)	Name Value	Name	Value		
								False	0		
								True	1		
Cloud present in Adjacent Horizontal Cell (Quality of Suspended Matter possibly degraded due to adjacent clouds)	6			unitless	No	1 bit(s)	Name Value	Name	Value		
								False	0		
								True	1		
Thin Cirrus Present in Horizontal Cell (Cirrus Contamination – Quality of Suspended Matter degraded or Suspended Matter not retrieved due to thin cirrus in horizontal cell)	7			unitless	No	1 bit(s)	Name Value	Name	Value		
								False	0		
								True	1		

QF2_VIIRSSusMatEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Bad SDR Data Present in Horizontal Cell (Quality of Suspended Matter degraded or Suspended Matter not retrieved due to bad SDR data in horizontal cell)	0			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											False	0
											True	1
		Sun Glint Present in Horizontal Cell (Quality of APSP degraded or APSP not retrieved due to sun glint in horizontal cell)	1			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											False	0
									True	1		
Cloud Shadow Present in Horizontal Cell (Quality of APSP degraded or APSP not retrieved due to cloud shadows in horizontal cell)	2			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Snow/Ice Present in Horizontal Cell (Quality of APSP degraded or APSP not retrieved due to snow/ice in horizontal cell)	3			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Fire Present in Horizontal Cell (Quality of APSP degraded or APSP not retrieved due to fire in horizontal cell)	4			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Suspended Matter is excluded from meeting its correct typing performance requirements due to AOT (@ 550nm) < 0.5	5			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Suspended Matter is excluded from meeting its performance requirements due to AOT (@ 550nm) < 1.0	6			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
Solar Zenith Angle > 65degrees. (Exclusion condition due to pixels in horizontal cell with solar zenith angles greater than 65 degrees)	7			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		

QF3_VIIRSSusMatEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	768	768						
		CrossTrack	No	No	3200	3200						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
	Bright Surface in horizontal cell (Over Land only); Shallow or Turbid Water in horizontal cell (Over Ocean only)	0			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
									False	0	True	1
	spare	1			unitless	No		7 bits	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>

**Table 5.2.4.2-3, VIIRS Suspended Matter Product Profile – Factors**

<b>Name</b>	<b>Data Size</b>	<b>Dimensions</b>											
SmokeConcentrationFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Granule	Yes	No	2	2							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Scale = first array element; Offset = 2nd array element				Scale = unitless; Offset = micrograms / m3	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>

### 5.2.4.3 VIIRS Suspended Matter HDF5 Details

Figure 5.2.4.3-1, VIIRS Suspended Matter UML Diagram, provides details on the contents and data types for the VIIRS Suspended Matter EDR product. This UML provides details at the product level detail only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

The VIIRS Suspended Matter product within the HDF5 file can be found within the Data\_Product group with the group name of VIIRS-SusMat-EDR. The aggregation and granule(s) contain the data fields listed in the UML. The corresponding HDF5 data type for each field is also provided.

VIIRS-SusMat-EDR
+SuspendedMatterType : H5T_NATIVE_UCHAR
+SmokeConcentration : H5T_NATIVE_USHORT
+QF1_VIIRSSusMatEDR : H5T_NATIVE_UCHAR
+QF2_VIIRSSusMatEDR : H5T_NATIVE_UCHAR
+QF3_VIIRSSusMatEDR : H5T_NATIVE_UCHAR
+SmokeConcentrationFactors : H5T_NATIVE_FLOAT

**Figure 5.2.4.3-1, VIIRS Suspended Matter HDF5 Diagram**

### 5.2.4.4 VIIRS Suspended Matter HDF5 Metadata

The HDF5 metadata elements associated with the VIIRS Suspended Matter EDR are listed in the CDFCB-X Volume V – Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The VIIRS Suspended Matter EDR metadata includes all common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.2.4.4-1, VIIRS Suspended Matter N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs.

**Table 5.2.4.4-1, VIIRS Suspended Matter  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Summary Suspended Matter Product Quality	0 – 100	Percent of Pixels with high quality	This is a granule level quality flag.
Exclusion Summary	0 – 100	Percent of retrieved pixels with one or more exclusion or degradation criteria flags	This is a granule level quality flag.

#### 5.2.4.5 VIIRS Suspended Matter Geolocation Details

VIIRS Suspended Matter is produced on the VIIRS Moderate Resolution Geolocation – Terrain Corrected. See the CDFCB-X, Volume IV, Part 1, D34862-04-01, Section 4.9.5, VIIRS Moderate Resolution Geolocation – Terrain Corrected, for details.

## 5.2.5 DELETED

### 5.2.6 Ozone Total Column

<b>Availability Conditions</b>	<p>Ozone Total Column:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Clear</li> <li>Cloudy</li> <li>Land</li> <li>Ocean</li> </ul>
<b>Sensors</b>	OMPS
<b>Effectivity</b>	NPP/NPOESS
<b>EDR Contents</b>	<p>The primary output of the OMPS Total Column (TC) Ozone is the ColumnAmountO3 field. This is the best estimate of total ozone produced by the algorithm.</p> <p>In addition to this field, other fields are:</p> <ul style="list-style-type: none"> <li>- Total Ozone values after corrections (Aerosol correction, Profile Shape and Temperature Profile corrections)</li> <li>- First Guess IP fields (Total Ozone and residuals output from the First Guess IP.)</li> <li>- Flags and fields with retrieval information (Algorithm flag, error flag, scene condition, external data used)</li> <li>- Normalized Radiance input from the OMPS TC SDR</li> <li>- External data needed for the Total Ozone calculation (Temperature profile, cloud top pressure, terrain pressure, cloud fraction, ground reflectivity, tropopause pressure, snow/ice fraction, ozone profile used to perform shape correction)</li> <li>- Other values calculated within the retrieval that are either required to obtain the Total Ozone best estimate (reflectivity, total ozone below cloud, profile mixing fraction, tropospheric ozone, ozone values calculated for each triplet pair) or produced as a secondary product (SO2 index, aerosol index)</li> <li>- Total Ozone Mapping Spectrometer (TOMS) v7 fields: Total ozone amounts, residuals, and sensitivities calculated with the TOMS version 7 method.</li> <li>- Quality Flags</li> <li>- South Atlantic Anomaly field</li> </ul>

--	--

### 5.2.6.1 Ozone Total Column

<b>Data Mnemonic</b>	EDRE-OMTC-C0030 (Official) EDRE-OMTC-C0031 (Substitute)																						
<b>Description/ Purpose</b>	<p>The Ozone total column is defined as the amount of Ozone in a vertical column of the atmosphere measured in Dobson Units (1 DU = 1 milli-atm-cm). The grating spectrometer and focal plane for total column measurements provide 0.45 nm spectral sampling across the wavelength range of 300 to 380 nm for a total of 22 wavelengths. The 22 wavelengths are:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">1. 308.5 nm</td> <td style="width: 50%;">12. 322.5 nm</td> </tr> <tr> <td>2. 310.5 nm</td> <td>13. 325.0 nm</td> </tr> <tr> <td>3. 312.0 nm</td> <td>14. 328.0 nm</td> </tr> <tr> <td>4. 312.5 nm</td> <td>15. 329.0 nm</td> </tr> <tr> <td>5. 314.0 nm</td> <td>16. 331.0 nm</td> </tr> <tr> <td>6. 315.0 nm</td> <td>17. 332.0 nm</td> </tr> <tr> <td>7. 316.0 nm</td> <td>18. 336.0 nm</td> </tr> <tr> <td>8. 317.0 nm</td> <td>19. 364.0 nm *</td> </tr> <tr> <td>9. 318.0 nm</td> <td>20. 367.0 nm *</td> </tr> <tr> <td>10. 320.0 nm</td> <td>21. 372.0 nm *</td> </tr> <tr> <td>11. 321.0 nm</td> <td>22. 377.0 nm *</td> </tr> </table> <p>* Reflectivity Wavelength</p> <p>Pressure units are provided in atmospheres (1 atm = 1013.25 hPa)</p>	1. 308.5 nm	12. 322.5 nm	2. 310.5 nm	13. 325.0 nm	3. 312.0 nm	14. 328.0 nm	4. 312.5 nm	15. 329.0 nm	5. 314.0 nm	16. 331.0 nm	6. 315.0 nm	17. 332.0 nm	7. 316.0 nm	18. 336.0 nm	8. 317.0 nm	19. 364.0 nm *	9. 318.0 nm	20. 367.0 nm *	10. 320.0 nm	21. 372.0 nm *	11. 321.0 nm	22. 377.0 nm *
1. 308.5 nm	12. 322.5 nm																						
2. 310.5 nm	13. 325.0 nm																						
3. 312.0 nm	14. 328.0 nm																						
4. 312.5 nm	15. 329.0 nm																						
5. 314.0 nm	16. 331.0 nm																						
6. 315.0 nm	17. 332.0 nm																						
7. 316.0 nm	18. 336.0 nm																						
8. 317.0 nm	19. 364.0 nm *																						
9. 318.0 nm	20. 367.0 nm *																						
10. 320.0 nm	21. 372.0 nm *																						
11. 321.0 nm	22. 377.0 nm *																						
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.																						
<b>File Size</b>	<p>Estimated Data Granule Sizes: 331.2 KiB</p> <p>This granule size includes OMPS Total Column Ozone related fields and quality flags only. Geolocation and metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>																						
<b>File Format Type</b>	HDF5																						

<b>Data Content and Data Format</b>	<p>See Section 5.2.6.1.1, Ozone Total Column Data Content Summary</p> <p>See Section 5.2.6.1.2, Ozone Total Column Product Profile</p> <p>See Section 5.2.6.1.3, Ozone Total Column HDF5 Details</p> <p>See Section 5.2.6.1.4, Ozone Total Column Metadata</p> <p>See Section 5.2.6.1.5, Ozone Total Column Geolocation Details</p>
-------------------------------------	---

### 5.2.6.1.1 Ozone Total Column Data Content Summary

**Table 5.2.6.1.1-1, Ozone Total Column Data Content Summary**

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
ColumnAmountO3	Total Ozone best estimate	32-bit floating point	[N*15, 105]	[15, 105]	DU
Reflectivity	Best Reflectivity from retrieval (This is the 377 nm reflectivity for this IFOV's cloud/ground scene condition)	32-bit floating point	[N*15, 105]	[15, 105]	unitless
NValueMeasured	Measured normalized radiances for 22 wavelengths	32-bit floating point	[N*15, 105, 22]	[15, 105, 22]	unitless
OzoneBelowCloud	Total Ozone below cloud	32-bit floating point	[N*15, 105]	[15, 105]	DU
TerrainPressure	Pressure at Terrain Surface	32-bit floating point	[N*15, 105]	[15, 105]	atm
CloudTopPressure	Cloud Top Pressure	32-bit floating point	[N*15, 105]	[15, 105]	atm

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
CloudFraction	Cloud Fraction calculated within code from either VIIRS Cloud Mask (when snow/ice present) or from measured N-Value (when no snow/ice present)	32-bit floating point	[N*15, 105, 4]	[15, 105, 4]	unitless
MixingFraction	Profile Mixing Fraction	32-bit floating point	[N*15, 105]	[15, 105]	unitless
Aerosolindex	Best Aerosol Index from retrieval = weighted average of all triplet aerosol indices	32-bit floating point	[N*15, 105]	[15, 105]	unitless
TroposphericO3Below13km	Best Tropospheric Ozone (below 13km). Calculated from a weighted average of all Tropospheric Ozone values from triplets	32-bit floating point	[N*15, 105]	[15, 105]	DU

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
ColumnAmountO3_fromFirstGuessIP	First Guess Total Column Ozone from the OMPS TC IP. This is equivalent to the "Best Ozone" from retrieval field for the OMPS TC. The First Guess IP calculates an initial Ozone value before all VIIRS processes are available for processing.	32-bit floating point	[N*15, 105]	[15, 105]	DU
ColumnAmountO3Residuals_fromFirstGuessIP	Residuals from First Guess Total Column IP	32-bit floating point	[N*15, 105, N*22]	[15, 105, 22]	unitless
TroposphericO3Below13km_perTripletPair	Tropospheric Ozone below 13km determined from enhanced residual correction for all 12 triplets	32-bit floating point	[N*15, 105, 12]	[15, 105, 12]	DU
TemperatureProfile	Temperature Profile used in retrieval	32-bit floating point	[N*15, 105, 11]	[15, 105, 11]	K
TropopausePressure	Pressure at tropopause	32-bit floating point	[N*15, 105]	[15, 105]	atm
SnowIceFraction	Snow/Ice Fraction	32-bit floating point	[N*15, 105]	[15, 105]	unitless
OzoneProfileUsedforCorrection	Ozone Profile used in retrieval for Profile Correction routine	32-bit floating point	[N*15, 105, 11]	[15, 105, 11]	DU

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
SO2index	Sulfur Dioxide Index	32-bit floating point	[N*15, 105]	[15, 105]	DU
SurfaceReflectivity	Minimum UV surface reflectivity	32-bit floating point	[N*15, 105]	[15, 105]	unitless
ColumnAmountO3v7	Total Column Ozone retrieved as calculated using the TOMS heritage v7 method (uses those wavelengths close to those used in the TOMS v7 algorithm)	32-bit floating point	[N*15, 105]	[15, 105]	DU
Residualsv7	Residuals from retrieval as calculated using the TOMS v7 method	32-bit floating point	[N*15, 105, 22]	[15, 105, 22]	unitless
Sensitivitiesv7	Sensitivities from retrieval as calculated using the TOMS v7 method	32-bit floating point	[N*15, 105, 22]	[15, 105, 22]	unitless
FirstOzoneFromTripletPairs	Initial estimate of total column ozone within the retrieval. This represents the Total Column amount before residual, temperature and profile corrections are applied.	32-bit floating point	[N*15, 105, 12]	[15, 105, 12]	DU

Name	Description	Data Type	Aggregate Dimensions	Granule Dimensions	Units
AerosolCorrectedOzone	Total Column Ozone after Aerosol Correction	32-bit floating point	[N*15, 105, 4]	[15, 105, 4]	DU
ProfileAndTemperatureCorrectedOzone	Total Column Ozone after Temperature and Profile Shape corrections	32-bit floating point	[N*15, 105, 4]	[15, 105, 4]	DU
AlgorithmFlag	Flag indicates which triplet pairs were used in the retrieval	unsigned 8-bit char	[N*15, 105]	[15, 105]	unitless
ErrorFlag	Error flag - indicates error in retrieval	unsigned 8-bit char	[N*15, 105]	[15, 105]	unitless
SceneCondition	Scene Condition - bit mask indicating various scene conditions	unsigned 8-bit char	[N*15, 105]	[15, 105]	unitless
ExternalDataUsed	Bit mask indicating what external data was used in retrieval	unsigned 8-bit char	[N*15, 105]	[15, 105]	unitless
QF1_OMPSTC	IFOV level Quality Flag	unsigned 8-bit char	[N*15, 105]	[15, 105]	unitless
QF2_OMPSTC	IFOV level Quality Flag	unsigned 8-bit char	[N*15, 105]	[15, 105]	unitless
SouthAtlanticAnomaly	Percent of IFOV that falls within the South Atlantic Anomaly (based on Climatological data)	unsigned 8-bit char	[N*15]	[15]	unitless

5.2.6.1.2 Ozone Total Column Product Profile

Table 5.2.6.1.2-1, Ozone Total Column Product Profile

Name	Data Size	Dimensions												
ColumnAmountO3	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>								
		Swath	Yes	No	15	15								
		Ifov	No	No	105	105								
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
		Total Ozone best estimate	0	50	650	DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
										NA_FLOAT32_FILL	-999.9			
										MISS_FLOAT32_FILL	-999.8			
										ERR_FLOAT32_FILL	-999.5			
										ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3					
Reflectivity	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>								
		Swath	Yes	No	15	15								
		Ifov	No	No	105	105								
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>		
		Best Reflectivity from retrieval (This is the 377 nm reflectivity for this IFOV's cloud/ground scene condition)	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
										NA_FLOAT32_FILL	-999.9			
										MISS_FLOAT32_FILL	-999.8			
										ERR_FLOAT32_FILL	-999.5			
										ELINT_FLOAT32_FILL	-999.4			
								VDNE_FLOAT32_FILL	-999.3					

NValueMeasured	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Wavelength	No	No	22	22						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Measured normalized radiances for 22 wavelengths	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
ELINT_FLOAT32_FILL	-999.4											
VDNE_FLOAT32_FILL	-999.3											
OzoneBelowCloud	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	35	35						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Total Ozone below cloud	0			DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

TerrainPressure	4byte(s)	<b>Name Granule Boundary Dynamic Min Array Size Max Array Size</b>										
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Pressure at Terrain Surface	0			atm	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
CloudTopPressure	4byte(s)	<b>Name Granule Boundary Dynamic Min Array Size Max Array Size</b>										
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Pressure	0			atm	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			

CloudFraction	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Reflectivity Wavelength	No	No	4	4						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
	Cloud Fraction calculated within code from either VIIRS Cloud Mask (when snow/ice present) or from measured N-Value (when no snow/ice present)	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											
MixingFraction	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
	Profile Mixing Fraction	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
									ELINT_FLOAT32_FILL	-999.4		
VDNE_FLOAT32_FILL	-999.3											

Aerosolindex	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Best Aerosol Index from retrieval = weighted average of all triplet aerosol indices	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											
TroposphericO3Below13km	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Best Tropospheric Ozone (below 13km). Calculated from a weighted average of all tropospheric Ozone values from triplets	0			DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

ColumnAmountO3_fromFirstGuessIP	4byte(s)	<b>Name Granule Boundary Dynamic Min Array Size Max Array Size</b>										
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		First Guess Total Column Ozone from the OMPS TC IP. This is equivalent to the "Best Ozone" from retrieval field for the OMPS TC. The First Guess IP calculates an initial Ozone value before all VIIRS processes are available for processing.	0	50	650	DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											
<b>Name Granule Boundary Dynamic Min Array Size Max Array Size</b>												
ColumnAmountO3Residuals_fromFirstGuessIP	4byte(s)	Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Wavelength	Yes	No	22	22						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Residuals from First Guess Total Column IP	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

TroposphericO3Below13km_perTripletPair	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Triplet	No	No	12	12						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
	Tropospheric Ozone below 13km determined from enhanced residual correction for all 12 triplets	0			DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>	
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											
TemperatureProfile	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Level	No	No	11	11						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
	Temperature Profile used in retrieval	0			kelvin	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>	
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											

TropopausePressure	4byte(s)	<b>Name</b> Granule Boundary		<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Pressure at tropopause	0			atm	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
SnowIceFraction	4byte(s)	<b>Name</b> Granule Boundary		<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Snow/Ice Fraction	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			

OzoneProfileUsedforCorrection	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Level	No	No	11	11						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Ozone Profile used in retrieval for Profile Correction routine	0			DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
ELINT_FLOAT32_FILL	-999.4											
VDNE_FLOAT32_FILL	-999.3											
SO2index	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Sulfur Dioxide Index	0			DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
VDNE_FLOAT32_FILL	-999.3											

SurfaceReflectivity	4byte(s)	<b>Name Granule Boundary Dynamic Min Array Size Max Array Size</b>										
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Minimum UV surface reflectivity	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			
ColumnAmountO3v7	4byte(s)	<b>Name Granule Boundary Dynamic Min Array Size Max Array Size</b>										
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Total Column Ozone retrieved as calculated using the TOMS heritage v7 method (uses those wavelengths close to those used in the TOMS v7 algorithm)	0	50	650	DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_FLOAT32_FILL	-999.9	
										MISS_FLOAT32_FILL	-999.8	
										ERR_FLOAT32_FILL	-999.5	
										ELINT_FLOAT32_FILL	-999.4	
								VDNE_FLOAT32_FILL	-999.3			

Residualsv7	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Wavelength	No	No	22	22						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
	Residuals from retrieval as calculated using the TOMS v7 method	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>	
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											
Sensitivitiesv7	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Wavelength	No	No	22	22						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
	Sensitivities from retrieval as calculated using the TOMS v7 method	0			unitless	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name Value</b>	
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											

FirstOzoneFromTripletPairs	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Triplet	No	No	12	12						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
	Initial estimate of total column ozone within the retrieval. This represents the Total Column amount before residual, temperature and profile corrections are applied.	0	50	650	DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>	
									NA_FLOAT32_FILL	-999.9		
									MISS_FLOAT32_FILL	-999.8		
									ERR_FLOAT32_FILL	-999.5		
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											
AerosolCorrectedOzone	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		Reflectivity Wavelength	No	No	4	4						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
	Total Column Ozone after Aerosol Correction	0	50	650	DU	No		32-bit floating point	<b>Name</b>	<b>Value</b>	<b>Name</b>   <b>Value</b>	
NA_FLOAT32_FILL									-999.9			
MISS_FLOAT32_FILL									-999.8			
ERR_FLOAT32_FILL									-999.5			
ELINT_FLOAT32_FILL									-999.4			
VDNE_FLOAT32_FILL	-999.3											

ProfileAndTemperatureCorrectedOzone	4byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Swath		Yes	No	15	15							
		IFOV		No	No	105	105							
		Reflectivity Wavelength		No	No	4	4							
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>			
		Total Column Ozone after Temperature and Profile Shape corrections	0	50	650	DU	No		32-bit floating point	<b>Name</b>		<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_FLOAT32_FILL		-999.9		
										MISS_FLOAT32_FILL		-999.8		
										ERR_FLOAT32_FILL		-999.5		
ELINT_FLOAT32_FILL										-999.4				
VDNE_FLOAT32_FILL		-999.3												
AlgorithmFlag	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		Swath		Yes	No	15	15							
		IFOV		No	No	105	105							
		<b>Datum</b>												
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>			
		Flag indicates which triplet pairs were used in the retrieval	0			unitless	No		unsigned 8-bit char	<b>Name</b>		<b>Value</b>	<b>Name</b>	<b>Value</b>
													No Snow/Ice present, Wavelength Pairs = Perturbation Pairs = 308.5 - 321.0, 310.5 - 321.0, 312.0 - 321.0	1
													No Snow/Ice present, Wavelength Pairs = Perturbation Pairs = 310.5 - 321.0, 312.0 - 321.0, 312.5 - 321.0	2
													No Snow/Ice present, Wavelength Pairs = Perturbation Pairs = 312.0 - 321.0, 312.5 - 321.0, 314.0 - 321.0	3
													No Snow/Ice present, Wavelength Pairs 312.5 - 321.0, 314.0 - 321.0, 318.0 - 336.0; Perturbation Pairs = 308.5 - 321.0, 308.5 - 321.0, 308.5 - 336.0	4



											Wavelength Pairs = Perturbation Pairs = 310.5 - 321.0, 312.0 - 321.0, 312.5 - 321.0	
											Snow/Ice present, Wavelength Pairs = Perturbation Pairs = 312.0 - 321.0, 312.5 - 321.0, 314.0 - 321.0	23
											Snow/Ice present, Wavelength Pairs 312.5 - 321.0, 314.0 - 321.0, 318.0 - 336.0; Perturbation Pairs = 308.5 - 321.0, 308.5 - 321.0, 308.5 - 336.0	24
											Snow/Ice present, Wavelength Pairs 314.0 - 321.0, 318.0 - 336.0, 315.0 - 321.0; Perturbation Pairs = 310.5 - 321.0, 310.5 - 336.0, 310.5 - 321.0	25
											Snow/Ice present, Wavelength Pairs 318.0 - 336.0, 315.0 - 321.0, 320.0 - 329.0; Perturbation Pairs = 310.5 - 336.0, 310.5 - 321.0, 310.5 - 329.0	26
											Snow/Ice present, Wavelength Pairs 318.0 - 336.0, 315.0 - 321.0, 320.0 - 329.0; Perturbation Pairs = 312.5 - 336.0, 312.5 - 321.0, 312.5 - 329.0	27
											Snow/Ice present, Wavelength Pairs 320.0 - 329.0, 322.5 - 332.0, 325.0 - 336.0; Perturbation Pairs = 314.0 - 336.0, 314.0 - 321.0, 314.0 - 329.0	28
											Snow/Ice present, Wavelength Pairs 320.0 - 329.0, 322.5 - 332.0, 325.0 - 336.0; Perturbation Pairs = 315.0 - 329.0, 315.0 - 332.0, 315.0 - 336.0	29
											Snow/Ice present, Wavelength Pairs 322.5 - 332.0, 325.0 - 336.0, 328.0	30



SceneCondition	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
	Scene Condition - bit mask indicating various scene conditions: Note that this is a bit-mask. More than one legend entry may be valid per byte(s).	0			unitless	No		unsigned 8-bit char	<b>Name</b> <b>Value</b>		<b>Name</b>	<b>Value</b>
										Descending retrieval	00000000	
										Ascending retrieval	00000001	
										snow/ice present	00000010	
										Tropospheric Aerosols present	00000100	
									Snow/Ice (fraction of area covered) > 0.0	00001000		
	Solar Zenith Angle > 80 degrees	00010000										

ExternalDataUsed	1byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15							
		Ifov	No	No	105	105							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Bit mask indicating what external data was used in retrieval. Note that this is a bit-mask. More than one legend entry may be valid per byte(s).	0			unitless	No		unsigned 8-bit char	<b>Name</b> <b>Value</b>		<b>Name</b> <b>Value</b>	
												Ozone Profile available for use in tpcor (Temp/Pres correction) module	00000001
												CrIMSS Temperature Profile used	00000010
												VIIRS Snow/Ice available	00000100
												VIIRS Cloud Top Pressure Used	00001000
										CrIMSS Pressure Profile Used	00010000		

**Table 5.2.6.1.2-2, Ozone Total Column Product Profile – Quality Flags**

Name	Data Size	Dimensions										
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
QF1_OMPSTC	1byte(s)	Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Total Column Quality (Overall quality of the TC retrieval)	0			unitless	No		2 bits	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>
										No Retrieval	0	
										Low	1	
										Medium	2	
										High	3	
		Input Data Quality is not good	2			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>
								False	0			
								True	1			
O3 triplet selection is not Consistent within retrieval(Ozone Triplet consistency)	3			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
								False	0			
								True	1			
Residues are not Consistent (Indicates whether the residues from the 22 wavelengths are consistent)	4			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
								False	0			
								True	1			
SO2 Index >= 6DU (Degraded Condition)	5			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
								False	0			
								True	1			
Solar Zenith Angle Exclusion (SZA in normal, degraded, or excluded (night) condition)	6			unitless	No		2 bits	<b>Name</b>   <b>Value</b>	<b>Name</b>	<b>Value</b>		
								Solar Zenith Angle < 80 degrees (no exclusion)	0			
								80 degrees <= Solar Zenith Angle < 83 degrees (degraded)	1			
								Solar Zenith Angle >= 83 degrees	2			

											(Exclusion)	
QF2_OMPSTC	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Swath	Yes	No	15	15						
		Ifov	No	No	105	105						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Snow or Ice Surface is within the IFOV	0			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		Sun Glint present within IFOV	1			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		Solar Eclipse present (All or part of the IFOV is affected by a solar eclipse, umbra or penumbra viewing)	2			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		Best Total Column Ozone retrieved is outside of system spec range of 50-650 DU	3			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1
		Performance Range (Performance requirements as a function of ozone concentration in DU)	4			unitless	No		2 bits	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	TC > 450   0 250 < TC <= 450   1 TC <= 250   2
Aerosol Index limit exceeded	6			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>	False 0 True 1		
spare	7			unitless	No		1 bit	<b>Name</b>   <b>Value</b>	<b>Name</b>   <b>Value</b>			

SouthAtlanticAnomaly	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		Swath	Yes	No	15	15					
<b>Datum</b>											
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
Percent of IFOV that falls within the South Atlantic Anomaly (based on Climatological data)	0			unitless	No		unsigned 8-bit char	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										0% <= SAA <= 10%	0
										10% < SAA <= 20%	1
										20% < SAA <= 30%	2
										30% < SAA <= 40%	3
										40% < SAA <= 50%	4
										50% < SAA <= 60%	5
										60% < SAA <= 70%	6
										70% < SAA <= 80%	7
		SAA > 80%	8								

### 5.2.6.1.3 Ozone Total Column HDF5 Details

Figure 5.2.6.1.3-1, Ozone Total Column UML Diagram, provides details on the contents and data types of the Ozone Total Column product. This UML provides details at the product level detail only. In addition to this UML, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.




Figure 5.2.6.1.3-1, OMPS Total Column UML Diagram

#### 5.2.6.1.4 Ozone Total Column HDF5 Metadata

The HDF5 metadata elements associated with the OMPS Total Column Ozone are listed in the CDFCB-X Volume V – Metadata, D34862-05, Section 4.3, HDF5 (Metadata) Hierarchy. The OMPS Total Column Ozone metadata includes all common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.2.6.1.4-1, OMPS Total Column Ozone N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs.

**Table 5.2.6.1.4-1, OMPS Total Column Ozone  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Product Quality	0 – 100	Percent of retrievals with high quality	
Exclusion Summary	0 – 100	Percent of retrievals within granule with one or more exclusion criteria flags	
Input Data Summary	0 – 100	Percent of retrievals affected by poor input data	

#### 5.2.6.1.5 Ozone Total Column Geolocation Details

OMPS Total Column Ozone Geolocation is the same as the OMPS Science SDR Geolocation. See the CDFCB-X, Volume III – Science Data Records, D34862-03, Sections 2.10.1.5 – 2.10.1.8 for details.

**5.2.7 DELETED**

**5.2.8 DELETED**

**5.2.9 DELETED**

**5.2.10 DELETED**

**5.2.10.1 DELETED**

**5.2.10.2 DELETED**

**5.2.11 DELETED**

### 5.3 Cloud Environmental Data Records

#### 5.3.1 Cloud Base Height

The cloud base height is defined as the height above sea level where cloud bases occur. More precisely, for a cloud covered earth location; the cloud base height is the set of altitudes of the bases of the clouds that intersect the local vertical at that particular location.

The reported heights are horizontal spatial averages over a cell, i.e., a square region of the earth's surface. If a cloud layer does not extend over an entire cell, the spatial average is limited to the portion of the cell that is covered by the layer.

This EDR will be produced from all nominal NPOESS orbits, but the measurement accuracy for a terminator orbit might be degraded due to VIIRS calibration limitations for a terminator orbit. The terminator orbit is not included in computing the maximum local average revisit time.

The Cloud Base Height EDR is reported in km above the Mean Sea Level.

<b>Availability Conditions</b>	Day Night Clear Cloudy Land Ocean
<b>Sensors</b>	VIIRS
<b>Effectivity</b>	NPP/NPOESS
<b>EDR Contents</b>	Each EDR will contain: Layer cloud base height Total cloud base height Quality Flags

**5.3.1.1 DELETED**

### 5.3.1.2 VIIRS CLOUD BASE HEIGHT

<b>Data Mnemonic</b>	EDRE-CLBH-C1030 (Official) EDRE-CLBH-C1031 (Substitute)
<b>Description/ Purpose</b>	<p>The Cloud Base Height EDR using VIIRS data. The Cloud Base Height EDR is derived by subtracting cloud thickness from cloud top height. Cloud thickness is estimated from input values of Cloud Optical Thickness, Effective Particle Size, and cloud phase. This thickness is subtracted from Cloud Top Height to yield Cloud Base Height.</p> <p>Note that although standard meteorological convention is to provide cloud heights Above Ground Level (AGL), the VIIRS Cloud Base Height is provided as the height above Mean Sea Level (MSL).</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.03 MiB</p> <p>This granule size includes Cloud Base Height related fields only and is based on a VIIRS granule size consisting of 48 scans Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5

<p><b>Data Content and Data Format</b></p>	<p>Each EDR contains two types of data (layered and averaged) and three types of quality flags (layered, averaged, and non-cloud related). Therefore, each granule will contain:</p> <p>Layer cloud base height</p> <p>Average cloud base height (of all layers)*</p> <p>Quality Flags:</p> <p>Scale/Offset Factors</p> <p>*Note: The Average Cloud Base Height Field is a simple average of the Cloud Base Heights identified for each cell at each layer. The layers are vertically averaged to provide this field. Be aware that a cell in the Average Cloud Base Height field may contain data averaged from multiple layers widely separated in altitude and therefore very different in cloud base heights.</p> <p>See Section 5.3.1.2.1, VIIRS Cloud Base Height Data Content Summary</p> <p>See Section 5.3.1.2.2, VIIRS Cloud Base Height Product Profile</p> <p>See Section 5.3.1.2.3, VIIRS Cloud Base Height Details</p> <p>See Section 5.3.1.2.4, VIIRS Cloud Base Height Metadata Details</p> <p>See Section 5.3.1.2.5, VIIRS Cloud Base Height Geolocation Details</p>
--	---

### 5.3.1.2.1 VIIRS Cloud Base Height Data Content Summary

**Table 5.3.1.2.1-1, VIIRS Cloud Base Height Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudBaseHeight	Cloud Base Height - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	km
AverageCloudBaseHeight	Cloud Base Height – Average Cloud Base Height of all Layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	km

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF1_VIIRSCBHLAYEREDR	Layer CBH Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF2_VIIRSCBHLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF3_VIIRSCBHAVGEDR	Quality Flags for AverageCloudBaseHeight Fields	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF4_VIIRSCBHAVGEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCBHEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCBHEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
CBHFactors	Scale = first array element; Offset = 2nd array element	32-bit floating point	[N*2]	[2]	Scale = unitless; Offset = km

### 5.3.1.2.2 VIIRS Cloud Base Height Product Profile

The following tables represent the Product Profiles for the VIIRS Cloud Base Height EDR.

**Table 5.3.1.2.2-1, VIIRS Cloud Base Height Product Profile**

Name	Data Size	Dimensions										
LayerCloudBaseHeight	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
Cloud Base Height - layered product (ordered from top of atmosphere to surface)	0	0	20	km	Yes	CBHFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>	
								NA_UINT16_FILL	65535			
								MISS_UINT16_FILL	65534			
								ERR_UINT16_FILL	65531			
								ELINT_UINT16_FILL	65530			
								VDNE_UINT16_FILL	65529			
SOUB_UINT16_FILL	65528											
AverageCloudBaseHeight	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Cloud Base Height - Average Cloud Base Height of all Layers	0	0	20	km	Yes	CBHFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>
NA_UINT16_FILL	65535											
MISS_UINT16_FILL	65534											
ERR_UINT16_FILL	65531											
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											

**Table 5.3.1.2.2-2, VIIRS Cloud Base Height Product Profile – Quality Flags**

Name	Data Size	Dimensions											
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
QF1_VIIRSCBHLAYEREDR	1byte(s)	AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		Layer	No	No	4	4							
		Datum											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	Name	Value	Name	Value
												0% <= cloudiness < 25%	0
												25% <= cloudiness < 50%	1
												50% <= cloudiness < 75%	2
												75% <= cloudiness < =100%	3
Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	Name	Value	Name	Value		
										0% <= Water Cloud Fraction < 25%	0		
										25% <= Water Cloud Fraction < 50%	1		
										50% <= Water Cloud Fraction < 75%	2		
										75% <= Water Cloud Fraction <=100%	3		

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Multi-layer Cloud Fraction < 25%	0																											
		25% <= Multi-layer Cloud Fraction < 50%	1																											
		50% <= Multi-layer Cloud Fraction < 75%	2																											
		75% <= Multi-layer Cloud Fraction <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Mixed Phase Cloud Fraction < 25%	0																											
		25% <= Mixed Phase Cloud Fraction < 50%	1																											
		50% <= Mixed Phase Cloud Fraction < 75%	2																											
		75% <= Mixed Phase Cloud Fraction <= 100%	3																											

QF2_VIIRSCBHLAYEREDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Overall Quality	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> No Retrieval	<b>Value</b> 0
											Low	1
											Medium	2
											High	3
<b>Out of bounds - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.</b>	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> False	<b>Value</b> 0		
									True	1		
<b>Non Convergent Pixels - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")</b>	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> False	<b>Value</b> 0		
									True	1		
<b>Pixels with COT &gt; 1.0 in Horizontal Cell &gt; 50%</b>	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> False	<b>Value</b> 0		
									True	1		
spare	5			unitless	No		3 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>			
QF3_VIIRSCBHAVGEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> 0% <= cloudiness <	<b>Value</b> 0

											25%	
											25% <= cloudiness < 50%	1
											50% <= cloudiness < 75%	2
											75% <= cloudiness <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2		unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Water Cloud Fraction < 25%	0
											25% <= Water Cloud Fraction < 50%	1
											50% <= Water Cloud Fraction < 75%	2
											75% <= Water Cloud Fraction <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4		unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Multi-layer Cloud Fraction < 25%	0
											25% <= Multi-layer Cloud Fraction < 50%	1
											50% <= Multi-layer Cloud Fraction < 75%	2
											75% <= Multi-layer Cloud Fraction <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6		unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Mixed Phase Cloud Fraction < 25%	0
											25% <= Mixed Phase Cloud Fraction < 50%	1
											50% <= Mixed Phase Cloud	2



QF5_VIIRSCBHEDR	1 byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Snow/Ice Fraction < 25%	0
											25% <= Snow/Ice Fraction < 50%	1
											50% <= Snow/Ice Fraction < 75%	2
											75% <= Snow/Ice Fraction <= 100%	3
Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>		
									0% <= Sunlint Fraction < 25%	0		
									25% <= Sunlint Fraction < 50%	1		
									50% <= Sunlint Fraction < 75%	2		
									75% <= Sunlint Fraction <= 100%	3		
Day/Night Degradation Flag	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>		
									Day (Solar Zenith Angle < 75 degrees)	1		
									Night (Solar Zenith Angle >= 75 degrees)	2		
									Transition (Terminator)	3		
Bad SDR Data (Quality of CBH degraded or CBH not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>		
									No Calibration Data	0		
									Partially/Totally Saturated Data	1		
									Poor	2		
									Good	3		

QF6_VIIRSCBHEDR	1 byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= Sea Water Fraction < 25%	0
												25% <= Sea Water Fraction < 50%	1
												50% <= Sea Water Fraction < 75%	2
												75% <= Sea Water Fraction <= 100%	3
Surface Type - Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										0% <= Coastal Fraction < 25%	0		
										25% <= Coastal Fraction < 50%	1		
										50% <= Coastal Fraction < 75%	2		
										75% <= Coastal Fraction <= 100%	3		
spare	4			unitless	No		4 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		

**Table 5.3.1.2.2-3, VIIRS Cloud Base Height Product Profile – Factors**

Name	Data Size	Dimensions									
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
CBHFactors	4byte(s)	Granule	Yes	No	2	2					
		<b>Datum</b>									
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>
		Scale = first array element; Offset = 2nd array element				Scale = unitless; Offset = km	No		32-bit floating point	<b>Name Value</b>	<b>Name Value</b>

### 5.3.1.2.3 VIIRS Cloud Base Height HDF5 Details

Figure 5.3.1.2.3-1, VIIRS Cloud Base Height UML Diagram, provides the details on the content and datatypes of the Cloud Base Height. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-CBH-EDR
+LayerCloudBaseHeight : H5T_NATIVE_USHORT
+AverageCloudBaseHeight : H5T_NATIVE_USHORT
+QF1_VIIRSCBHLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCBHLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCBHAVGEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCBHAVGEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCBHEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCBHEDR : H5T_NATIVE_UCHAR
+CBHFactors : H5T_NATIVE_FLOAT

**Figure 5.3.1.2.3-1, VIIRS Cloud Base Height UML Diagram**

### 5.3.1.2.4 VIIRS Cloud Base Height HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Cloud Base Height EDR are listed in the CDFCB-X Volume V. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.1.2.4-1, VIIRS Cloud Base Height N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Cloud Base Height EDR.

**Table 5.3.1.2.4-1, VIIRS Cloud Base Height  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.1.2.5 VIIRS Cloud Base Height Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation.

### 5.3.2 Cloud Cover/Layers

<b>Data Mnemonic</b>	EDRE-VCCL-C0030 (Official) EDRE-VCCL-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>The cloud cover is defined as the fraction of a given area on the earth's surface for which a locally normal line segment, extending between two given altitudes, intersects a cloud.</p> <p>This EDR will be produced from all nominal NPOESS orbits, but the measurement accuracy for a terminator orbit will be degraded due to VIIRS calibration limitations for a terminator orbit.</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Night</li> <li>Clear</li> <li>Cloudy</li> <li>Land</li> <li>Ocean</li> </ul> <p>Sensors:</p> <ul style="list-style-type: none"> <li>VIIRS</li> </ul> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.21 MiB</p> <p>This granule size includes Cloud Cover/Layers related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5

<b>Data Content and Data Format</b>	<p>For each cell, the Cloud Cover/Layers EDR contains:</p> <ul style="list-style-type: none"> <li>Layer cloud cover</li> <li>Summed cloud cover (of all layers)</li> <li>Cloud type</li> <li>Quality Flags</li> <li>Scale/Offset Factors</li> </ul> <p>See Section 5.3.2.1, Cloud Cover/Layers Data Content Summary          See Section 5.3.2.2 Cloud Cover/Layers Product Profile          See Section 5.3.2.3, Cloud Cover/Layers HDF5 Details          See Section 5.3.2.4, Cloud Cover/Layers Metadata          See Section 5.3.2.5, Cloud Cover/Layers Geolocation Details</p>
-------------------------------------	--

### 5.3.2.1 VIIRS Cloud Cover/Layers Data Content Summary

**Table 5.3.2.1-1, VIIRS Cloud Cover/Layers Height Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudCover	Cloud Cover Fraction - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	unitless
SummedCloudCover	Cloud Cover Fraction – Vertical Sum of all layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	unitless
LayerCloudType	Cloud Type - layered product (ordered from top of atmosphere to surface)	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF1_VIIRSCCLLAYEREDR	Layer CCL Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF2_VIIRSCCLLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF3_VIIRSCCLSUMEDR	Quality Flags for SummedCloudCover	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF4_VIIRSCCLSUMEDR	Field	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCCLEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCCLEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
CCLFactors	Scale = first array element; Offset = 2nd array element	32-bit floating point	[N*2]	[2]	unitless

5.3.2.2 VIIRS Cloud Cover/Layers Height Product Profile

Table 5.3.2.2-1, VIIRS Cloud Cover/Layers Height Product Profile

Name	Data Size	Dimensions											
LayerCloudCover	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		Layer	No	No	4	4							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Cloud Cover Fraction - layered product (ordered from top of atmosphere to surface)	0	0	1	unitless	Yes	CCLFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_UINT16_FILL	65535		
										MISS_UINT16_FILL	65534		
										ERR_UINT16_FILL	65531		
ELINT_UINT16_FILL	65530												
VDNE_UINT16_FILL	65529												
SOUB_UINT16_FILL	65528												
SummedCloudCover	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Cloud Cover Fraction – Vertical Sum of all layers	0	0	1	unitless	Yes	CCLFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
										NA_UINT16_FILL	65535		
										MISS_UINT16_FILL	65534		
										ERR_UINT16_FILL	65531		
										ELINT_UINT16_FILL	65530		
VDNE_UINT16_FILL	65529												
SOUB_UINT16_FILL	65528												

LayerCloudType	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
	Cloud Type - layered product (ordered from top of atmosphere to surface)	0			unitless	No		unsigned 8-bit char	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
									NA_UINT8_FILL	255	Stratus	1
									MISS_UINT8_FILL	254	AltoCumulus	2
									ERR_UINT8_FILL	251	Cumulus	3
ELINT_UINT8_FILL									250	Cirrus	4	
VDNE_UINT8_FILL									249	Cirrocumulus	5	
								SOUB_UINT8_FILL	248			

**Table 5.3.2.2-2, VIIRS Cloud Cover/Layers Product Profile – Quality Flags**

<b>Name</b>	<b>Data Size</b>	<b>Dimensions</b>										
QF1_VIIRSCCLAYEREDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
	<b>Datum</b>											
	<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
	Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= cloudiness < 25%	0
											25% <= cloudiness < 50%	1
											50% <= cloudiness < 75%	2
										75% <= cloudiness <= 100%	3	

		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Water Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Water Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Water Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Water Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Water Cloud Fraction < 25%	0			25% <= Water Cloud Fraction < 50%	1			50% <= Water Cloud Fraction < 75%	2			75% <= Water Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Water Cloud Fraction < 25%	0																											
		25% <= Water Cloud Fraction < 50%	1																											
		50% <= Water Cloud Fraction < 75%	2																											
		75% <= Water Cloud Fraction <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Multi-layer Cloud Fraction < 25%	0																											
		25% <= Multi-layer Cloud Fraction < 50%	1																											
		50% <= Multi-layer Cloud Fraction < 75%	2																											
		75% <= Multi-layer Cloud Fraction <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Mixed Phase Cloud Fraction < 25%	0																											
		25% <= Mixed Phase Cloud Fraction < 50%	1																											
		50% <= Mixed Phase Cloud Fraction < 75%	2																											
		75% <= Mixed Phase Cloud Fraction <= 100%	3																											
QF2_VIIRSCCLAYEREDR	1 byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> <tr> <td>Layer</td> <td>No</td> <td>No</td> <td>4</td> <td>4</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Layer	No	No	4	4				
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																										
AlongTrack	Yes	No	96	96																										
CrossTrack	No	No	508	508																										
Layer	No	No	4	4																										

<b>Datum</b>																													
<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>																				
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> </tr> <tr> <td>Low</td> <td>1</td> </tr> <tr> <td>Medium</td> <td>2</td> </tr> <tr> <td>High</td> <td>3</td> </tr> </tbody> </table>	Name	Value	No Retrieval	0	Low	1	Medium	2	High	3	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> </tr> <tr> <td>Low</td> <td>1</td> </tr> <tr> <td>Medium</td> <td>2</td> </tr> <tr> <td>High</td> <td>3</td> </tr> </tbody> </table>	Name	Value	No Retrieval	0	Low	1	Medium	2	High	3
Name	Value																												
No Retrieval	0																												
Low	1																												
Medium	2																												
High	3																												
Name	Value																												
No Retrieval	0																												
Low	1																												
Medium	2																												
High	3																												
<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1								
Name	Value																												
False	0																												
True	1																												
Name	Value																												
False	0																												
True	1																												
<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1								
Name	Value																												
False	0																												
True	1																												
Name	Value																												
False	0																												
True	1																												
Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> </tr> <tr> <td>True</td> <td>1</td> </tr> </tbody> </table>	Name	Value	False	0	True	1								
Name	Value																												
False	0																												
True	1																												
Name	Value																												
False	0																												
True	1																												
spare	5			unitless	No		3 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> </table>	Name	Value	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> </table>	Name	Value																
Name	Value																												
Name	Value																												

QF3_VIIRSCCLSUMEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= cloudiness < 25%	0
											25% <= cloudiness < 50%	1
											50% <= cloudiness < 75%	2
											75% <= cloudiness <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Water Cloud Fraction < 25%	0
											25% <= Water Cloud Fraction < 50%	1
											50% <= Water Cloud Fraction < 75%	2
											75% <= Water Cloud Fraction <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Multi-layer Cloud Fraction < 25%	0
											25% <= Multi-layer Cloud Fraction < 50%	1
											50% <= Multi-layer Cloud Fraction < 75%	2
											75% <= Multi-layer Cloud	3

												Fraction <= 100%	
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= Mixed Phase Cloud Fraction < 25%	0
												25% <= Mixed Phase Cloud Fraction < 50%	1
												50% <= Mixed Phase Cloud Fraction < 75%	2
												75% <= Mixed Phase Cloud Fraction <= 100%	3
QF4_VIIRSCCLSUMEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Overall Quality	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												No Retrieval	0
												Low	1
												Medium	2
												High	3
		<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												False	0
												True	1
		<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												False	0
												True	1
		Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												False	0

										True	1										
	spare	5			unitless	No		3 bit(s)	Name Value	Name Value											
QF5_VIIRSCCLEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>															
		AlongTrack	Yes	No	96	96															
		CrossTrack	No	No	508	508															
		<b>Datum</b>																			
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>										
		Snow/Ice Fraction	0			unitless	No		2 bit(s)	Name Value	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>0% &lt;= Snow/Ice Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td>25% &lt;= Snow/Ice Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td>50% &lt;= Snow/Ice Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td>75% &lt;= Snow/Ice Fraction &lt;= 100%</td> <td>3</td> </tr> </table>	<b>Name</b>	<b>Value</b>	0% <= Snow/Ice Fraction < 25%	0	25% <= Snow/Ice Fraction < 50%	1	50% <= Snow/Ice Fraction < 75%	2	75% <= Snow/Ice Fraction <= 100%	3
<b>Name</b>	<b>Value</b>																				
0% <= Snow/Ice Fraction < 25%	0																				
25% <= Snow/Ice Fraction < 50%	1																				
50% <= Snow/Ice Fraction < 75%	2																				
75% <= Snow/Ice Fraction <= 100%	3																				
		Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	Name Value	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>0% &lt;= Sunlint Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td>25% &lt;= Sunlint Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td>50% &lt;= Sunlint Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td>75% &lt;= Sunlint Fraction &lt;= 100%</td> <td>3</td> </tr> </table>	<b>Name</b>	<b>Value</b>	0% <= Sunlint Fraction < 25%	0	25% <= Sunlint Fraction < 50%	1	50% <= Sunlint Fraction < 75%	2	75% <= Sunlint Fraction <= 100%	3
<b>Name</b>	<b>Value</b>																				
0% <= Sunlint Fraction < 25%	0																				
25% <= Sunlint Fraction < 50%	1																				
50% <= Sunlint Fraction < 75%	2																				
75% <= Sunlint Fraction <= 100%	3																				
		Day/Night Degradation Flag	4			unitless	No		2 bit(s)	Name Value	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>Day (Solar Zenith Angle &lt; 75 degrees)</td> <td>1</td> </tr> <tr> <td>Night (Solar Zenith Angle &gt;= 75 degrees)</td> <td>2</td> </tr> <tr> <td>Transition (Terminator)</td> <td>3</td> </tr> </table>	<b>Name</b>	<b>Value</b>	Day (Solar Zenith Angle < 75 degrees)	1	Night (Solar Zenith Angle >= 75 degrees)	2	Transition (Terminator)	3		
<b>Name</b>	<b>Value</b>																				
Day (Solar Zenith Angle < 75 degrees)	1																				
Night (Solar Zenith Angle >= 75 degrees)	2																				
Transition (Terminator)	3																				
		Bad SDR Data (Quality of CCL degraded or CCL not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	Name Value	<table border="1"> <tr> <td><b>Name</b></td> <td><b>Value</b></td> </tr> <tr> <td>No Calibration Data</td> <td>0</td> </tr> <tr> <td>Partially/Totally Saturated Data</td> <td>1</td> </tr> <tr> <td>Poor</td> <td>2</td> </tr> <tr> <td>Good</td> <td>3</td> </tr> </table>	<b>Name</b>	<b>Value</b>	No Calibration Data	0	Partially/Totally Saturated Data	1	Poor	2	Good	3
<b>Name</b>	<b>Value</b>																				
No Calibration Data	0																				
Partially/Totally Saturated Data	1																				
Poor	2																				
Good	3																				

QF6_VIIRSCLEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= Sea Water Fraction < 25%	0
												25% <= Sea Water Fraction < 50%	1
												50% <= Sea Water Fraction < 75%	2
												75% <= Sea Water Fraction <= 100%	3
Surface Type - Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										0% <= Coastal Fraction < 25%	0		
										25% <= Coastal Fraction < 50%	1		
										50% <= Coastal Fraction < 75%	2		
										75% <= Coastal Fraction <= 100%	3		
spare	4			unitless	No		4 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		

**Table 5.3.2.2-3, VIIRS Cloud Cover/Layers Product Profile – Factors**

Name	Data Size	Dimensions									
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size					
CCLFactors	4byte(s)	Granule	Yes	No	2	2					
		Datum									
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries
		Scale = first array element; Offset = 2nd array element				unitless	No		32-bit floating point	Name Value	Name Value

### 5.3.2.3 VIIRS Cloud Cover/Layers HDF5 Details

Figures 5.3.2.3-1, VIIRS Cloud Cover/Layers UML Diagram, provides the details on the content and datatypes of the Cloud Cover/Layers EDR. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-CCL-EDR
+LayerCloudCover : H5T_NATIVE_USHORT
+SummedCloudCover : H5T_NATIVE_USHORT
+LayerCloudType : H5T_NATIVE_UCHAR
+QF1_VIIRSCCLLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCCLLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCCLSUMEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCCLSUMEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCCLEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCCLEDR : H5T_NATIVE_UCHAR
+CCLFactors : H5T_NATIVE_FLOAT

**Figure 5.3.2.3-1, VIIRS Cloud Cover/Layers UML Diagram**

### 5.3.2.4 VIIRS Cloud Cover/Layers HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Cloud Cover/Layers EDR are listed in the CDFCB-X Volume V. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.2.4-1, VIIRS Cloud Cover/Layers N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Cloud Cover/Layers EDR.

**Table 5.3.2.4-1, VIIRS Cloud Cover/Layers  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.2.5 VIIRS Cloud Cover/Layers Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation.

### 5.3.3 Cloud Effective Particle Size

<b>Data Mnemonic</b>	EDRE-VCEP-C0030 (Official) EDRE-VCEP-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>Effective cloud particle size is defined as the ratio of the third moment of the drop size distribution to the second moment, averaged over a layer of air within a cloud.</p> <p>The Cloud Effective Particle Size EDR is reported in units of micrometers.</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>• Day</li> <li>• Night</li> <li>• Cloudy</li> <li>• Land</li> <li>• Ocean</li> </ul> <p>Sensors: VIIRS</p> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.03 MiB</p> <p>This granule size includes Cloud Effective Particle Size related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5

<p><b>Data Content and Data Format</b></p>	<p>For each cell, the Cloud Effective Particle Size EDR contains:</p> <ul style="list-style-type: none"> <li>Layer effective particle size</li> <li>Average effective particle size (of all layers) *</li> <li>Quality Flags</li> <li>Scale/Offset Factors</li> </ul> <p>*Note: The Average Cloud Effective Particle Size Field is a simple average of the Cloud Effective Particle Sizes identified for each cell at each layer. The layers are vertically averaged to provide this field. Be aware that a cell in the Average Cloud Effective Particle Size field may contain data averaged from multiple layers widely separated in altitude and therefore very different in cloud type and effective particle size.</p> <p>See Section 5.3.3.1, Cloud Effective Particle Size Data Content Summary</p> <p>See Section 5.3.3.2, Cloud Effective Particle Size Product Profile</p> <p>See Section 5.3.3.3, Cloud Effective Particle Size HDF5 Details</p> <p>See Section 5.3.3.4, Cloud Effective Particle Size Metadata</p> <p>See Section 5.3.3.5, Cloud Effective Particle Size Geolocation Details</p>
--	--

### 5.3.3.1 Cloud Effective Particle Size Data Content Summary

**Table 5.3.3.1-1, Cloud Effective Particle Size Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudEffectiveParticleSize	Cloud Effective Particle Size - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	micrometer

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
AverageCloudEffectiveParticleSize	Cloud Effective Particle Size - Average of all layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	micrometers
QF1_VIIRSCEPSLAYEREDR	Layer CEPS Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF2_VIIRSCEPSLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF3_VIIRSCEPSAVGEDR	Quality Flags for Averaged CEPS Fields	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF4_VIIRSCEPSAVGEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCEPSEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCEPSEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
CEPSFactors	Scale = first array element; Offset = 2nd array element	32-bit floating point	[N*2]	[2]	Scale = unitless; Offset = micrometer

5.3.3.2 Cloud Effective Particle Size Product Profile

Table 5.3.3.2-1, Cloud Effective Particle Size Product Profile

Name	Data Size	Dimensions										
LayerCloudEffectiveParticleSize	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Effective Particle Size - layered product (ordered from top of atmosphere to surface)	0	0	50	micrometer	Yes	CEPSFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											
AverageCloudEffectiveParticleSize	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Effective Particle Size - Average of all layers	0	0	50	micrometers	Yes	CEPSFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
										ELINT_UINT16_FILL	65530	
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											

**Table 5.3.3.2-2, Cloud Effective Particle Size Product Profile – Quality Flags**

Name	Data Size	Dimensions											
QF1_VIIRSCEPSLAYEREDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		Layer	No	No	4	4							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= cloudiness < 25%	0
												25% <= cloudiness < 50%	1
												50% <= cloudiness < 75%	2
										75% <= cloudiness <= 100%	3		
Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										0% <= Water Cloud Fraction < 25%	0		
										25% <= Water Cloud Fraction < 50%	1		
										50% <= Water Cloud Fraction < 75%	2		
										75% <= Water Cloud Fraction <= 100%	3		

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	0% <= Multi-layer Cloud Fraction < 25%	0	25% <= Multi-layer Cloud Fraction < 50%	1	50% <= Multi-layer Cloud Fraction < 75%	2	75% <= Multi-layer Cloud Fraction <= 100%	3
Name	Value																			
0% <= Multi-layer Cloud Fraction < 25%	0																			
25% <= Multi-layer Cloud Fraction < 50%	1																			
50% <= Multi-layer Cloud Fraction < 75%	2																			
75% <= Multi-layer Cloud Fraction <= 100%	3																			
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	0% <= Mixed Phase Cloud Fraction < 25%	0	25% <= Mixed Phase Cloud Fraction < 50%	1	50% <= Mixed Phase Cloud Fraction < 75%	2	75% <= Mixed Phase Cloud Fraction <= 100%	3
Name	Value																			
0% <= Mixed Phase Cloud Fraction < 25%	0																			
25% <= Mixed Phase Cloud Fraction < 50%	1																			
50% <= Mixed Phase Cloud Fraction < 75%	2																			
75% <= Mixed Phase Cloud Fraction <= 100%	3																			

QF2_VIIRSCEPSLAYEREDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Overall Quality	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>
										No Retrieval	0	
										Low	1	
										Medium	2	
								High	3			
<b>Out of bounds - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.</b>	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>		
								False	0			
								True	1			
<b>Non Convergent Pixels - More than 50% of pixels in Horizontal Cell are non-convergent</b>	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>		
								False	0			
								True	1			
<b>Pixels with COT &gt; 1.0 in Horizontal Cell &gt; 50%</b>	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>		
								False	0			
								True	1			
spare	5			unitless	No		3 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>		
QF3_VIIRSCEPSAVGEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>
										0% <= cloudiness < 25%	0	
										25% <= cloudiness < 50%	1	
										50% <=	2	

										cloudiness < 75%	
										75% <= cloudiness <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2		unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> 0% <= Water Cloud Fraction < 25%	<b>Value</b> 0
										25% <= Water Cloud Fraction < 50%	1
										50% <= Water Cloud Fraction < 75%	2
										75% <= Water Cloud Fraction <= 100%	3
		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4		unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> 0% <= Multi-layer Cloud Fraction < 25%	<b>Value</b> 0
										25% <= Multi-layer Cloud Fraction < 50%	1
										50% <= Multi-layer Cloud Fraction < 75%	2
										75% <= Multi-layer Cloud Fraction <= 100%	3

		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																																																																															
											0% <= Mixed Phase Cloud Fraction < 25%	0																																																																																																																																																																															
											25% <= Mixed Phase Cloud Fraction < 50%	1																																																																																																																																																																															
											50% <= Mixed Phase Cloud Fraction < 75%	2																																																																																																																																																																															
											75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																																																																																																															
QF4_VIIRSCEPSAVGEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <p><b>Datum</b></p> <table border="1"> <thead> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>No Retrieval 0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Low 1</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Medium 2</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>High 3</td> </tr> <tr> <td><b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>False 0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>True 1</td> </tr> <tr> <td><b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent</td> <td>3</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>False 0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>True 1</td> </tr> <tr> <td>Pixels with COT &gt; 1.0 in Horizontal Cell &gt; 50%</td> <td>4</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>False 0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>True 1</td> </tr> <tr> <td>spare</td> <td>5</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>3 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> </tbody> </table>											Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										No Retrieval 0										Low 1										Medium 2										High 3	<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										False 0										True 1	<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										False 0										True 1	Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										False 0										True 1	spare	5			unitless	No		3 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																																																																							
AlongTrack	Yes	No	96	96																																																																																																																																																																																							
CrossTrack	No	No	508	508																																																																																																																																																																																							
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																																																																																		
Overall Quality	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																																																																																		
									No Retrieval 0																																																																																																																																																																																		
									Low 1																																																																																																																																																																																		
									Medium 2																																																																																																																																																																																		
									High 3																																																																																																																																																																																		
<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																																																																																		
									False 0																																																																																																																																																																																		
									True 1																																																																																																																																																																																		
<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																																																																																		
									False 0																																																																																																																																																																																		
									True 1																																																																																																																																																																																		
Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																																																																																		
									False 0																																																																																																																																																																																		
									True 1																																																																																																																																																																																		
spare	5			unitless	No		3 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																																																																																		

QF5_VIIRSCEPSEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Snow/Ice Fraction < 25%	0
											25% <= Snow/Ice Fraction < 50%	1
											50% <= Snow/Ice Fraction < 75%	2
											75% <= Snow/Ice Fraction <= 100%	3
		Exclusion - Sunlint (Percent of pixels in sunglint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Sunlint Fraction < 25%	0
											25% <= Sunlint Fraction < 50%	1
											50% <= Sunlint Fraction < 75%	2
											75% <= Sunlint Fraction <= 100%	3
		Day/Night Degradation Flag	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>
											Day (Solar Zenith Angle < 75 degrees)	1
											Night (Solar Zenith Angle >= 75 degrees)	2
											Transition (Terminator)	3

		Bad SDR Data (Quality of CEPS degraded or CEPS not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											No Calibration Data	0
											Partially/Totally Saturated Data	1
											Poor	2
											Good	3
QF6_VIIRSCEPSEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Sea Water Fraction < 25%	0
											25% <= Sea Water Fraction < 50%	1
											50% <= Sea Water Fraction < 75%	2
											75% <= Sea Water Fraction <= 100%	3

		Surface Type – Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>
											0% <= Coastal Fraction < 25%	0
											25% <= Coastal Fraction < 50%	1
											50% <= Coastal Fraction < 75%	2
											75% <= Coastal Fraction <= 100%	3
		spare	4			unitless	No		4 bits	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

**Table 5.3.3.2-3, Cloud Effective Particle Size Product Profile – Factors**

Name	Data Size	Dimensions										
CEPSFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Scale = first array element; Offset = 2nd array element				Scale = unitless; Offset = micrometers	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

### 5.3.3.3 Cloud Effective Particle Size HDF5 Details

Figures 5.3.3.3-1, Cloud Effective Particle Size UML Diagram, provides the details on the content and datatypes of the VIIRS Cloud Effective Particle Size EDR. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-CEPS-EDR
+LayerCloudEffectiveParticleSize : H5T_NATIVE_USHORT
+AverageCloudEffectiveParticleSize : H5T_NATIVE_USHORT
+QF1_VIIRSCEPSLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCEPSLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCEPSAVGEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCEPSAVGEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCEPSEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCEPSEDR : H5T_NATIVE_UCHAR
+CEPSFactors : H5T_NATIVE_FLOAT

**Figure 5.3.3.3-1, Cloud Effective Particle Size UML Diagram**

### 5.3.3.4 Cloud Effective Particle Size HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Cloud Effective Particle Size EDR are listed in the CDFCB-X Volume V. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.3.4-1, Cloud Effective Particle Size N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the Cloud Effective Particle Size EDR.

**Table 5.3.3.4-1, Cloud Effective Particle Size  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.3.5 Cloud Effective Particle Size Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation.

**5.3.4 DELETED**

**5.3.5 DELETED**

### 5.3.6 Cloud Optical Thickness

<b>Data Mnemonic</b>	EDRE-VCOT-C0030 (Official) EDRE-VCOT-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>Cloud optical thickness is defined as the extinction (scattering and absorption) vertical optical thickness of each distinguishable cloud layer in a vertical column of the atmosphere as well as the average optical thickness of all layers.</p> <p>Optical thickness, <math>\tau</math>, is related to transmittance, <math>t</math>, by <math>t = \exp(-\tau)</math>.</p> <p>This EDR will be produced from all nominal NPOESS orbits, but the measurement accuracy for a terminator orbit will be degraded due to VIIRS calibration limitations for a terminator orbit.</p> <p>The Cloud Optical Thickness EDR is reported for up to four cloud layers (ordered from the Surface to Top of Atmosphere) and will include the averaged cloud optical thickness, integrated vertically per cell.</p> <p>This EDR is reported as the unitless quantity Tau (<math>\tau</math>).</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Night</li> <li>Cloudy</li> <li>Land</li> <li>Ocean</li> </ul> <p>Sensors:</p> <ul style="list-style-type: none"> <li>VIIRS</li> </ul> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.03 MiB</p> <p>This granule size includes Cloud Optical Thickness related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>

<b>File Format Type</b>	HDF5
<b>Data Content and Data Format</b>	<p>For each cell, the Cloud Optical Thickness EDR contains:</p> <ul style="list-style-type: none"> <li>Layer cloud optical thickness</li> <li>Average cloud optical thickness (of all layers)*</li> <li>Quality Flags</li> <li>Scale/Offset Factors</li> </ul> <p>*Note: The Average Cloud Optical Thickness Field is a simple average of the Cloud Optical Thickness identified for each cell at each layer. The layers are vertically averaged to provide this field. Be aware that a cell in the Average Cloud Optical Thickness field may contain data averaged from multiple layers widely separated in altitude and therefore very different in cloud type and optical thickness.</p> <p>See Section 5.3.6.1, Cloud Optical Thickness Data Content Summary</p> <p>See Section 5.3.6.2, Cloud Optical Thickness Product Profile</p> <p>See Section 5.3.6.3, Cloud Optical Thickness HDF5 Details</p> <p>See Section 5.3.6.4, Cloud Optical Thickness Metadata</p> <p>See Section 5.3.6.5, Cloud Optical Thickness Geolocation Details</p>

### 5.3.6.1 Cloud Optical Thickness Data Content Summary

**Table 5.3.6.1-1, Cloud Optical Thickness Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudOpticalThickness	Cloud Optical Thickness - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	unitless
AverageCloudOpticalThickness	Cloud Optical Thickness - Average of all layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	unitless
QF1_VIIRSCOTLAYEREDR	Layer COT Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF2_VIIRSCOTLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF3_VIIRSCOTAVGEDR	Quality Flags for AverageCloudOpticalThickness Field	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF4_VIIRSCOTAVGEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCOTEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCOTEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
COTFactors	Scale = first array element; Offset = 2nd array element	64-bit floating point	[N*2]	[2]	unitless

### 5.3.6.2 Cloud Optical Thickness Height Product Profile

**Table 5.3.6.2-1, Cloud Optical Thickness Product Profile**

Name	Data Size	Dimensions										
LayerCloudOpticalThickness	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Optical Thickness - layered product (ordered from top of atmosphere to surface)	0	0.1	64	unitless	Yes	COTFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											
AverageCloudOpticalThickness	2byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Optical Thickness - Average of all layers	0	0.1	64	unitless	Yes	COTFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
										ELINT_UINT16_FILL	65530	
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											

**Table 5.3.6.2-2, Cloud Optical Thickness Product Profile – Quality Flags**

Name	Data Size	Dimensions											
QF1_VIIRSCOTLAYEREDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		Layer	No	No	4	4							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>	
		Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= cloudiness < 25%	0
												25% <= cloudiness < 50%	1
												50% <= cloudiness < 75%	2
										75% <= cloudiness <= 100%	3		
Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										0% <= Water Cloud Fraction < 25%	0		
										25% <= Water Cloud Fraction < 50%	1		
										50% <= Water Cloud Fraction < 75%	2		
										75% <= Water Cloud Fraction <= 100%	3		

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3																																																													
Name	Value	Name	Value																																																																																								
		0% <= Multi-layer Cloud Fraction < 25%	0																																																																																								
		25% <= Multi-layer Cloud Fraction < 50%	1																																																																																								
		50% <= Multi-layer Cloud Fraction < 75%	2																																																																																								
		75% <= Multi-layer Cloud Fraction <= 100%	3																																																																																								
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3																																																													
Name	Value	Name	Value																																																																																								
		0% <= Mixed Phase Cloud Fraction < 25%	0																																																																																								
		25% <= Mixed Phase Cloud Fraction < 50%	1																																																																																								
		50% <= Mixed Phase Cloud Fraction < 75%	2																																																																																								
		75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																								
QF2_VIIRSCOTLAYEREDR	1 byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> <tr> <td>Layer</td> <td>No</td> <td>No</td> <td>4</td> <td>4</td> </tr> </tbody> </table>				Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Layer	No	No	4	4	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td>Low</td> <td>1</td> </tr> <tr> <td>Medium</td> <td>2</td> <td>High</td> <td>3</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td>Out of bounds - More than 50% of pixels in Horizontal Cell are outside</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>						Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td>Low</td> <td>1</td> </tr> <tr> <td>Medium</td> <td>2</td> <td>High</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0	Low	1	Medium	2	High	3		Out of bounds - More than 50% of pixels in Horizontal Cell are outside	2			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																							
AlongTrack	Yes	No	96	96																																																																																							
CrossTrack	No	No	508	508																																																																																							
Layer	No	No	4	4																																																																																							
Datum																																																																																											
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																		
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td>Low</td> <td>1</td> </tr> <tr> <td>Medium</td> <td>2</td> <td>High</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0	Low	1	Medium	2	High	3																																																																							
Name	Value	Name	Value																																																																																								
No Retrieval	0	Low	1																																																																																								
Medium	2	High	3																																																																																								
Out of bounds - More than 50% of pixels in Horizontal Cell are outside	2			unitless	No		1 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0																																																																													
Name	Value	Name	Value																																																																																								
False	0																																																																																										

		of the system spec valid range.										True	1
		<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent	3			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False	0
		Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	False	0
		spare	5			unitless	No		3 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	True	1
QF3_VIIRSCOTAVGEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>	
											0% <= cloudiness < 25%	0	
											25% <= cloudiness < 50%	1	
											50% <= cloudiness < 75%	2	
											75% <= cloudiness <= 100%	3	
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b>	<b>Value</b>	
											0% <= Water Cloud Fraction < 25%	0	
											25% <= Water Cloud Fraction < 50%	1	
											50% <= Water Cloud Fraction < 75%	2	
											75% <= Water Cloud Fraction <= 100%	3	

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Multi-layer Cloud Fraction < 25%	0																											
		25% <= Multi-layer Cloud Fraction < 50%	1																											
		50% <= Multi-layer Cloud Fraction < 75%	2																											
		75% <= Multi-layer Cloud Fraction <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Mixed Phase Cloud Fraction < 25%	0																											
		25% <= Mixed Phase Cloud Fraction < 50%	1																											
		50% <= Mixed Phase Cloud Fraction < 75%	2																											
		75% <= Mixed Phase Cloud Fraction <= 100%	3																											

QF4_VIIRSCOTAVGEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Overall Quality	0			unitless	No		2 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											No Retrieval	0
											Low	1
											Medium	2
											High	3
<b>Out of bounds - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.</b>	2			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
<b>Non Convergent Pixels - More than 50% of pixels in Horizontal Cell are non-convergent</b>	3			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
<b>Pixels with COT &gt; 1.0 in Horizontal Cell &gt; 50%</b>	4			unitless	No		1 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
									False	0		
									True	1		
spare	5			unitless	No		3 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>		
QF5_VIIRSCOTEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name Value</b>	<b>Name</b>	<b>Value</b>
											0% <= Snow/Ice Fraction < 25%	0
											25% <= Snow/Ice Fraction < 50%	1
											50% <= Snow/Ice Fraction < 75%	2
											75% <= Snow/Ice Fraction <= 100%	3

		Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
											0% <= Sunlint Fraction < 25%	0	
											25% <= Sunlint Fraction < 50%	1	
		Day/Night Degradation Flag	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
											Day (Solar Zenith Angle < 75 degrees)	1	
											Night (Solar Zenith Angle >= 75 degrees)	2	
											Transition (Terminator)	3	
		Bad SDR Data (Quality of COT degraded or COT not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
											No Calibration Data	0	
											Partially/Totally Saturated Data	1	
											Poor	2	
											Good	3	
QF6_VIIRSCOTEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>
											0% <= Sea Water Fraction < 25%	0	
											25% <= Sea Water Fraction < 50%	1	
											50% <= Sea Water Fraction <	2	

											75%	
											75% <= Sea 3 Water Fraction <= 100%	
		Surface Type - Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>
											0% <= Coastal Fraction < 25%	0
											25% <= Coastal Fraction < 50%	1
											50% <= Coastal Fraction < 75%	2
											75% <= Coastal Fraction <= 100%	3
		spare	4			unitless	No		4 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

**Table 5.3.6.2-3, Cloud Optical Thickness Product Profile – Factors**

Name	Data Size	Dimensions										
COTFactors	4byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>						
		Granule	Yes	No	2	2						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
				unitless	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>			
		Scale = first array element; Offset = 2nd array element										

### 5.3.6.3 Cloud Optical Thickness HDF5 Details

Figures 5.3.6.3-1, Cloud Optical Thickness UML Diagram, provides the details on the content and datatypes of the VIIRS Cloud Optical Thickness EDR. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-COT-EDR
+LayerCloudOpticalThickness : H5T_NATIVE_USHORT
+AverageCloudOpticalThickness : H5T_NATIVE_USHORT
+QF1_VIIRSCOTLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCOTLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCOTAVGEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCOTAVGEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCOTEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCOTEDR : H5T_NATIVE_UCHAR
+COTFactors : H5T_NATIVE_FLOAT

Figure 5.3.6.3-1, Cloud Optical Thickness UML Diagram

### 5.3.6.4 Cloud Optical Thickness HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Cloud Optical Thickness EDR are listed in the CDFCB-X Volume V. The VIIRS EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.6.4-1, Cloud Optical Thickness N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the Cloud Optical Thickness EDR.

**Table 5.3.6.4-1, Cloud Optical Thickness  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.6.5 Cloud Optical Thickness Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation.

### 5.3.7 Cloud Top Height

<b>Data Mnemonic</b>	EDRE-VCTH-C0030 (Official) EDRE-VCTH-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>The cloud top height is defined for each cloud-covered earth location as the set of heights of the tops of the cloud layers overlying the location. The reported heights are horizontal spatial averages over a cell (i.e., a square region of the earth's surface). If a cloud layer does not extend over an entire cell, the spatial average is limited to the portion of the cell that is covered by the layer.</p> <p>The cloud top height is not defined or reported for cells that are categorized as "probably clear" or "confidently clear" by more than half of the cloud mask elements that cover the cloud top height horizontal cell.</p> <p>Note that although standard meteorological convention is to provide cloud heights Above Ground Level (AGL), the Cloud Top Height is provided as the height above Mean Sea Level (MSL).</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Night</li> <li>Cloudy</li> <li>Land</li> <li>Ocean</li> </ul> <p>Sensors:</p> <ul style="list-style-type: none"> <li>VIIRS</li> </ul> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.03 MiB</p> <p>This granule size includes Cloud Top Height related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5

<b>Data Content and Data Format</b>	<p>For each cell, the Cloud Top Height EDR contains:</p> <ul style="list-style-type: none"> <li>Layer cloud top height</li> <li>Average cloud top height (of all layers)*</li> <li>Quality Flags</li> <li>Scale/Offset Factors</li> </ul> <p>*Note: The Average Cloud Top Height Field is a simple average of the Cloud Top Heights identified for each cell at each layer. The layers are vertically averaged to provide this field. Be aware that a cell in the Average Cloud Top Height field may contain data averaged from multiple layers widely separated in altitude and therefore very different in cloud top heights.</p> <p>See Section 5.3.7.1, Cloud Top Height Data Content Summary</p> <p>See Section 5.3.7.2, Cloud Top Height Product Profile</p> <p>See Section 5.3.7.3, Cloud Top Height HDF5 Details</p> <p>See Section 5.3.7.4, Cloud Top Height Metadata</p> <p>See Section 5.3.7.5, Cloud Top Height Geolocation Details</p>
-------------------------------------	---

### 5.3.7.1 Cloud Top Height Data Content Summary

**Table 5.3.7.1-1, Cloud Top Height Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudTopHeight	Cloud Top Height - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	km
AverageCloudTopHeight	Cloud Top Height - Average of all layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	km
QF1_VIIRSCTHLAYEREDR	Layer CTH Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF2_VIIRSCTHLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF3_VIIRSCTHAVGEDR	Quality Flags for AverageCloudTopHeight Field	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF4_VIIRSCTHAVGEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCTHEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCTHEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
CTHFactors	Scale = first array element; Offset = 2nd array element	32-bit floating point	[N*2]	[2]	Scale = unitless; Offset = km

### 5.3.7.2 Cloud Top Height Product Profile

Table 5.3.7.2-1, Cloud Top Height Product Profile

Name	Data Size	Dimensions										
LayerCloudTopHeight	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Height - layered product (ordered from top of atmosphere to surface)	0	0	20	km	Yes	CTHFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
								ELINT_UINT16_FILL	65530			
								VDNE_UINT16_FILL	65529			
								SOUB_UINT16_FILL	65528			
AverageCloudTopHeight	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Height - Average of all layers	0	0	20	km	Yes	CTHFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
										ELINT_UINT16_FILL	65530	
								VDNE_UINT16_FILL	65529			
								SOUB_UINT16_FILL	65528			

**Table 5.3.7.2-2, Cloud Top Height Product Profile – Quality Flags**

Name	Data Size	Dimensions														
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size										
QF1_VIIRSCTHLAYEREDR	1 byte(s)	AlongTrack	Yes	No	96	96										
		CrossTrack	No	No	508	508										
		Layer	No	No	4	4										
		<b>Datum</b>														
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values		Legend Entries				
Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	Name	Value	Name	Value					
										0% <= cloudiness < 25%	0					
										25% <= cloudiness < 50%	1					
										50% <= cloudiness < 75%	2					
										75% <= cloudiness <= 100%	3					
Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	Name	Value	Name	Value					
										0% <= Water Cloud Fraction < 25%	0					
										25% <= Water Cloud Fraction < 50%	1					
										50% <= Water Cloud Fraction < 75%	2					
										75% <= Water Cloud Fraction <= 100%	3					

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3																																																
Name	Value	Name	Value																																																																											
		0% <= Multi-layer Cloud Fraction < 25%	0																																																																											
		25% <= Multi-layer Cloud Fraction < 50%	1																																																																											
		50% <= Multi-layer Cloud Fraction < 75%	2																																																																											
		75% <= Multi-layer Cloud Fraction <= 100%	3																																																																											
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3																																																
Name	Value	Name	Value																																																																											
		0% <= Mixed Phase Cloud Fraction < 25%	0																																																																											
		25% <= Mixed Phase Cloud Fraction < 50%	1																																																																											
		50% <= Mixed Phase Cloud Fraction < 75%	2																																																																											
		75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																											
QF2_VIIRSCTHLAYEREDR	1 byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> <tr> <td>Layer</td> <td>No</td> <td>No</td> <td>4</td> <td>4</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Layer	No	No	4	4																																																				
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																										
AlongTrack	Yes	No	96	96																																																																										
CrossTrack	No	No	508	508																																																																										
Layer	No	No	4	4																																																																										
		<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td>Out of bounds - More than 50% of pixels in Horizontal</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>									Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3				Out of bounds - More than 50% of pixels in Horizontal	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value					
Datum																																																																														
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																					
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3																																																				
Name	Value	Name	Value																																																																											
No Retrieval	0																																																																													
Low	1																																																																													
Medium	2																																																																													
High	3																																																																													
Out of bounds - More than 50% of pixels in Horizontal	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value																																																																		
Name	Value	Name	Value																																																																											

		Cell are outside of the system spec valid range.									False 0 True 1																																														
		<b>Non Convergent Pixels -</b> More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	Name Value	Name Value False 0 True 1																																														
		Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	Name Value	Name Value False 0 True 1																																														
		Opaque (black) cloud branching	5			unitless	No		2 bit(s)	Name Value	Name Value 0% <= Opaque Cloud branch in HCS < 25% 0 25% <= Opaque Cloud branch in HCS < 50% 1 50% <= Opaque Cloud branch in HCS < 75% 2 75% <= Opaque Cloud branch in HCS <= 100% 3																																														
		spare	7			unitless	No		1 bit(s)	Name Value	Name Value																																														
QF3_VIIRSCTHAVGEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td></td> </tr> </tbody> </table>						Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries										
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																					
AlongTrack	Yes	No	96	96																																																					
CrossTrack	No	No	508	508																																																					
Datum																																																									
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																

		Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= cloudiness &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= cloudiness &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= cloudiness &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= cloudiness &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= cloudiness < 25%	0			25% <= cloudiness < 50%	1			50% <= cloudiness < 75%	2			75% <= cloudiness <= 100%	3
Name	Value	Name	Value																											
		0% <= cloudiness < 25%	0																											
		25% <= cloudiness < 50%	1																											
		50% <= cloudiness < 75%	2																											
		75% <= cloudiness <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Water Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Water Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Water Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Water Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Water Cloud Fraction < 25%	0			25% <= Water Cloud Fraction < 50%	1			50% <= Water Cloud Fraction < 75%	2			75% <= Water Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Water Cloud Fraction < 25%	0																											
		25% <= Water Cloud Fraction < 50%	1																											
		50% <= Water Cloud Fraction < 75%	2																											
		75% <= Water Cloud Fraction <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Multi-layer Cloud Fraction < 25%	0																											
		25% <= Multi-layer Cloud Fraction < 50%	1																											
		50% <= Multi-layer Cloud Fraction < 75%	2																											
		75% <= Multi-layer Cloud Fraction <= 100%	3																											

		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																																																	
Name	Value	Name	Value																																																																																																																																										
0% <= Mixed Phase Cloud Fraction < 25%	0																																																																																																																																												
25% <= Mixed Phase Cloud Fraction < 50%	1																																																																																																																																												
50% <= Mixed Phase Cloud Fraction < 75%	2																																																																																																																																												
75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																																																																												
QF4_VIIRSCTHAVGEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td><b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td><b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")</td> <td>3</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td>Pixels with COT &gt; 1.0 in Horizontal Cell &gt; 50%</td> <td>4</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>									Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3				<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1				<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1				Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																									
AlongTrack	Yes	No	96	96																																																																																																																																									
CrossTrack	No	No	508	508																																																																																																																																									
Datum																																																																																																																																													
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																																				
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3																																																																																																																			
Name	Value	Name	Value																																																																																																																																										
No Retrieval	0																																																																																																																																												
Low	1																																																																																																																																												
Medium	2																																																																																																																																												
High	3																																																																																																																																												
<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1																																																																																																																											
Name	Value	Name	Value																																																																																																																																										
False	0																																																																																																																																												
True	1																																																																																																																																												
<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1																																																																																																																											
Name	Value	Name	Value																																																																																																																																										
False	0																																																																																																																																												
True	1																																																																																																																																												
Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1																																																																																																																											
Name	Value	Name	Value																																																																																																																																										
False	0																																																																																																																																												
True	1																																																																																																																																												

		Opaque (black) cloud branching	5			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	0% <= Opaque Cloud branch in HCS < 25%	0																																																																																																																									
												25% <= Opaque Cloud branch in HCS < 50%	1																																																																																																																									
												50% <= Opaque Cloud branch in HCS < 75%	2																																																																																																																									
												75% <= Opaque Cloud branch in HCS <= 100%	3																																																																																																																									
		spare	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																											
QF5_VIIRSCTHDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Snow/Ice Fraction</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0% &lt;= Snow/Ice Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>25% &lt;= Snow/Ice Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>50% &lt;= Snow/Ice Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>75% &lt;= Snow/Ice Fraction &lt;= 100%</td> <td>3</td> </tr> <tr> <td>Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0% &lt;= Sunlint Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>25% &lt;= Sunlint Fraction &lt; 50%</td> <td>1</td> </tr> </tbody> </table>												Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										0% <= Snow/Ice Fraction < 25%	0										25% <= Snow/Ice Fraction < 50%	1										50% <= Snow/Ice Fraction < 75%	2										75% <= Snow/Ice Fraction <= 100%	3	Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										0% <= Sunlint Fraction < 25%	0										25% <= Sunlint Fraction < 50%	1
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																		
AlongTrack	Yes	No	96	96																																																																																																																																		
CrossTrack	No	No	508	508																																																																																																																																		
Datum																																																																																																																																						
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																													
Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																													
									0% <= Snow/Ice Fraction < 25%	0																																																																																																																												
									25% <= Snow/Ice Fraction < 50%	1																																																																																																																												
									50% <= Snow/Ice Fraction < 75%	2																																																																																																																												
									75% <= Snow/Ice Fraction <= 100%	3																																																																																																																												
Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																													
									0% <= Sunlint Fraction < 25%	0																																																																																																																												
									25% <= Sunlint Fraction < 50%	1																																																																																																																												

											50% <= Sunlint Fraction < 75%	2																																																				
											75% <= Sunlint Fraction <= 100%	3																																																				
	Day/Night Degradation Flag	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>																																																				
											Day (Solar Zenith Angle < 75 degrees)	1																																																				
											Night (Solar Zenith Angle >= 75 degrees)	2																																																				
											Transition (Terminator)	3																																																				
	Bad SDR Data (Quality of CTH degraded or CTH not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>																																																				
											No Calibration Data	0																																																				
											Partially/Totally Saturated Data	1																																																				
											Poor	2																																																				
											Good	3																																																				
QF6_VIIRSCTHDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table>											Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508																																					
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																												
AlongTrack	Yes	No	96	96																																																												
CrossTrack	No	No	508	508																																																												
		<table border="1"> <thead> <tr> <th colspan="12">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th colspan="3">Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="5">Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell</td> <td rowspan="5">0</td> <td rowspan="5"></td> <td rowspan="5"></td> <td rowspan="5">unitless</td> <td rowspan="5">No</td> <td rowspan="5"></td> <td rowspan="5">2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> <td><b>Value</b></td> </tr> <tr> <td></td> <td></td> <td>0% &lt;= Sea Water Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Sea Water Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Sea Water Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Sea Water Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>											Datum												Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries			Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>			0% <= Sea Water Fraction < 25%	0			25% <= Sea Water Fraction < 50%	1			50% <= Sea Water Fraction < 75%	2			75% <= Sea Water Fraction <= 100%	3
Datum																																																																
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																							
Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>																																																					
										0% <= Sea Water Fraction < 25%	0																																																					
										25% <= Sea Water Fraction < 50%	1																																																					
										50% <= Sea Water Fraction < 75%	2																																																					
										75% <= Sea Water Fraction <= 100%	3																																																					

	Surface Type - Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>
										0% <= Coastal Fraction < 25%	0
										25% <= Coastal Fraction < 50%	1
										50% <= Coastal Fraction < 75%	2
										75% <= Coastal Fraction <= 100%	3
	spare	4			unitless	No		4 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

**Table 5.3.7.2-3, Cloud Top Height Product Profile – Factors**

Name	Data Size	Dimensions										
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
CTHFactors	4byte(s)	Granule	Yes	No	2	2						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
		Scale = first array element; Offset = 2nd array element			Scale = unitless; Offset = km	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		

### 5.3.7.3 Cloud Top Height HDF5 Details

Figures 5.3.7.3-1, Cloud Top Height UML Diagram, provides the details on the content and datatypes of the Cloud Top Height EDR. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-CTH-EDR
+LayerCloudTopHeight : H5T_NATIVE_USHORT
+AverageCloudTopHeight : H5T_NATIVE_USHORT
+QF1_VIIRSCTHLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCTHLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCTHAVGEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCTHAVGEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCTHEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCTHEDR : H5T_NATIVE_UCHAR
+CTHFactors : H5T_NATIVE_FLOAT

**Figure 5.3.7.3-1, Cloud Top Height UML Diagram**

### 5.3.7.4 Cloud Top Height HDF5 Metadata Details

The HDF5 metadata elements associated with the Cloud Top Height EDR are listed in the CDFCB-X Volume V. The Cloud Top Height EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.7.4-1, Cloud Top Height N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the VIIRS Cloud Top Height EDR.

**Table 5.3.7.4-1, Cloud Top Height  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.7.5 Cloud Top Height Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation

### 5.3.8 Cloud Top Pressure

<b>Data Mnemonic</b>	EDRE-VCTP-C0030 (Official) EDRE-VCTP-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>The cloud top pressure is defined for each cloud-covered earth location as the set of atmospheric pressures at the tops of the cloud layers overlying the location. The reported pressures are horizontal spatial averages over a cell (i.e., a square region of the earth's surface).</p> <p>If a cloud layer does not extend over an entire cell, that spatial average is limited to the portion of the cell that is covered by the layer.</p> <p>Cloud top pressure is not defined or reported for clear cells. The Cloud Top Pressure EDR is reported for up to four layers. The data is reported in units of mb.</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Night</li> <li>Cloudy</li> <li>Land</li> <li>Ocean</li> </ul> <p>Sensors:</p> <ul style="list-style-type: none"> <li>VIIRS</li> </ul> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.03 MiB</p> <p>This granule size includes Cloud Top Pressure related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5

<p><b>Data Content and Data Format</b></p>	<p>For each cell, the Cloud Top Pressure EDR contains:</p> <ul style="list-style-type: none"> <li>Layer cloud top pressure</li> <li>Average cloud top pressure*</li> <li>Quality Flags</li> <li>Scale/Offset Factors</li> </ul> <p>*Note: The Average Cloud Top Pressure Field is a simple average of the Cloud Top Pressures identified for each cell at each layer. The layers are vertically averaged to provide this field. Be aware that a cell in the Average Cloud Top Pressure field may contain data averaged from multiple layers widely separated in altitude and therefore very different in cloud top pressures.</p> <p>See Section 5.3.8.1, Cloud Top Pressure Data Content Summary          See Section 5.3.8.2, Cloud Top Pressure Product Profile          See Section 5.3.8.3, Cloud Top Pressure HDF5 Details          See Section 5.3.8.4, Cloud Top Pressure Metadata          See Section 5.3.8.5, Cloud Top Pressure Geolocation Details</p>
--	---

### 5.3.8.1 Cloud Top Pressure Data Content Summary

**Table 5.3.8.1-1, Cloud Top Pressure Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudTopPressure	Cloud Top Pressure - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	hPa
AverageCloudTopPressure	Cloud Top Pressure - Average of all layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	hPa
QF1_VIIRSCTPLAYEREDR	Layer CTP Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF2_VIIRSCTPLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF3_VIIRSCTPAVGEDR	Quality Flags for AverageCloudTopPressure Field	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF4_VIIRSCTPAVGEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCTPEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCTPEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
CTPFactors	Scale = first array element; Offset = 2nd array element	32-bit floating point	[N*2]	[2]	Scale = unitless; Offset = hPa

### 5.3.8.2 Cloud Top Pressure Product Profile

Table 5.3.8.2-1, Cloud Top Pressure Product Profile

Name	Data Size	Dimensions										
LayerCloudTopPressure	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Pressure - layered product (ordered from top of atmosphere to surface)	0	50	1050	hPa	Yes	CTPFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											
AverageCloudTopPressure	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Pressure - Average of all layers	0	50	1050	hPa	Yes	CTPFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
										ELINT_UINT16_FILL	65530	
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											

**Table 5.3.8.2-2, Cloud Top Pressure Product Profile – Quality Flags**

Name	Data Size	Dimensions											
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size							
QF1_VIIRSCTPLAYEREDR	1 byte(s)	AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		Layer	No	No	4	4							
		<b>Datum</b>											
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		
		Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	Name	Value	Name	Value
										0% <= cloudiness < 25%	0		
										25% <= cloudiness < 50%	1		
										50% <= cloudiness < 75%	2		
										75% <= cloudiness <= 100%	3		
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	Name	Value	Name	Value
										0% <= Water Cloud Fraction < 25%	0		
										25% <= Water Cloud Fraction < 50%	1		
										50% <= Water Cloud Fraction < 75%	2		
										75% <= Water Cloud Fraction <= 100%	3		

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3																																															
Name	Value	Name	Value																																																																										
		0% <= Multi-layer Cloud Fraction < 25%	0																																																																										
		25% <= Multi-layer Cloud Fraction < 50%	1																																																																										
		50% <= Multi-layer Cloud Fraction < 75%	2																																																																										
		75% <= Multi-layer Cloud Fraction <= 100%	3																																																																										
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3																																															
Name	Value	Name	Value																																																																										
		0% <= Mixed Phase Cloud Fraction < 25%	0																																																																										
		25% <= Mixed Phase Cloud Fraction < 50%	1																																																																										
		50% <= Mixed Phase Cloud Fraction < 75%	2																																																																										
		75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																										
QF2_VIIRSCTPLAYEREDR	1 byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> <tr> <td>Layer</td> <td>No</td> <td>No</td> <td>4</td> <td>4</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Layer	No	No	4	4																																																			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																									
AlongTrack	Yes	No	96	96																																																																									
CrossTrack	No	No	508	508																																																																									
Layer	No	No	4	4																																																																									
		<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td>Out of bounds - More than 50% of pixels in Horizontal</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>								Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3				Out of bounds - More than 50% of pixels in Horizontal	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value					
Datum																																																																													
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																				
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3																																																			
Name	Value	Name	Value																																																																										
No Retrieval	0																																																																												
Low	1																																																																												
Medium	2																																																																												
High	3																																																																												
Out of bounds - More than 50% of pixels in Horizontal	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value																																																																	
Name	Value	Name	Value																																																																										

		Cell are outside of the system spec valid range.									False 0 True 1																																														
		<b>Non Convergent Pixels -</b> More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	Name Value	Name Value False 0 True 1																																														
		Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	Name Value	Name Value False 0 True 1																																														
		Opaque (black) cloud branching.	5			unitless	No		2 bit(s)	Name Value	Name Value 0% <= Opaque Cloud branch in HCS < 25% 0 25% <= Opaque Cloud branch in HCS < 50% 1 50% <= Opaque Cloud branch in HCS < 75% 2 75% <= Opaque Cloud branch in HCS <= 100% 3																																														
		spare	7			unitless	No		1 bit(s)	Name Value	Name Value																																														
QF3_VIIRSCTPAVGEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td></td> </tr> </tbody> </table>						Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries										
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																					
AlongTrack	Yes	No	96	96																																																					
CrossTrack	No	No	508	508																																																					
Datum																																																									
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																

	Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
										0% <= cloudiness < 25%	0
										25% <= cloudiness < 50%	1
										50% <= cloudiness < 75%	2
										75% <= cloudiness <= 100%	3
	Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
										0% <= Water Cloud Fraction < 25%	0
										25% <= Water Cloud Fraction < 50%	1
										50% <= Water Cloud Fraction < 75%	2
										75% <= Water Cloud Fraction <= 100%	3
	Cloud Fractional Coverage within Horizontal Cell - Multi- Layer Cloud	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
										0% <= Multi-layer Cloud Fraction < 25%	0
										25% <= Multi-layer Cloud Fraction < 50%	1
										50% <= Multi-layer Cloud Fraction < 75%	2
										75% <= Multi-layer Cloud Fraction <= 100%	3
	Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	
										0% <= Mixed Phase Cloud Fraction < 25%	0
										25% <= Mixed Phase Cloud	1



												25% <= Opaque Cloud branch in HCS < 50%	1																																																																																																																			
												50% <= Opaque Cloud branch in HCS < 75%	2																																																																																																																			
												75% <= Opaque Cloud branch in HCS <= 100%	3																																																																																																																			
		spare	7			unitless	No		1 bit(s)	Name	Value	Name	Value																																																																																																																			
QF5_VIIRSCTPEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="5">Snow/Ice Fraction</td> <td rowspan="5">0</td> <td rowspan="5"></td> <td rowspan="5"></td> <td rowspan="5">unitless</td> <td rowspan="5">No</td> <td rowspan="5"></td> <td rowspan="5">2 bit(s)</td> <td>Name</td> <td>Value</td> <td>Name</td> <td>Value</td> </tr> <tr> <td></td> <td></td> <td>0% &lt;= Snow/Ice Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Snow/Ice Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Snow/Ice Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Snow/Ice Fraction &lt;= 100%</td> <td>3</td> </tr> <tr> <td rowspan="5">Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)</td> <td rowspan="5">2</td> <td rowspan="5"></td> <td rowspan="5"></td> <td rowspan="5">unitless</td> <td rowspan="5">No</td> <td rowspan="5"></td> <td rowspan="5">2 bit(s)</td> <td>Name</td> <td>Value</td> <td>Name</td> <td>Value</td> </tr> <tr> <td></td> <td></td> <td>0% &lt;= Sunlint Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Sunlint Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Sunlint Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Sunlint Fraction &lt;= 100%</td> <td>3</td> </tr> <tr> <td>Day/Night Degradation Flag</td> <td>4</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td>Name</td> <td>Value</td> <td>Name</td> <td>Value</td> </tr> <tr> <td></td> <td>Day (Solar Zenith</td> <td>1</td> </tr> </tbody> </table>												Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Snow/Ice Fraction	0			unitless	No		2 bit(s)	Name	Value	Name	Value			0% <= Snow/Ice Fraction < 25%	0			25% <= Snow/Ice Fraction < 50%	1			50% <= Snow/Ice Fraction < 75%	2			75% <= Snow/Ice Fraction <= 100%	3	Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	Name	Value	Name	Value			0% <= Sunlint Fraction < 25%	0			25% <= Sunlint Fraction < 50%	1			50% <= Sunlint Fraction < 75%	2			75% <= Sunlint Fraction <= 100%	3	Day/Night Degradation Flag	4			unitless	No		2 bit(s)	Name	Value	Name	Value											Day (Solar Zenith	1
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																												
AlongTrack	Yes	No	96	96																																																																																																																												
CrossTrack	No	No	508	508																																																																																																																												
Datum																																																																																																																																
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																							
Snow/Ice Fraction	0			unitless	No		2 bit(s)	Name	Value	Name	Value																																																																																																																					
										0% <= Snow/Ice Fraction < 25%	0																																																																																																																					
										25% <= Snow/Ice Fraction < 50%	1																																																																																																																					
										50% <= Snow/Ice Fraction < 75%	2																																																																																																																					
										75% <= Snow/Ice Fraction <= 100%	3																																																																																																																					
Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	Name	Value	Name	Value																																																																																																																					
										0% <= Sunlint Fraction < 25%	0																																																																																																																					
										25% <= Sunlint Fraction < 50%	1																																																																																																																					
										50% <= Sunlint Fraction < 75%	2																																																																																																																					
										75% <= Sunlint Fraction <= 100%	3																																																																																																																					
Day/Night Degradation Flag	4			unitless	No		2 bit(s)	Name	Value	Name	Value																																																																																																																					
										Day (Solar Zenith	1																																																																																																																					

											Angle < 75 degrees)		
											Night (Solar Zenith Angle >= 75 degrees)	2	
											Transition (Terminator)	3	
		Bad SDR Data (Quality of CTP degraded or CTP not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												No Calibration Data	0
												Partially/Totally Saturated Data	1
												Poor	2
												Good	3

QF6_VIIRSCTPEDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= Sea Water Fraction < 25%	0
												25% <= Sea Water Fraction < 50%	1
												50% <= Sea Water Fraction < 75%	2
				75% <= Sea Water Fraction <= 100%	3								
Surface Type - Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										0% <= Coastal Fraction < 25%	0		
										25% <= Coastal Fraction < 50%	1		
										50% <= Coastal Fraction < 75%	2		
		75% <= Coastal Fraction <= 100%	3										
spare	4			unitless	No		4 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		

**Table 5.3.8.2-3, Cloud Top Pressure Product Profile – Factors**

Name	Data Size	Dimensions										
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
CTPFactors	4byte(s)	Granule	Yes	No	2	2						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>	
	Scale = first array element; Offset = 2nd array element				Scale = unitless; Offset = hPa	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>		

### 5.3.8.3 Cloud Top Pressure HDF5 Details

Figures 5.3.8.3-1, Cloud Top Pressure UML Diagram, provides the details on the content and datatypes of the Cloud Top Pressure EDR. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-CTP-EDR
+LayerCloudTopPressure : H5T_NATIVE_USHORT
+AverageCloudTopPressure : H5T_NATIVE_USHORT
+QF1_VIIRSCTPLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCTPLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCTPAVGEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCTPAVGEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCTPEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCTPEDR : H5T_NATIVE_UCHAR
+CTPFactors : H5T_NATIVE_FLOAT

**Figure 5.3.8.3-1, Cloud Top Pressure UML Diagram**

### 5.3.8.4 Cloud Top Pressure HDF5 Metadata Details

The HDF5 metadata elements associated with the VIIRS Cloud Top Pressure EDR are listed in the CDFCB-X Volume V. The VIIRS Cloud Top Pressure EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.8.4-1, Cloud Top Pressure N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the Cloud Top Pressure EDR.

**Table 5.3.8.4-1, Cloud Top Pressure  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.8.5 Cloud Top Pressure Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation.

### 5.3.9 Cloud Top Temperature

<b>Data Mnemonic</b>	EDRE-VCTT-C0030 (Official) EDRE-VCTT-C0031 (Substitute)
<b>Description/ Purpose</b>	<p>The cloud top temperature is defined for each cloud-covered earth location as the set of atmospheric temperatures at the tops of the cloud layers overlying the location. The reported temperatures are horizontal spatial averages over a cell (i.e., a square region of the earth's surface).</p> <p>If a cloud layer does not extend over an entire cell, the spatial average is limited to the portion of the cell that is covered by the layer.</p> <p>Cloud top temperature is not defined or reported for clear cells. The Cloud Top Temperature EDR is reported for up to four layers. The reporting range is 180 to 310 Kelvin. This product is reported in Kelvin.</p> <p>Availability Conditions:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Night</li> <li>Cloudy</li> <li>Land</li> <li>Ocean</li> </ul> <p>Sensors:</p> <ul style="list-style-type: none"> <li>VIIRS</li> </ul> <p>Effectivity: NPP and NPOESS</p>
<b>File-Naming Construct</b>	See the CDFCB-X Volume I - Overview, D34862-01, Section 3.4 for details.
<b>File Size</b>	<p>Estimated Granule Size: 1.3 MiB</p> <p>This granule size includes Cloud Top Temperature related fields only and is based on a VIIRS granule size consisting of 48 scans. Metadata attributes are not included. Additional size added by HDF5 packaging is also not included.</p>
<b>File Format Type</b>	HDF5

<p><b>Data Content and Data Format</b></p>	<p>For each cell, the Cloud Top Temperature EDR contains:</p> <ul style="list-style-type: none"> <li>Layer cloud top temperature</li> <li>Average cloud top temperature*</li> <li>Quality Flags</li> <li>Scale/Offset</li> </ul> <p>*Note: The Average Cloud Top Height Field is a simple average of the Cloud Top Temperatures identified for each cell at each layer. The layers are vertically averaged to provide this field. Be aware that a cell in the Average Cloud Top Temperature field may contain data averaged from multiple layers widely separated in altitude and therefore very different in cloud top temperatures.</p> <p>See Section 5.3.9.1, Cloud Top Temperature Data Content Summary</p> <p>See Section 5.3.9.2, Cloud Top Temperature Product Profile</p> <p>See Section 5.3.9.3, Cloud Top Temperature HDF5 Details</p> <p>See Section 5.3.9.4, Cloud Top Temperature Metadata</p> <p>See Section 5.3.9.5, Cloud Top Temperature Geolocation Details</p>
--	--

### 5.3.9.1 Cloud Top Temperature Data Content Summary

**Table 5.3.9.1-1, Cloud Top Temperature Data Content Summary**

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
LayerCloudTopTemperature	Cloud Top Temperature - layered product (ordered from top of atmosphere to surface)	16-bit unsigned integer	[N*96, 508, 4]	[96, 508, 4]	K
AverageCloudTopTemperature	Cloud Top Temperature - Average of all layers	16-bit unsigned integer	[N*96, 508]	[96, 508]	K
QF1_VIIRSCTTLAYEREDR	Layer CTT Quality Flags	8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless
QF2_VIIRSCTTLAYEREDR		8-bit unsigned char	[N*96, 508, 4]	[96, 508, 4]	unitless

Name	Description	Data Type	Aggregate Dimension	Granule Dimension	Units
QF3_VIIRSCTTAVGEDR	Quality Flags for AverageCloudTopTemperature Field	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF4_VIIRSCTTAVGEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF5_VIIRSCTTEDR	Non-Cloud Quality Flags	8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
QF6_VIIRSCTTEDR		8-bit unsigned char	[N*96, 508]	[96, 508]	unitless
CTTFactors	Scale = first array element; Offset = 2nd array element	32-bit floating point	[N*2]	[2]	Scale = unitless; Offset = K

### 5.3.9.2 Cloud Top Temperature Product Profile

**Table 5.3.9.2-1, Cloud Top Temperature Product Profile**

Name	Data Size	Dimensions										
LayerCloudTopTemperature	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		Layer	No	No	4	4						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Temperature - layered product (ordered from top of atmosphere to surface)	0	180	310	K	Yes	CTTFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
ELINT_UINT16_FILL	65530											
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											
AverageCloudTopTemperature	2byte(s)	<b>Name</b>		<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>					
		AlongTrack	Yes	No	96	96						
		CrossTrack	No	No	508	508						
		<b>Datum</b>										
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>		<b>Legend Entries</b>
		Cloud Top Temperature - Average of all layers	0	180	310	K	Yes	CTTFactors	unsigned 16-bit integer	<b>Name</b>	<b>Value</b>	<b>Name</b> <b>Value</b>
										NA_UINT16_FILL	65535	
										MISS_UINT16_FILL	65534	
										ERR_UINT16_FILL	65531	
										ELINT_UINT16_FILL	65530	
VDNE_UINT16_FILL	65529											
SOUB_UINT16_FILL	65528											

**Table 5.3.9.2-2, Cloud Top Temperature Product Profile – Quality Flags**

Name	Data Size	Dimensions
------	-----------	------------

QF1_VIIRSCTTLAYEREDR	1byte(s)	<b>Name</b>	<b>Granule Boundary</b>	<b>Dynamic</b>	<b>Min Array Size</b>	<b>Max Array Size</b>							
		AlongTrack	Yes	No	96	96							
		CrossTrack	No	No	508	508							
		Layer	No	No	4	4							
		<b>Datum</b>											
		<b>Description</b>	<b>Datum Offset</b>	<b>Unscaled Valid Range Min</b>	<b>Unscaled Valid Range Max</b>	<b>Measurement Units</b>	<b>Scaled</b>	<b>Scale Factor Name</b>	<b>Data Type</b>	<b>Fill Values</b>	<b>Legend Entries</b>		
		Cloud Confidence (Indicates cloudiness - percent cloudiness for this layer)	0			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>
												0% <= cloudiness < 25%	0
												25% <= cloudiness < 50%	1
												50% <= cloudiness < 75%	2
										75% <= cloudiness <= 100%	3		
Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<b>Name</b>	<b>Value</b>	<b>Name</b>	<b>Value</b>		
										0% <= Water Cloud Fraction < 25%	0		
										25% <= Water Cloud Fraction < 50%	1		
										50% <= Water Cloud Fraction < 75%	2		
										75% <= Water Cloud Fraction <= 100%	3		

		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3																																																																					
Name	Value	Name	Value																																																																																																
		0% <= Multi-layer Cloud Fraction < 25%	0																																																																																																
		25% <= Multi-layer Cloud Fraction < 50%	1																																																																																																
		50% <= Multi-layer Cloud Fraction < 75%	2																																																																																																
		75% <= Multi-layer Cloud Fraction <= 100%	3																																																																																																
		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																					
Name	Value	Name	Value																																																																																																
		0% <= Mixed Phase Cloud Fraction < 25%	0																																																																																																
		25% <= Mixed Phase Cloud Fraction < 50%	1																																																																																																
		50% <= Mixed Phase Cloud Fraction < 75%	2																																																																																																
		75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																																
QF2_VIIRSCTTLAYEREDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> <tr> <td>Layer</td> <td>No</td> <td>No</td> <td>4</td> <td>4</td> </tr> </tbody> </table>					Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Layer	No	No	4	4	<table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td>Out of bounds - More than 50% of pixels in Horizontal</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>					Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3				Out of bounds - More than 50% of pixels in Horizontal	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value					
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																															
AlongTrack	Yes	No	96	96																																																																																															
CrossTrack	No	No	508	508																																																																																															
Layer	No	No	4	4																																																																																															
Datum																																																																																																			
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																										
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3																																																																									
Name	Value	Name	Value																																																																																																
No Retrieval	0																																																																																																		
Low	1																																																																																																		
Medium	2																																																																																																		
High	3																																																																																																		
Out of bounds - More than 50% of pixels in Horizontal	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value																																																																																							
Name	Value	Name	Value																																																																																																

		Cell are outside of the system spec valid range.								False 0 True 1																																													
		<b>Non Convergent Pixels -</b> More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1																																							
Name	Value																																																						
False	0																																																						
True	1																																																						
		Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>False</td><td>0</td></tr><tr><td>True</td><td>1</td></tr></table>	Name	Value	False	0	True	1																																							
Name	Value																																																						
False	0																																																						
True	1																																																						
		Opaque (black) cloud branching.	5			unitless	No		2 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td>0% &lt;= Opaque Cloud branch in HCS &lt; 25%</td><td>0</td></tr><tr><td>25% &lt;= Opaque Cloud branch in HCS &lt; 50%</td><td>1</td></tr><tr><td>50% &lt;= Opaque Cloud branch in HCS &lt; 75%</td><td>2</td></tr><tr><td>75% &lt;= Opaque Cloud branch in HCS &lt;= 100%</td><td>3</td></tr></table>	Name	Value	0% <= Opaque Cloud branch in HCS < 25%	0	25% <= Opaque Cloud branch in HCS < 50%	1	50% <= Opaque Cloud branch in HCS < 75%	2	75% <= Opaque Cloud branch in HCS <= 100%	3																																			
Name	Value																																																						
0% <= Opaque Cloud branch in HCS < 25%	0																																																						
25% <= Opaque Cloud branch in HCS < 50%	1																																																						
50% <= Opaque Cloud branch in HCS < 75%	2																																																						
75% <= Opaque Cloud branch in HCS <= 100%	3																																																						
		spare	7			unitless	No		1 bit(s)	<table border="1"><tr><th>Name</th><th>Value</th></tr><tr><td></td><td></td></tr></table>	Name	Value																																											
Name	Value																																																						
QF3_VIIRSCTTAVGEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td></td> </tr> </tbody> </table>									Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries										
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																			
AlongTrack	Yes	No	96	96																																																			
CrossTrack	No	No	508	508																																																			
Datum																																																							
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																														

		Cloud Confidence (Indicates cloudiness - percent cloudiness)	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= cloudiness &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= cloudiness &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= cloudiness &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= cloudiness &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= cloudiness < 25%	0			25% <= cloudiness < 50%	1			50% <= cloudiness < 75%	2			75% <= cloudiness <= 100%	3
Name	Value	Name	Value																											
		0% <= cloudiness < 25%	0																											
		25% <= cloudiness < 50%	1																											
		50% <= cloudiness < 75%	2																											
		75% <= cloudiness <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Water Cloud	2			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Water Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Water Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Water Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Water Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Water Cloud Fraction < 25%	0			25% <= Water Cloud Fraction < 50%	1			50% <= Water Cloud Fraction < 75%	2			75% <= Water Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Water Cloud Fraction < 25%	0																											
		25% <= Water Cloud Fraction < 50%	1																											
		50% <= Water Cloud Fraction < 75%	2																											
		75% <= Water Cloud Fraction <= 100%	3																											
		Cloud Fractional Coverage within Horizontal Cell - Multi-Layer Cloud	4			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0% &lt;= Multi-layer Cloud Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>25% &lt;= Multi-layer Cloud Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td>50% &lt;= Multi-layer Cloud Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td>75% &lt;= Multi-layer Cloud Fraction &lt;= 100%</td> <td>3</td> </tr> </tbody> </table>	Name	Value	Name	Value			0% <= Multi-layer Cloud Fraction < 25%	0			25% <= Multi-layer Cloud Fraction < 50%	1			50% <= Multi-layer Cloud Fraction < 75%	2			75% <= Multi-layer Cloud Fraction <= 100%	3
Name	Value	Name	Value																											
		0% <= Multi-layer Cloud Fraction < 25%	0																											
		25% <= Multi-layer Cloud Fraction < 50%	1																											
		50% <= Multi-layer Cloud Fraction < 75%	2																											
		75% <= Multi-layer Cloud Fraction <= 100%	3																											

		Cloud Fractional Coverage within Horizontal Cell - Mixed Phase (Water and Ice) Cloud	6			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>0% &lt;= Mixed Phase Cloud Fraction &lt; 25%</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>25% &lt;= Mixed Phase Cloud Fraction &lt; 50%</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>50% &lt;= Mixed Phase Cloud Fraction &lt; 75%</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>75% &lt;= Mixed Phase Cloud Fraction &lt;= 100%</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	0% <= Mixed Phase Cloud Fraction < 25%	0			25% <= Mixed Phase Cloud Fraction < 50%	1			50% <= Mixed Phase Cloud Fraction < 75%	2			75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																																																	
Name	Value	Name	Value																																																																																																																																										
0% <= Mixed Phase Cloud Fraction < 25%	0																																																																																																																																												
25% <= Mixed Phase Cloud Fraction < 50%	1																																																																																																																																												
50% <= Mixed Phase Cloud Fraction < 75%	2																																																																																																																																												
75% <= Mixed Phase Cloud Fraction <= 100%	3																																																																																																																																												
QF4_VIIRSCTTAVGEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="10">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th>Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Overall Quality</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td><b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td><b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")</td> <td>3</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td>Pixels with COT &gt; 1.0 in Horizontal Cell &gt; 50%</td> <td>4</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>1 bit</td> <td> <table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>									Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum										Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3				<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1				<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1				Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1			
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																									
AlongTrack	Yes	No	96	96																																																																																																																																									
CrossTrack	No	No	508	508																																																																																																																																									
Datum																																																																																																																																													
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																																				
Overall Quality	0			unitless	No		2 bit(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>No Retrieval</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Low</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Medium</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>High</td> <td>3</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	No Retrieval	0			Low	1			Medium	2			High	3																																																																																																																			
Name	Value	Name	Value																																																																																																																																										
No Retrieval	0																																																																																																																																												
Low	1																																																																																																																																												
Medium	2																																																																																																																																												
High	3																																																																																																																																												
<b>Out of bounds</b> - More than 50% of pixels in Horizontal Cell are outside of the system spec valid range.	2			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1																																																																																																																											
Name	Value	Name	Value																																																																																																																																										
False	0																																																																																																																																												
True	1																																																																																																																																												
<b>Non Convergent Pixels</b> - More than 50% of pixels in Horizontal Cell are non-convergent (This flag indicates that one of the upstream algorithms did not converge (COP or CTP) for those cloud EDRs whose algorithms do not "converge")	3			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1																																																																																																																											
Name	Value	Name	Value																																																																																																																																										
False	0																																																																																																																																												
True	1																																																																																																																																												
Pixels with COT > 1.0 in Horizontal Cell > 50%	4			unitless	No		1 bit	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>False</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>True</td> <td>1</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Value	Name	Value	False	0			True	1																																																																																																																											
Name	Value	Name	Value																																																																																																																																										
False	0																																																																																																																																												
True	1																																																																																																																																												

		Opaque (black) cloud branching.	5			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																													
											0% <= Opaque Cloud branch in HCS < 25%	0																																																																																																																													
											25% <= Opaque Cloud branch in HCS < 50%	1																																																																																																																													
											50% <= Opaque Cloud branch in HCS < 75%	2																																																																																																																													
											75% <= Opaque Cloud branch in HCS <= 100%	3																																																																																																																													
		spare	7			unitless	No		1 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																														
QF5_VIIRSCTEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="11">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th colspan="2">Legend Entries</th> </tr> </thead> <tbody> <tr> <td>Snow/Ice Fraction</td> <td>0</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0% &lt;= Snow/Ice Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>25% &lt;= Snow/Ice Fraction &lt; 50%</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>50% &lt;= Snow/Ice Fraction &lt; 75%</td> <td>2</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>75% &lt;= Snow/Ice Fraction &lt;= 100%</td> <td>3</td> </tr> <tr> <td>Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)</td> <td>2</td> <td></td> <td></td> <td>unitless</td> <td>No</td> <td></td> <td>2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0% &lt;= Sunlint Fraction &lt; 25%</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>25% &lt;= Sunlint Fraction &lt; 50%</td> <td>1</td> </tr> </tbody> </table>											Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum											Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries		Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										0% <= Snow/Ice Fraction < 25%	0										25% <= Snow/Ice Fraction < 50%	1										50% <= Snow/Ice Fraction < 75%	2										75% <= Snow/Ice Fraction <= 100%	3	Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>										0% <= Sunlint Fraction < 25%	0										25% <= Sunlint Fraction < 50%	1
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																																																																																					
AlongTrack	Yes	No	96	96																																																																																																																																					
CrossTrack	No	No	508	508																																																																																																																																					
Datum																																																																																																																																									
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																																																																																
Snow/Ice Fraction	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																															
									0% <= Snow/Ice Fraction < 25%	0																																																																																																																															
									25% <= Snow/Ice Fraction < 50%	1																																																																																																																															
									50% <= Snow/Ice Fraction < 75%	2																																																																																																																															
									75% <= Snow/Ice Fraction <= 100%	3																																																																																																																															
Exclusion - Sunlint (Percent of pixels in sunlint in Horizontal Cell)	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>																																																																																																																															
									0% <= Sunlint Fraction < 25%	0																																																																																																																															
									25% <= Sunlint Fraction < 50%	1																																																																																																																															

											50% <= Sunlint Fraction < 75%	2																																																																			
											75% <= Sunlint Fraction <= 100%	3																																																																			
	Day/Night Degradation Flag	4			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>																																																																			
											Day (Solar Zenith Angle < 75 degrees)	1																																																																			
											Night (Solar Zenith Angle >= 75 degrees)	2																																																																			
											Transition (Terminator)	3																																																																			
	Bad SDR Data (Quality of CTT degraded or CTT not obtained due to any bad SDR data in Horizontal cell)	6			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>																																																																			
											No Calibration Data	0																																																																			
											Partially/Totally Saturated Data	1																																																																			
											Poor	2																																																																			
											Good	3																																																																			
QF6_VIIRSCTEDR	1byte(s)	<table border="1"> <thead> <tr> <th>Name</th> <th>Granule Boundary</th> <th>Dynamic</th> <th>Min Array Size</th> <th>Max Array Size</th> </tr> </thead> <tbody> <tr> <td>AlongTrack</td> <td>Yes</td> <td>No</td> <td>96</td> <td>96</td> </tr> <tr> <td>CrossTrack</td> <td>No</td> <td>No</td> <td>508</td> <td>508</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="12">Datum</th> </tr> <tr> <th>Description</th> <th>Datum Offset</th> <th>Unscaled Valid Range Min</th> <th>Unscaled Valid Range Max</th> <th>Measurement Units</th> <th>Scaled</th> <th>Scale Factor Name</th> <th>Data Type</th> <th>Fill Values</th> <th colspan="3">Legend Entries</th> </tr> </thead> <tbody> <tr> <td rowspan="5">Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell</td> <td rowspan="5">0</td> <td rowspan="5"></td> <td rowspan="5"></td> <td rowspan="5">unitless</td> <td rowspan="5">No</td> <td rowspan="5"></td> <td rowspan="5">2 bit(s)</td> <td><b>Name</b> <b>Value</b></td> <td><b>Name</b> <b>Value</b></td> <td><b>Value</b></td> <td></td> </tr> <tr> <td></td> <td>0% &lt;= Sea Water Fraction &lt; 25%</td> <td>0</td> <td></td> </tr> <tr> <td></td> <td>25% &lt;= Sea Water Fraction &lt; 50%</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>50% &lt;= Sea Water Fraction &lt; 75%</td> <td>2</td> <td></td> </tr> <tr> <td></td> <td>75% &lt;= Sea Water Fraction &lt;= 100%</td> <td>3</td> <td></td> </tr> </tbody> </table>											Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size	AlongTrack	Yes	No	96	96	CrossTrack	No	No	508	508	Datum												Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries			Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>			0% <= Sea Water Fraction < 25%	0			25% <= Sea Water Fraction < 50%	1			50% <= Sea Water Fraction < 75%	2			75% <= Sea Water Fraction <= 100%	3	
Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size																																																																											
AlongTrack	Yes	No	96	96																																																																											
CrossTrack	No	No	508	508																																																																											
Datum																																																																															
Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries																																																																						
Surface Type - Sea Water (Ocean) Fractional Coverage within Horizontal Cell	0			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>																																																																					
									0% <= Sea Water Fraction < 25%	0																																																																					
									25% <= Sea Water Fraction < 50%	1																																																																					
									50% <= Sea Water Fraction < 75%	2																																																																					
									75% <= Sea Water Fraction <= 100%	3																																																																					

		Surface Type - Coastal Fractional Coverage within Horizontal Cell	2			unitless	No		2 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	<b>Value</b>
											0% <= Coastal Fraction < 25%	0
											25% <= Coastal Fraction < 50%	1
											50% <= Coastal Fraction < 75%	2
											75% <= Coastal Fraction <= 100%	3
		spare	4			unitless	No		4 bit(s)	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

**Table 5.3.9.2-3, Cloud Top Temperature Product Profile – Factors**

Name	Data Size	Dimensions										
		Name	Granule Boundary	Dynamic	Min Array Size	Max Array Size						
CTTFactors	4byte(s)	Granule	Yes	No	2	2						
		<b>Datum</b>										
		Description	Datum Offset	Unscaled Valid Range Min	Unscaled Valid Range Max	Measurement Units	Scaled	Scale Factor Name	Data Type	Fill Values	Legend Entries	
		Scale = first array element; Offset = 2nd array element				Scale = unitless; Offset = K	No		32-bit floating point	<b>Name</b> <b>Value</b>	<b>Name</b> <b>Value</b>	

### 5.3.9.3 Cloud Top Temperature HDF5 Details

Figures 5.3.9.3-1, Cloud Top Temperature UML Diagram, provides the details on the content and datatypes of the Cloud Top Temperature EDR. These UML diagrams provide details at the product level only. In addition to these UML diagrams, refer to the CDFCB-X, Volume IV, Part 1, D34862-04-01, Figure 1.2.1-1, Generalized UML Diagram for HDF5 IP/ARP/EDR Files, for a complete UML rendering of this product.

VIIRS-CTT-EDR
+LayerCloudTopTemperature : H5T_NATIVE_USHORT
+AverageCloudTopTemperature : H5T_NATIVE_USHORT
+QF1_VIIRSCTTLAYEREDR : H5T_NATIVE_UCHAR
+QF2_VIIRSCTTLAYEREDR : H5T_NATIVE_UCHAR
+QF3_VIIRSCTTAVGEDR : H5T_NATIVE_UCHAR
+QF4_VIIRSCTTAVGEDR : H5T_NATIVE_UCHAR
+QF5_VIIRSCTTEDR : H5T_NATIVE_UCHAR
+QF6_VIIRSCTTEDR : H5T_NATIVE_UCHAR
+CTTFactors : H5T_NATIVE_FLOAT

Figure 5.3.9.3-1, Cloud Top Temperature UML Diagram

### 5.3.9.4 Cloud Top Temperature HDF5 Metadata Details

The HDF5 metadata elements associated with the Cloud Top Temperature EDR are listed in the CDFCB-X Volume V. The Cloud Top Temperature EDR metadata includes all of the common metadata at the root, product, aggregation, and granule levels.

In addition to the common metadata items for this product, Table 5.3.9.4-1, Cloud Top Temperature N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata Values, provides the following items as name/value pairs. The listed name/value pair items in the table are the granule level quality flags for the Cloud Top Temperature EDR.

**Table 5.3.9.4-1, Cloud Top Temperature  
N\_Quality\_Summary\_Name/N\_Quality\_Summary\_Value Granule Level Metadata  
Values**

N_Quality_Summary			
Name	Value	Description	Notes
Percent Converged Pixels	0 – 100	A ratio (expressed as a percent) of the number of converged vs. that of retrieved pixels for the entire granule.	
Exclusion/Degradation Summary	0 – 100	Percent of retrieved cells with one or more exclusion or degradation criteria flags	

**5.3.9.5 Cloud Top Temperature Geolocation Details**

See CDFCB-X, Vol. IV, Part I, D34862-04-01, Section 4.9.7, VIIRS Cloud Aggregated Geolocation.