

✓ General		
Folder:	F:\Final_Delivery\Classified_LAS	
Total # of Files:	581	(All Valid)
Total File Size:	164.4 GB	(176,489,092,061 bytes)
✓ Tile Sizes		
Median Tile Size:	5,000' x 5,000'	
Minimum Tile Size:	1,849' x 4,019'	
Maximum Tile Size:	5,000' x 5,000'	
X Range:	687581.34' to 835000.00'	
Y Range:	424999.99' to 559999.99'	
Elevation Range:	180.86' to 3327.64'	
✓ LAS Version And Point Record Formats		
v1.4, Point Record Format 6		581 of 581 Tiles
✓ Spatial Reference System		
Horizontal Projection	NAD83(2011) / WISCRS Calumet, Fond du Lac, Outagamie and Winnebago (ftUS)	581 of 581 Tiles
Horizontal Datum	NAD83 (National Spatial Reference System 2011)	581 of 581 Tiles
Horizontal Units	US survey foot	581 of 581 Tiles
Vertical Datum	NAVD88 height (ftUS)	581 of 581 Tiles
Vertical Units	US survey foot	581 of 581 Tiles
Storage Method	WKT	581 of 581 Tiles
✓ GPS Time Type		
Adjusted		581 of 581 Tiles
✓ File Source ID Equals 0		
Yes		581 of 581 Tiles
✓ VLR/EVLR Reserved Equals 0		
Yes		1,671 of 1,671 Records
✓ Unnecessary Bytes At End Of File		
No		581 of 581 Tiles
✓ Legacy Point Count Check		
Zero		581 of 581 Tiles
✓ System Identifier		
Quantum Spatial		581 of 581 Tiles
✓ Generating Software		
LiDAR Suite		581 of 581 Tiles

Classified Point Cloud Continued...


Deliverable 1 Summary

Point Classifications		
Class 1	11.32%	665,932,208 Points
Class 2	85.16%	5,010,172,019 Points
Class 6	0.57%	33,594,049 Points
Class 7	0.15%	9,079,830 Points
Class 9	2.78%	163,384,916 Points
Class 10	0.01%	398,700 Points
Class 17	0.00%	288,455 Points
Class 18	0.00%	87,873 Points


✓ Point Statistics	
Scan Angle:	-21 to 21
Intensity:	0 to 65280
First Date:	4/23/2014 1:05:32 PM
Last Date:	5/21/2014 3:32:39 PM



Classified LAS



Classified LAS Tiles (581)





Raw LAS Flight Line Strips

Deliverable 2 Summary

✓ General		
Folder:	F:\Final_Delivery\Raw_LAS	
Total # of Files:	62	(All Valid)
Total File Size:	170.1 GB	(182,691,599,498 bytes)
✓ Raw LAS Strips		
Elevation Range:	181' to 3328'	
Total FL Length:	1,165 miles	
Avg FL Length:	19 miles	
Min FL Length:	2 miles (00148)	
Max FL Length:	26 miles (00126)	
✓ LAS Version And Point Record Formats		
v1.4, Point Record Format 6	62 of 62 Strips	
✓ Spatial Reference System		
Horizontal Projection	NAD83(2011) / WISCRS Calumet, Fond du Lac, Outagamie and Winnebago (ftUS)	62 of 62 Strips
Horizontal Datum	NAD83 (National Spatial Reference System 2011)	62 of 62 Strips
Horizontal Units	US survey foot	62 of 62 Strips
Vertical Datum	NAVD88 height (ftUS)	62 of 62 Strips
Vertical Units	US survey foot	62 of 62 Strips
Storage Method	WKT	62 of 62 Strips
✓ GPS Time Type		
Adjusted	62 of 62 Strips	
✓ File Source IDs		
Equals Zero:	None	
All Unique:	Yes	
FLs:	101 - 157, 901 - 905	
✓ VLR/EVLR Reserved Equals 0		
Yes	170 of 170 Records	
✓ Unnecessary Bytes At End Of File		
No	62 of 62 Strips	
✓ Legacy Point Count Check		
Zero	62 of 62 Strips	
✓ System Identifier		
Quantum Spatial	62 of 62 Strips	
✓ Generating Software		
LiDAR Suite	62 of 62 Strips	



FL Strips (62)







✓ General		
Folder:	F:\Final_Delivery\Raster_DEM	
Total # of Files:	581	(All Valid)
Total File Size:	2.3 GB	(2,443,794,355 bytes)

✓ Tile Sizes		
Median Tile Size:	5,000' x 5,000'	
Minimum Tile Size:	5,000' x 5,000'	
Maximum Tile Size:	5,000' x 5,000'	
X Range:	685000.00' to 835000.00'	
Y Range:	425000.00' to 560000.00'	
Elevation Range:	695.06' to 1031.98'	

✓ Spatial Reference System			
Horizontal Projection	NAD_1983_2011_WISCRS_Calumet_Fond_du_Lac_Outagamie_Winnebago_Feet	581 of 581 Tiles	
Horizontal Datum	D_NAD_1983_2011	581 of 581 Tiles	
Horizontal Units	Foot_US	581 of 581 Tiles	
Vertical Datum	NAVD88 height (ftUS)	581 of 581 Tiles	
Vertical Units	Foot_US	581 of 581 Tiles	

✓ Raster			
File Type:	IMG	581 of 581	
Bands:	1	581 of 581	
Grid Size (pixels):	1000 x 1000	581 of 581	
Pixel Resolution:	5.00000000' x 5.00000000'	581 of 581	
Pixel Type:	32-bit Floating Point	581 of 581	
Compression:	None	581 of 581	
No Data Value:	-32767	581 of 581	



✓ General		
Folder:	F:\Final_Delivery\Intensity_Images	
Total # of Files:	581	(All Valid)
Total File Size:	791.0 MB	(829,387,958 bytes)

✓ Tile Sizes		
Median Tile Size:	5,000' x 5,000'	
Minimum Tile Size:	5,000' x 5,000'	
Maximum Tile Size:	5,000' x 5,000'	
X Range:	685000.00' to 835000.00'	
Y Range:	425000.00' to 560000.00'	

✓ Spatial Reference System		
Horizontal Projection	NAD_1983_2011_WISCRS_Calumet_Fond_du_Lac_Outagamie_Winnebago_Feet	581 of 581 Tiles
Horizontal Datum	NAD_1983_2011	581 of 581 Tiles
Horizontal Units	Foot_US	581 of 581 Tiles
Vertical Datum	NAVD88 height (ftUS)	581 of 581 Tiles
Vertical Units	Foot_US	581 of 581 Tiles

✓ Raster		
File Type:	TIF	581 of 581
Bands:	1	581 of 581
Grid Size (pixels):	1000 x 1000	581 of 581
Pixel Resolution:	5.00000000' x 5.00000000'	581 of 581
Pixel Type:	8-bit Unsigned Integer (MINISBLACK)	581 of 581
Compression:	NONE	581 of 581
No Data Value:	NONE	581 of 581

